WWW. Pals

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2011 question paper for the guidance of teachers

0420 COMPUTER STUDIES

0420/11

Paper 1, maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

| | Page 2 | Mark Scheme: Teachers' version | Syllabus |
|---|---|--------------------------------|---------------|
| | | IGCSE – October/November 2011 | 0420 |
| 1 | Any three from - fact finding - feasibility - analysis - design - testing - documen | ng r study | Cambridge.com |

Any three from:

- fact finding
- feasibility study
- analysis
- design
- testing
- documentation
- implementation/changeover/installation
- evaluation
- maintenance [3]

2 (a) Any one from:

- file size is small
- fast to download/upload files
- format can be played on several types of devices, e.g. mobile phone, CD player, laptop

(b) Any **two** from:


- type of EEPROM
- non-volatile memories
- solid state memories
- NAND based memories
- [2] mini hard disk drives

3 Any three from:

- data must be up to date
- data can only be read/used for the purpose for which it was collected
- data must be accurate/relevant
- data must be deleted/destroyed when no longer needed/don't keep longer than necessary
- data must be secure
- data user must register what data is held
- data must be used /collected fairly and lawfully
- data must be protected from accidental damage
- only authorised people can have access to the data
- fines will be imposed for data mis-use
- data should not be passed on to 3rd parties without owner's permission
- person can view data and have it changed if necessary

[3]

| Page 3 | Mark Scheme: Teachers' version | Syllabus | .0 | V |
|--------|--------------------------------|----------|-----|---|
| | IGCSE – October/November 2011 | 0420 | 100 | |



| Page 4 | | Mark Scheme: Teachers' version | Syllabus | 3 |
|--------|--------|---|--------------------------|-------|
| | | IGCSE – October/November 2011 | 0420 | TO TO |
| 5 | | e from: ware that can be used to design new products/am kes use of features such as 2D, 3D, wire frames, li | | CAM |
| | – Illa | tes use of reatures such as 2D, 5D, whe harnes, in | orary or parts, links to | S. W. |

5 (a) Any one from:

- software that can be used to design new products/amend existing products
- makes use of features such as 2D, 3D, wire frames, library of parts, links to CAM

(b) Any three from:

- aerospace
- architecture
- designing cars
- designing consumer goods
- chemical/nuclear plant design
- designing electronic circuit boards
- ergonomic design
- landscape/garden design

[3]

(c) Any three from:

- large monitor/screen with hi-res
- touch screen
- plotter
- space mouse/space ball/4D device
- 3D glasses (in some applications)
- light pen
- graphics tablet
- 3D printer
- 3D scanner

[3]

6 (a) Any two from:

- webcam
- speakers
- microphone
- broadband modem

[2]

(b) Any one from:

- use of CODEC (converts/compresses analogue data into digital data)
- echo cancellation s/ware (allows talking in real time/keeps everything in sync)
- compression s/ware for video/audio
- s/ware to access broadband/networking

[1]

(c) (i) Any one from:

- immediate response to questions/queries
- can see each other watch body language etc.
- easier to have several participants (would be difficult using instant messaging if several people involved)
- would take a long time typing out each question

(ii) Any one from:

- need for expensive equipment/high set up costs
- sometimes synchronisation problems make it difficult for delegates
- need to train people to use the new technology
- greater use of bandwidth

[2]

| Page 5 | Mark Scheme: Teachers' version | Syllabus | 10 |
|--------|--------------------------------|----------|-----|
| | IGCSE – October/November 2011 | 0420 | 100 |

(d) Any one from:

- faster communications now widely available
- safety reasons, e.g. increase in terrorist attacks on international flights
- reduced transportation/accommodation/hardware costs
- environmental issues, e.g. reduced carbon footprint
- increase in multinational working

7 (i)

| number | count | temp | total | neg | OUTPUT |
|--------|-------|------|-------|-----|--------|
| 7 | | | | | |
| | 1 | | 0 | 0 | |
| | 2 | -5 | | 1 | |
| | 3 | 0 | | 2 | |
| | 4 | 5 | | | |
| | 5 | -4 | | 3 | |
| | 6 | 0 | | 4 | |
| | 7 | 10 | | | |
| | 8 | -2 | | 5 | |
| | | | | | 0, 5 |

<-----1 mark ------> mark ------1 mark ----->

(ii)

| number | count | temp | total | neg | OUTPUT |
|--------|-------|------|-------|-----|--------|
| 6 | | | | | |
| | 1 | | 0 | 0 | |
| | 2 | 21 | 21 | | |
| | 3 | 20 | 41 | | |
| | 4 | 30 | 71 | | |
| | 5 | 19 | | | |
| | 6 | 21 | 92 | | |
| | 7 | 15 | | | |
| | | | | | 92, 0 |

<----1 mark ------1 mark ------1 mark ------

[1]

[6]


| | | | | | | | | | | | - | 1 | my | | |
|----|--|--|---|--|--|---------------------------------------|--|------------------------------|---------------------------|-----------------|--------|---------|-------|---------|-----------------|
| | Pa | ge 6 | ; | | | | | | rs' vers | | | Syllabu | 3 | 0 | Y. |
| | | | | | IGCS | SE – 0 | ctobe | r/Nove | mber 2 | 011 | | 0420 | | Day | |
| 8 | Any - - - - - - - | gati des des des dev test crea | sign thate/ersign/crosign/croselop to systemate state state | formane known ter denter dente | the infe the rule put inte ly with e to re d of dis | base the krerence s base rface/iknowr | nowled engine e interroo n outco ich iten | gation t mes n in the | echniqu | ue edge base | e | | | | Cambridge. |
| 9 | (a) | (i) | = B2 | 2/C2 | | | | | | | | | | | [1] |
| | ı | (ii) (iii) | = SU = (D) | JM(D2 | GE(D2 2:D7)/6 3 + D4 2:D7) | ÓR | | D7)/6 | | | | | | | [1] [1] |
| | (b) | D7, | D8, [| D 9 | | | | | | | | | | | [2] |
| | (c) | = (0 | C7/B7 |) * 10 | 0 | | | | | | | | | | [2] |
| 10 | (a) | Any - - - - | man ofter faste | able to people about the people about th | to those ple pre er talkir ponse t | fer the ng to a o a qu | huma humar estion | n conta n/can d once c | act levelop onnecte | | | through | steps | to soli | ution to [2] |
| | (b) | Any - - - - | no p oper custo | eed to robleo 24-7 omer | o wait i n with //can le can sa | angua ave qu ve/prin | ige/dial lestion it soluti | on wel | bsite ar later ref | | rences | | | | [2] |
| | (c) | Any - - - - | de-s need more | osses killing d to (r e jobs | e-)train for tec | hnical | | s/worki | ing fron | n home | | | | | [2] |

| | | | | | The state of the s | |
|----|-----|---|---|--|--|-----------|
| | Pa | ge 7 | , | Mark Scheme: Teachers' version | Syllabus | r |
| | | | | IGCSE – October/November 2011 | 0420 | |
| 11 | (a) | | _ _ _ | one from: unit of data/memory 8 bits used to represent a character one from: 2 ³⁰ bytes 1 073 741 824 bytes 1 048 576 kilobytes 1024 megabytes | Syllabus 0420 | Inbridge. |
| | (b) | Any | / two | from: | | |
| | | <u>Fla:</u> - - - - | mag no f plug | nemory gnetic media/solid state memory formatting issues gs directly into the USB port ect transfer of data | | |
| | | <u>CD</u> - - - - | slov requ | ical media wer access speed/flash memory has faster access uires a separate drive a needs to be burnt/finalised/finished (before being | | [2] |
| 12 | (a) | Onl - - | tem | swers: nperature (sensor) gen (sensor) | | [2] |
| | (b) | Any - - - - - - - - | info the if te m to if ox to use sou con | or from: ormation from the sensors sent to microprocessor ADC converts the analogue data into digital form emperature < 25°C OR temperature checked aga nicroprocessor sends signal to heater/actuator/valve o switch on heater exygen level < 20 ppm OR oxygen level checked a o open valve/oxygen supply of DAC between microprocessor and devices ands an alarm if system unable to respond of tinuously monitors sensor inputs or reference to feedback | 9 | [4] |
| | (c) | Any - - - | uns war | e from: cafe limit stored in memory rning sound/signal if too high a value reached safe switch off in case of a malfunction | | [1] |

| Page 8 | | Mark Scheme: Teachers' version | Syllabus | .00 |
|--------|---|---|----------|---------------|
| | | IGCSE – October/November 2011 | 0420 | 100 |
| 13 | - sate - com - syst - eac - com | ellites transmit signals to onboard computers inputers receive/interpret these signals tem depends on very accurate timing/use of atomic h satellite transmits data indicating location and timinguter in aeroplane calculates location based on at | e | Cambridge com |
| | – au | east 24 satellites in operation at any one time | | |

13 (a) Any four from:

- satellites transmit signals to onboard computers
- computers receive/interpret these signals
- system depends on very accurate timing/use of atomic clocks
- each satellite transmits data indicating location and time
- computer in aeroplane calculates location based on at least three satellites
- at least 24 satellites in operation at any one time
- position accurate to within one metre
- can also calculate altitude of aeroplane
- ref to "triangulation":




[4]

[2]

(b) Any two from:

- safer as known location is exact/more accurate
- reduces possibility of pilot error
- allows accurate estimation of arrival time
- display and guide pilot to nearest airport in case of emergency

14 (a) 1 mark for each correct logic gate:



[6]

| Page 9 | Mark Scheme: Teachers' version | Syllabus | .0 | V |
|--------|--------------------------------|----------|-----|---|
| | IGCSE – October/November 2011 | 0420 | 200 | |

(b)

| Р | R | Т | x | |
|---|---|---|---|---|
| 0 | 0 | 0 | 1 | 1 |
| 0 | 0 | 1 | 1 | J |
| 0 | 1 | 0 | 1 | 1 |
| 0 | 1 | 1 | 0 | J |
| 1 | 0 | 0 | 0 | 1 |
| 1 | 0 | 1 | 0 | J |
| 1 | 1 | 0 | 1 | 1 |
| 1 | 1 | 1 | 0 |] |

mk

mk

1 mk

[4]

15 (a) 1 mark for the correct working in BOTH parts

1 mark for valid

1 mark for not valid

(i) working

$$\overline{= (4 \times 6)} + (2 \times 5) + (1 \times 4) + (9 \times 3) + (2 \times 2) + (3 \times 1)$$

$$= 24 + 10 + 4 + 27 + 4 + 3$$

$$= 72 \div 11$$

= 6 remainder 6

valid/not valid: NOT valid

(ii) working

$$= (8 \times 6) + (2 \times 5) + (0 \times 4) + (1 \times 3) + (5 \times 2) + (6 \times 1)$$

$$= 48 + 10 + 0 + 3 + 10 + 6$$

$$= 77 \div 11$$

= 7 remainder 0

valid/not valid: VALID

[3]

(b) 1 mark for correct working + 1 mark for check digit

working

$$= (5 \times 6) + (0 \times 5) + (2 \times 4) + (4 \times 3) + (1 \times 2)$$

$$= 30 + 0 + 8 + 12 + 2$$

= 52

need to add 3 to make the total 55 (i.e. exactly divisible by 11)

check digit: 3 [2]

(c) 2 digits transposed

(e.g. 280419 becomes 280149/ two digits have been switched)

incorrect digit

(e.g. 280419 becomes 250419/ one of the digits has been mistyped)

[2]

| Page 10 | 10 Mark Scheme: Teachers' version | | · 0 I | |
|---------|-----------------------------------|------|-------|--|
| | IGCSE – October/November 2011 | 0420 | 100 | |

16 (a) Any two from:

lock the room/computer

- use/prevent use of removable storage media
- passwords and/or ids (to get into the system)
- log off when computer not attended

encrypt data

(b) 1 mark for each risk + 1 mark for associated protection method.

risk: virus

protection: use ant-virus software

risk: hacking

protection: passwords/ids

firewalls

risk: use of wifi systems protection: passwords/ids

firewalls

risk: phishing:

protection: don't open websites from "unknown" emails

anti-phishing software


risk: pharming:

protection: check certification of website under properties

check spelling of websites use a well respected ISP

use a well respected ISP [4]





[1]

[1]

(ii) Any one from:

- if one station/cable fails, others are not affected
- <u>easier</u> to identify faults when using star topologies
- it is <u>easier</u> to expand this type of network
- performance doesn't deteriorate under load

| Page 11 | Mark Scheme: Teachers' version | Syllabus | . A. V |
|---------|--------------------------------|----------|--------|
| | IGCSE – October/November 2011 | 0420 | 200 |

(d) Any two from:

- processor should consume as little power as possible (thus prolonging the batter)
- processor should run as cool as possible (minimising problems associated with dissipation)
- no fans needed to cool processor (thus reducing the load on the internal battery)

2

17 (a) marking points:

the way to find and print the largest value a 1 mark the way to find and print the largest value b 1 mark the way to find and print the largest value c 1 mark

sample algorithm:

input a, b, c

if a > b and a > c then print a (1 mark)
else if b > c then print b (1 mark)
else print c (1 mark)
[3]

(b) marking points:

loop construct 1 mark check if number is an *integer* 1 mark counting the number of integers input 1 mark output count value (outside the loop) 1 mark

sample algorithm:

for x = 1 to 1000 (1 mark)
input number
difference = INT(number) – number
if difference = 0 then total = total + 1 (1 mark)
next x
print total (1 mark)
(NOTE: alternative to lines 3 and 4:

if INT(number) = number then total = total + 1 (2 marks)) [4]