UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

www.papaCambridge.com MARK SCHEME for the October/November 2011 question paper

for the guidance of teachers

0417 INFORMATION AND COMMUNICATION **TECHNOLOGY**

0417/02


Paper 2 (Practical Test A), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 3	Mark Scheme: Teachers' version	Syllabus	A.
	IGCSE – October/November 2011	0417	10
Name	Candidate number		Centre n

outgoing trains simultaneously and the current capacity of the rail link is 22 trains per day. At present, the port is handling on an average 2 trains per day.

Port Pepard is the first port in this country to receive double stacked container trains (March 2006), which have a capacity of carrying 180TEUs as against 90TEUs carried in a single stack train. At present, the double stack container trains run to the inland railhead.

Oceanographic Conditions

Port Pepard is protected by two islands, which act as a natural breakwater making the port safe in all weather conditions. The presence of these islands also leads to the tranquillity of the water in the harbour. It also ensures the wave height is less than 0.5m most of the time. Port Pepard has now increased the draft to 14.5 metres from 12.5 metres. The water currents are between 2.5 to 3 knots during peak tidal conditions.

These favourable oceanographic conditions at Port Pepard ensure easy and safe navigation of ships round the year. Thanks to the twin islands, Port Pepard can offer its services throughout the year, even during the monsoons, which provides an added advantage to its customers.

Storage Developments

One of the unique features of Port Pepard is the availability of large tracts of land. This is attractive to several customers who wish to set up tank farms or warehouse facilities on site. A car storage facility is built here to hold cars while awaiting shipping. Cars are brought in by rail and loaded into containers in a newly developed container storage facility. This was developed in preparation for the launch of the new Micro range of cars which we believe will meet world-wide requirements for environmentally friendly personal transport that is easily afforded by families of modest incomes.


Car exports


ambridge.com We have come through some difficu for manufacturing and show here how planned exports of cars were actually through the recent years of world economic downturn. It will be seen that we came through that and are meeting export targets again as world trade has picked up.

Cars	exported	through P	ort Peparo	ł
Year	2007	2008	2009	2010
Planned	43000	50000	50000	55500
Actual	45500	39500	45500	56000

(Table	
	Found and placed within column	
	Cells merged	1 mark
	Format top row text only	
	to centred and underlined	1 mark
	Outside border a thick line	1 mark
	All borders visible	1 mark
	Font matches body	1 mark /


/			
	Page layout		
	A4 Portrait	1 mark	
	Margins all 1 cm	1 mark	
	No widows / orphans	1 mark	
	Consistent	1 mark	
	Document complete and paras intact	1 mark	
~			





Page 6		October/No	ners' version vember 2011	Syllabus 0417	Paper 02		.P.C.	ba
ame		Cand	lidate number	(Centre number		Iculated field 2	· C2.
Dispatch	manifest	(port:	Hamburg)	Title – c	orrect 1 mark		d format currency euro +2dp 1 m	Da Canbridge Deliven €13,300
VIN	Model	Power	Engine Size	Cost Price Colour		Port	Distributor	Deliver
375A15423015	MicroEco	E	La	€13,000.00 White		Hamburg	BMD AG	€13,300.
375C15423001	Micro	G	600	€8,500.00 Blue		Hamburg	BMD AG	€8,800.00
375C15423011	MicroB	G	500	€7,500.00 Green		Hamburg	BMD AG	€7,800.00
375C15423020	MicroSE	Н	900	€12,000.00 White		Hamburg	BMD AG	€12,300.0
376A15423007	Micro	G	60 Specified fields			mburg	BMD AG	€8,800.0
376A15423009	MicroZed	D	Specified fields of all data and labe	ls visible as given	1 mark	mburg	BMD AG	€11,300.0
376A15423011	MicroSE	Н	9 Page orientation	•	1 mark	mburg	BMD AG	€12,300.0
376A15423015	MicroSE	Н	₉ 1 page wide	1 m	ark	mburg	BMD AG	€12,300.0
376B15423009	MicroB	G	500	€7,500.00 Blue		Hamburg	BMD AG	€7,800.0
376B15423010	MicroEco	E	N/A	€13,000.00 Gold		Hamburg	BMD AG	€13,300.0
376C15423002	MicroZed	D	1200	€11,000.00 Blue		Hamburg	BMD AG	€11,300.0
376C15423010	MicroSE	Н	900	€12,000.00 Red		Hamburg	BMD AG	€12,300.0
376C15423019	MicroB	G	500	€7,500.00 Silver		Hamburg	BMD AG	€7,800.0
377A15423007	MicroB	G	500	€7,500.00 White		Hamburg	BMD AG	€7,800.0
377A15423014	MicroEco	E	N/A	€13,000.00 Red		Hambu	BMD AG	€13,300.0
377A15423016	Micro	G	600	€8,500.00 Green		Hamburg	BMD AG	€8,800.0
377A15423017	MicroSE	Н	900	€12,000.00 Red		Hamburg	AG	<u>€12,</u> 300.0
377A15423019	MicroSE	Н	900	€12,000.00 Silver		Hamburg	Search Germany (Hamburg)	1 mark 00.0
377B15423002	MicroB	G	500	€7,500.00 Green		Hamburg	And Dispatched = No	1 mark00.0
377B15423011	MicroB	G	500	€7,500.00 Green		Hamburg	BMD AG	€7,800.0
377B15423013	MicroEco	E	N/A	€13,000.00 Green		Hamburg	BMD AG	€13,300.0
377C15423005	MicroB	G	500	€7,500.00 White		Hamburg	BMD AG	€7,800.0
377C15423010	Micro	G	600	€8,500.00 Red		Hamburg	BMD AG	€8,800.0
377C15 011	MicroZed	D	1200	€11,000.00 Blue		Hamburg	BMD AG	€11,300.0

Records sorted on VIN 1 mark 3 records a marks



Attention!

Check charge voltage before delivery VIN: 372B15423009 Model: MicroEco Port: Vigo Distributor: EMD SA Name, centre no, cand no

Attention!

Check charge voltage before delivery VIN: 372C15423019 Model: MicroEco Port: Vigo Distributor: EMD SA Name, centre no, cand no

Attention!

Check charge voltage before delivery VIN: 374A15423005 Model: MicroEco Port: Vigo Distributor: EMD SA Name, centre no, cand no

Attention!

Check charge volt VIN: 374A15423012 Model: MicroEco Port: Vigo Distributor: EMD SA Name, centre no, car

3 marks

1 mark

Attention!

Check charge voltage before delivery VIN: 376B15423016 Model: MicroEco Port: Vigo Distributor: EMD SA Name, centre no, cand no

Attention!

Check charge voltage before delivery VIN: 377A15423010 Model: MicroEco Port: Vigo Distributor: EMD SA Name, centre no, cand no

Heading text and format2 marks Field selection 2 marks Field labels 1 mark

Page 8		Teachers' version	Syllabus
	IGCSE – Octobe	er/November 2011	0417
Name		Candidate number	
Candidate name			
Centre number			
Candidate numbe	r		Syllabus 0417
tep 2 Contact er	itry:		
Contacts	×		
t Add Category	Tools -		
_	Rashid Paul		
••	La Get Updates		
	Categories: Unfiled · Add		
	Edit Delete		
Details			
Email:	🖂 Rashid@Cie.org.uk		
Title	Export Manager		
nue.			

>

Add contact with job title2 marks Rashid Paul

Rashid@cie.org.uk Export Manager

