	UNIVERSITY OF CAMBRIDGE INTER International General Certificate of Sec	NATIONAL EXAMINATIONS ondary Education
CANDIDATE NAME		
CENTRE NUMBER		CANDIDATE NUMBER
CAMBRIDGE	INTERNATIONAL MATHEMATICS	0607/02
Paper 2 (Extended)		October/November 2010
		45 minutes
Candidates an	swer on the Question Paper	
Additional Mat	erials: Geometrical Instruments	

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

*964853

8625

Do not use staples, paper clips, highlighters, glue or correction fluid.

You may use a pencil for any diagrams or graphs.

DO NOT WRITE IN ANY BARCODES.

Answer all the questions.

CALCULATORS MUST NOT BE USED IN THIS PAPER.

All answers should be given in their simplest form.

You must show all the relevant working to gain full marks and you will be given marks for correct methods even if your answer is incorrect.

The number of marks is given in brackets [] at the end of each question or part question.

The total number of marks for this paper is 40.

For Examiner's Use						

This document consists of **10** printed pages and **2** blank pages.



Formula List

For the equation $ax^2 + bx + c = 0$	$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
Curved surface area, A , of cylinder of radius r , h	eight <i>h</i> . $A = 2\pi rh$
Curved surface area, A , of cone of radius r , slopi	ng edge <i>l</i> . $A = \pi r l$
Curved surface area, A , of sphere of radius r .	$A = 4\pi r^2$
Volume, V , of pyramid, base area A , height h .	$V=\frac{1}{3}Ah$
Volume, V , of cylinder of radius r , height h .	$V = \pi r^2 h$
Volume, V , of cone of radius r , height h .	$V = \frac{1}{3}\pi r^2 h$
Volume, <i>V</i> , of sphere of radius <i>r</i> .	$V = \frac{4}{3}\pi r^3$



 $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$ $a^2 = b^2 + c^2 - 2bc \cos A$ $\operatorname{Area} = \frac{1}{2}bc \sin A$

www.papacambridge.com





		Mary C	
	5	R	20
A cuboid has a square base of side x cm and a l	height of y cm.		all
Find, in terms of x and y, (a) the volume of the suboid			
(a) the volume of the cubold,			
	Answer(a)	cm ³	[1]
(b) the total surface area of the cuboid.			
		2	503
	Answer(b)	cm ²	[2]
The distance between towns A and B is 50 km. The bearing of A from B is 210°.			
(a) Sketch the positions of <i>A</i> and <i>B</i> showing c	clearly the angle of 210°.		
Ν	lorth ▲		
			[1]
(b) Calculate how far west <i>A</i> is from <i>B</i> .			
	Answer(b)	km	[2]

$$\mathbf{f}$$

$$\mathbf{f} = \begin{pmatrix} 2 \\ -2 \end{pmatrix} \qquad \mathbf{b} = \begin{pmatrix} 2 \\ -5 \end{pmatrix}$$
When $2\mathbf{a} + k\mathbf{b} = \begin{pmatrix} -2 \\ 16 \end{pmatrix}$ find the value of k .
$$\mathbf{f}(x) = 2x - 1 \qquad \mathbf{g}(x) = 3x^2 + 1$$
Find
(a) $\mathbf{g}(2)$,
$$\mathbf{f}(x) = \begin{pmatrix} 2x - 1 \\ 0 \end{pmatrix} = \mathbf{g}(x) = 3x^2 + 1$$
Find
(b) $\mathbf{g}(0x)$,
$$\mathbf{f}(x) = \begin{pmatrix} 11 \\ 0 \end{pmatrix} = \mathbf{g}(0x)$$
,
$$\mathbf{f}(x) = \begin{pmatrix} 11 \\ 0 \end{pmatrix} = \mathbf{g}(0x)$$
,
$$\mathbf{f}(x) = \begin{pmatrix} 2 \\ 0 \end{pmatrix} = \mathbf{f}(x)$$
,
$$\mathbf{f}(x) = \mathbf{f}(x)$$
,
$$\mathbf{f}(x) = \begin{pmatrix} 2 \\ 0 \end{pmatrix} = \mathbf{f}(x)$$
,
$$\mathbf{f}(x) = \begin{pmatrix} 2 \\ 0 \end{pmatrix} = \mathbf{f}(x)$$
,
$$\mathbf{f}(x) = \begin{pmatrix} 2 \\ 0 \end{pmatrix} = \mathbf{f}(x)$$
,
$$\mathbf{f}(x) = \begin{pmatrix} 2 \\ 0 \end{pmatrix} = \mathbf{f}(x)$$
,
$$\mathbf{f}(x) = \begin{pmatrix} 2 \\ 0 \end{pmatrix} = \mathbf{f}(x)$$
,
$$\mathbf{f}(x) = \begin{pmatrix} 2 \\ 0 \end{pmatrix} = \mathbf{f}(x)$$
,
$$\mathbf{f}(x) = \mathbf{f}(x)$$



www.papacambridge.com 8 10 In Hurghada the probability that the sun will shine on any day is 0.8. If the sun shines, the probability Ahmed will go to the beach is 0.9. If the sun does not shine, the probability he will go to the beach is 0.5. (a) Complete the tree diagram. Goes to 0.9 beach The sun shines 0.8 Does not go to beach Goes to beach The sun does not shine Does not go to beach [2] (b) Find the probability that Ahmed will go to the beach on a given day. Answer(b) [2]



12 Which of the following functions are shown by the graphs below? In each case k > 1.

Write the correct letter under each graph.

$$\mathbf{A} \quad y = \frac{k}{x}$$

 $\mathbf{B} \quad y = |x + k|$

$$\mathbf{C} \quad y = k^x$$

- $\mathbf{D} \quad y = |x k|$
- **E** $y = k^{-x}$
- **F** $y = \frac{x}{k}$



[3]

www.papacambridge.com



BLANK PAGE



BLANK PAGE

12

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of