	UNIVERSITY OF CAMBRIDGE INT International General Certificate of S		ide
CANDIDATE			
CENTRE NUMBER		CANDIDATE NUMBER	
	NTERNATIONAL MATHEMATICS	0607/04	4
Paper 4 (Extend	ded)	October/November 201	1
		2 hours 15 minutes	S
Candidates ans	wer on the Question Paper		
Additional Mate	rials: Geometrical Instruments Graphics Calculator		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

You may use a pencil for any diagrams or graphs.

DO NOT WRITE IN ANY BARCODES.

Answer **all** the questions.

8 2 5

15568

69

Unless instructed otherwise, give your answers exactly or correct to three significant figures as appropriate. Answers in degrees should be given to one decimal place. For π , use your calculator value.

You must show all the relevant working to gain full marks and you will be given marks for correct methods, including sketches, even if your answer is incorrect.

The number of marks is given in brackets [] at the end of each question or part question. The total number of marks for this paper is 120.


For Examiner's Use	

This document consists of 18 printed pages and 2 blank pages.



Formula List


For the equation	$ax^2 + bx + c = 0$	$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
Curved surface area, A, of cyli	nder of radius <i>r</i> , height <i>h</i> .	$A = 2\pi rh$
Curved surface area, A , of con-	e of radius <i>r</i> , sloping edge <i>l</i> .	$A = \pi r l$
Curved surface area, A, of sphere	ere of radius <i>r</i> .	$A=4\pi r^2$
Volume, <i>V</i> , of pyramid, base a	rea A, height h.	$V=\frac{1}{3}Ah$
Volume, V, of cylinder of radi	us r, height h.	$V = \pi r^2 h$
Volume, <i>V</i> , of cone of radius <i>r</i>	r, height <i>h</i> .	$V = \frac{1}{3}\pi r^2 h$
Volume, V, of sphere of radius	s r.	$V = \frac{4}{3}\pi r^3$





 $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$ $a^2 = b^2 + c^2 - 2bc \cos A$ $\operatorname{Area} = \frac{1}{2}bc \sin A$

www.papacambridge.com

		Answer all the questions.	c
Δles	sand	3 Answer all the questions. It to travels from a village in France to his home in Italy. flight from Paris to Rome takes 1 hour 57 minutes. The departure time is 1025. Write down the arrival time.	ambr
		flight from Paris to Rome takes 1 hour 57 minutes.	19
		The departure time is 1025.	
	(1)	Write down the arrival time.	
		Answer(a)(i)	[1]
	(ii)	Write down the flight time in hours.	
			F13
	(•••)		[1]
	(111)	The distance between Paris and Rome is 1120 km.	
		Calculate the average speed of the flight. Give your answer in km/h.	
			[2]
(b)		flight time of 1 hour 57 minutes is 26% of Alessandro's total journey time.	[2]
(b)	Calc		[2]
(b)	Calc	flight time of 1 hour 57 minutes is 26% of Alessandro's total journey time. culate Alessandro's total journey time.	[2]
(b)	Calc	flight time of 1 hour 57 minutes is 26% of Alessandro's total journey time. culate Alessandro's total journey time.	[2]
(b)	Calc	flight time of 1 hour 57 minutes is 26% of Alessandro's total journey time. culate Alessandro's total journey time.	[2]
(b)	Calc	flight time of 1 hour 57 minutes is 26% of Alessandro's total journey time. culate Alessandro's total journey time.	[2]
(b)	Calc	flight time of 1 hour 57 minutes is 26% of Alessandro's total journey time. culate Alessandro's total journey time.	[2]







$$\mathbf{f}(x) = 2x^2 - 3x - 3$$

(a) Solve the equation f(x) = 0.

Give your answers correct to 2 decimal places.


$$Answer(a) x = \qquad \qquad \text{or } x = \qquad \qquad [3]$$

www.papacampringe.com

(b)
$$f(2x-3) = 8x^2 - kx + 24$$

Find the value of *k*.

Answer(b) k =[3]



(a) Calculate the area of the cross-section.


6

Answer(a) m^2 [5]

(b) The tunnel has a length of 2.4 km.

Calculate the volume of earth that was removed to make the tunnel. Give your answer in cubic metres.

Answer(b) m^3 [2]




(a) Complete the frequency table.


Mass (<i>m</i> grams)	$0 \le m < 70$	$70 \le m < 100$	$100 \le m < 150$
Frequency	210		


[2]


(b) Calculate an estimate of the mean mass of the apples.


Answer(b) g [2]


















Ten students take a mental arithmetic t The table shows the results.	est and		6 culator	test.				m	W.P.ax	ag Carr	For iner's
Student	Α	В	С	D	Ε	F	G	Н	Ι	J	Com
Mental arithmetic test score (x)	15	8	20	19	13	7	10	20	17	9	
Calculator test score (<i>y</i>)	12	8	18	20	11	9	11	20	15	8	

(a) Complete the scatter diagram to show this information.

The information for students A to F has already been plotted.



(b) Underline one word which best describes the correlation between the scores on each test.

 17 (c) (i) The mean score for the mental arithmetic test is 13.8. Find the mean score for the calculator test. <i>Answer(c)</i>(i)	TaCambridg
 Answer(c)(ii) y = (iii) Draw the line of regression on the scatter diagram. (iv) A student scores 18 in the mental arithmetic test. 	[2] [2]
Predict this student's score in the calculator test. Answer(c)(iv)	[1]

		18 A circle is cut into n equal sectors. Write down, in terms of n, the angle at the centre of each sector. Answer(a)(i)	ac
(a)	(1)	A circle is cut into <i>n</i> equal sectors.Write down, in terms of <i>n</i>, the angle at the centre of each sector.	an
		while down, in terms of <i>n</i> , the angle at the centre of each sector.	
		Answer(a)(i)	[1]
	(ii)	A circle is cut into $n + 3$ equal sectors.	
		Write down, in terms of <i>n</i> , the angle at the centre of each sector.	
		Answer(a)(ii)	[1]
(b)	The	angle in part(a)(ii) is 4° smaller than the angle in part(a)(i) .	
	Wri	te down an equation in <i>n</i> and find the value of <i>n</i> .	
		Answer(b) n =	[5]



BLANK PAGE



BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of