



CANDIDATE NAME

CENTRE

NUMBER

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE	

NUMBER



CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/21

Paper 2 (Extended)

May/June 2012

45 minutes

Candidates answer on the Question Paper

Additional Materials:

Geometrical Instruments

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

You may use a pencil for any diagrams or graphs.

DO **NOT** WRITE IN ANY BARCODES.

Answer all the questions.

CALCULATORS MUST NOT BE USED IN THIS PAPER.

All answers should be given in their simplest form.


You must show all the relevant working to gain full marks and you will be given marks for correct methods even if your answer is incorrect.

The number of marks is given in brackets [] at the end of each question or part question.

The total number of marks for this paper is 40.

For Examiner's Use

This document consists of 8 printed pages.



www.PapaCambridge.com

Formula List

For the equation

$$ax^2 + bx + c = 0$$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Curved surface area, A, of cylinder of radius r, height h.

 $A=2\pi rh$

Curved surface area, A, of cone of radius r, sloping edge l.

 $A = \pi r l$

Curved surface area, A, of sphere of radius r.

 $A = 4\pi r^2$

Volume, V, of pyramid, base area A, height h.

 $V = \frac{1}{3}Ah$

Volume, V, of cylinder of radius r, height h.

 $V = \pi r^2 h$

Volume, V, of cone of radius r, height h.

 $V = \frac{1}{3}\pi r^2 h$


Volume, V, of sphere of radius r.

$$V = \frac{4}{3}\pi r^3$$

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

Area =
$$\frac{1}{2}bc \sin A$$



1 Solve the simultaneous equations.

$$x - 2y = 7$$
$$x + 2y = 3$$

$$Answer x =$$

$$Answer y =$$
 [2]

A bus leaves Afford at 07 55.
It travels 15 km to Beetown at a speed of 50 km/h.


Find the time the bus arrives in Beetown.

3 The area of a semicircle is given by the formula $A = \frac{\pi r^2}{2}.$

Make r the subject of the formula.

Answer
$$r =$$
 [3]

(a)




NOT TO **SCALE**

Find the exact value of h.

Answer(a) [2]

(b)



NOT TO **SCALE**

$$\sin\theta = \frac{2}{3} \,,$$


$$\sin \theta = \frac{2}{3}$$
, $\cos \theta = \frac{\sqrt{5}}{3}$, $\tan \theta = \frac{2}{\sqrt{5}}$.

$$\tan \theta = \frac{2}{\sqrt{5}}$$

Find the exact value of *g*.

Answer(b) [2]

5




The sketch shows the graph of y = f(x).

Using the same axes, sketch the graph of y = 2f(x).

[2]

www.PapaCambridge.com

6	(a)	Find the two possible values of	x + y	when	$x^2 = 4$	and	y = 1
U	(u)	Time the two possible values of	x + y	WIICII	A — I	ana	<i>y</i> – 1



Answer(a)	,	[2]
	,	 L J

(b) Expand and simplify $(\sqrt{2} + 1)(3\sqrt{2} - 1)$.


Answer(b)		[2]
-----------	--	-----

7 Sara records some information about the number of cars in a car park.

 $U = \{cars in the car park\}$

 $F = \{5\text{-door cars}\}\$

 $S = \{\text{silver cars}\}\$



You may use the Venn diagram to help you answer the following questions.

(a) n(U) = 12, n(F) = 7, $n(F \cap S) = 2$, $n(F \cup S) = 11$.

Find

(i) n(S),

Answer(a)(i) [1]

(ii) $n(S \cup F')$.

Answer(a)(ii) [1]

(b) Sara chooses a car from the car park at random.

Find the probability that it is a 5-door car.

Answer(b) [1]

(c) Sara chooses a silver car at random.

Find the probability that it is a 5-door car.

Answer(c)

[1]

8 Factorise completely.

(a)
$$x^2 + 2x - 48$$

Answer(a)	[2]

(b)
$$xy + 2xz - 3y - 6z$$

$$y \propto \frac{1}{\sqrt{x}}$$

When
$$x = 4$$
, $y = 3$.

Find y when x = 25.

200	
For	
iner's	

					7			3	
10	The	e first five terms of a	a sequence ar	e				The state of the s	OC.
			- 2,	1,	6,	13,	22.	`	1
	(a)	Write down the ne	ext term in the	e sequenc	ee.				Ì
					Answer(a)				[1]
	(b)	Find an expression	n, in terms of	<i>n</i> , for the					
						_			
					Answer(b)				[3]
11	Two mathematically similar containers have heights of 3 cm and 6 cm. The larger container, when full, can hold 320 ml of water.								
	Cal	culate how much w	ater the small	ler contai	ner can hold v	when ful	1.		

12 (a) (i)
$$3^p = 81$$

Write down the value of p.

Answer(a)(i) [1]

(ii)
$$2^q = \frac{1}{8}$$

Write down the value of q.

Answer(a)(ii) [1]

(b)
$$\log y = 2\log 3 + 5\log 2$$

Find the value of y.

Answer(b) [3]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.