WWW. Pals

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

**International General Certificate of Secondary Education** 

## MARK SCHEME for the May/June 2010 question paper for the guidance of teachers

## 0580 MATHEMATICS

0580/22

Paper 22 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

| Page 2 | Mark Scheme: Teachers' version | Syllabus |
|--------|--------------------------------|----------|
|        | IGCSE – May/June 2010          | 0580     |

| Qu. | Answers   | Mark | Part Marks  |
|-----|---|------|---|
| 1   | (a) 1   | 1    | Part Marks Allow none   |
|     | <b>(b)</b> 1  | 1    |   |
| 2   | 0   | 2    | M1 4sin <sup>3</sup> 120 evaluated and rounding to 2.6 or   |
|     |   |      | better (2.598) or $\frac{3\sqrt{3}}{2}$   |
| 3   | $2-\sqrt{3}$ , $2-\frac{\sqrt{3}}{2}$ , $\frac{2}{\sqrt{3}}$ , $\sqrt{3}$                             | 2    | M1 correct decimals seen  |
| 4   | $\frac{15a+32}{40}$ oe  | 2    | <b>B1</b> 15 <i>a</i> + 32 seen   |
|     |   |      | or SC1 $\frac{15a}{40} + \frac{32}{40}$ on answer line  |
| 5   | 2 <sup>10</sup>   | 2    | M1 2 <sup>6</sup> or 2 <sup>-4</sup> seen   |
| 6   | $6.4 \times 10^7$   | 2    | <b>M1</b> $64 \times 100^2 \times 10^2$ or 64 000 000 oe  |
| 7   | $(A \cup B \cup C)'  (A \cup C)' \cap B$  | 1 1  | or $A' \cap B' \cap C'$ or $A' \cap (B \cup C)'$<br>or $A' \cap C' \cap B$  |
| 8   | (a) 43 to 47  | 1    |   |
|     | <b>(b)</b> 64 to 68   | 2    | SC1 23 to 27  |
| 9   | 63.84 <u>cao</u>  | 3    | M1 figs 1995<br>M1 32 × their lower bound   |
| 10  | $x = \frac{3}{P - 1}$   | 4    | M1 for each of the four moves completed correctly   |
| 11  | <b>(a)</b> 10(.0)   | 1    |   |
|     | <b>(b)</b> 9.80   | 3    | <b>M2</b> $\sqrt{(\mathbf{a})^2 - 2^2}$ or <b>M1</b> PT <sup>2</sup> + 2 <sup>2</sup> = $(\mathbf{a})^2$  |
| 12  | (a) 440   | 2    | <b>M1</b> sin 37.1 or cos 52.9 = $\frac{h}{730}$ oe   |
|     | <b>(b)</b> 3 min 20 sec   | 2    | M1 $\frac{730}{3.65}$   |
| 13  | (a) $\begin{pmatrix} 6x-3\\4x+5 \end{pmatrix}$ but not $\begin{pmatrix} 6x&-3\\4x&(+)5 \end{pmatrix}$ | 2    | <b>B1</b> $6x - 3$ or <b>B1</b> $4x + 5$ in a $(2 \times 1)$ matrix on answer line  |
|     | <b>(b)</b> $(6x^2 + x + 5)$ cao   | 2    | M1 any 1 × 1 matrix in answer space   |
| 14  |   | 4    | Mark the position of the letter R (or the worst unshaded region if R is missing) as follows   |
|     | R   |      | 2 3 4 3 1 2 3 4 3 2 1 3 1 3 |

| Page 3 | Mark Scheme: Teachers' version | Syllabus | er   |
|--------|--------------------------------|----------|------|
|        | IGCSE – May/June 2010          | 0580     | 123- |

|    |                           |             | 13.   |
|----|---------------------------|-------------|---|
| 15 | (a) (2, 4)                | 1           | Ortick  |
|    | <b>(b)</b> (6, 0)         | 1           | From (a) and (b)  |
|    | (c) (i) (4, 2) ft         | 1 <b>ft</b> | From (a) and (b)  |
|    | (ii) $y = -3x + 14$ oe    | 2           | <b>M1</b> sub their (c)(i) into $y = -3x + c$ oe                                    |
| 16 | $16\frac{1}{4}$ or 16.3   | 5           | M1 finding the area under graph A1 130  |
|    | <b>T</b>                  |             | $\mathbf{M1} \ \frac{1}{2} \times 16 \times v$                                      |
|    |                           |             | M1 equating and solving   |
| 17 | <b>(a)</b> 201            | 2           | M1 $\pi \times 8^2$   |
|    | <b>(b)</b> 87.9 or 88.0   | 4           | $\mathbf{M1} \ \frac{45}{360} \times 2 \times \pi \times 12 \ \dots d$              |
|    |                           |             | M1 $2 \times \pi \times 8$ e<br>M1 ft for their $(4d + e)$ which must come from     |
|    |                           |             | multiples of $\pi$<br>SC2 43.9 or 44.0  |
| 18 | (a) (i) 11                | 1           | SC2 13.7 01 11.0  |
|    | (ii) $1 - 6x$             | 2           | M1 $3(1-2x)-2$  |
|    | <b>(b)</b> -1.65, 6.65    | 4           | <b>M1</b> $\frac{5 \pm k}{2}$ <b>M1</b> $\sqrt{[(-5)^2 - 4 \times 1 \times (-11)]}$ |
|    |                           |             | or better   |
|    |                           |             | A1 A1   |
| 19 | (a) 6, 30, 70             | 2           | B1 for 2 correct  |
|    | (b) graph                 | 3           | P2 7 plots correct from table<br>P1 5 or 6 plots correct from table                 |
|    |                           |             | C1 smooth curve through the points in the given                                     |
|    |                           |             | range within one small square of the plots or the correct position                  |
|    | (c) 82.5 or ft ±1         | 1 <b>ft</b> |   |
|    | ( <b>d</b> ) 108 or ft ±1 | 1 <b>ft</b> |   |