## 0580 MATHEMATICS

0580/27

Paper 2

Due to a security breach we required all candidates in Kuwait who sat the paper for 0580/22 to attend a re-sit examination in June 2014. Candidates outside Kuwait sat only the original paper and were not involved in a re-sit.



## MARK SCHEME for the May/June 2014 series

## 0580 MATHEMATICS

0580/27

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0580	27

## Abbreviations

dep dependent

FT follow through after error

isw ignore subsequent working

oe or equivalent

SC Special Case

nfww not from wrong working

soi seen or implied

Qu	estion	Answers	Mark	Part Answers
1		- 5	1	
2	(a)	$\frac{2}{7}$ oe	1	ISW cancelling or conversion
	(b)	18	1FT	<b>FT</b> their (a) if $0 < their$ (a) $< 1$
3		7.75, 7.85	2	B1 B1 If 0 scored SC1 for reversed answers
4		648.96	2	<b>M1</b> for $600\left(1+\frac{4}{100}\right)^2$ oe
5	(a)	609 or 609.4	1	
	(b)	$6.09 \times 10^2$ ft	1FT	<b>FT</b> their (a)
6	(a)		1	
	(b)	$R \cap (P \cup Q)'$ or $R \cap P' \cap Q'$	1	
7		$[\pm] 8\sqrt{\nu}$	2	<b>M1</b> for $w = k\sqrt{v}$ oe
				Alternative method: <b>M1</b> for $\frac{24}{\sqrt{9}} = \frac{W}{\sqrt{V}}$
8		3, -1	3	M1 for correctly eliminating one variable A1 for $[x =] 3$ A1 for $[y =] -1$ If zero scored, SC1 for correct substitution and evaluation to find the other variable
9		7.14 or 7.141	3	M2 for $\sqrt{10^2 - 7^2}$ or M1 for $[BC]^2 + 7^2 = 10^2$ oe or $10^2 - 7^2$ oe

	Page 4	Mark Scheme IGCSE – May/June 2014			Syllabus	Paper
					0580	27
10	$\frac{3\times1}{3\times8}$	and $\frac{8 \times 2}{8 \times 3}$ oe or better	M1			
	$\times \frac{4}{5}$	oe	M1	indep.		
	$\frac{19}{24}$	$\frac{4}{5} = \frac{76}{120}$ oe fraction	A1			
		king must be shown				
11 (a)	- 32		1			
(b)	) [±]√	$p^2 - x$ final answer	2		ct re-arrangement rrect square root fo	or q.
12	2.24	or 2.238 to 2.240	3		$\frac{21}{\frac{1}{3} \times \pi \times 4}$ or better	er
				or <b>M1</b> for $\frac{1}{3}$		
13 (a)	$81p^1$	2	2	<b>B1</b> for $kp^{12}$ (	$k \neq 0$ ) or $81p^m$	
<b>(b</b> )	- 3		1			
14	57.1	or 57.12 to 57.13	3	-	$\frac{20}{2} + \frac{\pi \times 10}{2}$ or o e of semi-circles	r better $(15\pi)$
15	$\frac{7}{3}$ c	e	3	<b>B2</b> for $3x = 7$ or <b>M1</b> for 2(2)	2x-3 = 1(x+1)	oe or better
16	8		3		$\sqrt{\frac{56}{126}}$ , $12 \div \sqrt{\frac{126}{56}}$ $\sqrt{\frac{56}{126}}$ or $\sqrt{\frac{126}{56}}$ oe	- oe
17	2.4		3		$(0.2)^2$ or $\frac{60 \times 20}{100 \ 00}$	
					$(.2)^{2} \text{ or } \frac{20\ 000^{2}}{100\ 000^{2}}$ C1 for figs 24 for t	
18 (a)	28		2		<i>OAB</i> or angle <i>OBA</i> <i>BOC</i> = <i>their</i> angle	
(b)	76		1FT	<b>FT</b> 0.5(180 -	- their (a))	
(c)	14		1FT	<b>FT</b> 0.5 their	(a)	

Γ	Page 5		Mark Scheme		Syllabus Paper
			IGCSE – May/Ji	une 2014	4 0580 27
19	(a) (i)	( <i>a</i> – .	b)(a+b)	1	
	(ii)	( <i>a</i> +	b)(2+3y)	2	<b>B1</b> for $2(a + b) + 3y(a + b)$ or $a(2 + 3y) + b(2 + 3y)$
	(b)	$\frac{2+3}{a-}$	$\frac{3y}{b}$ cao final answer	1	
20	(a)	$\frac{3}{10}, \frac{1}{8}$	$\frac{1}{3}$ oe correctly placed	1	
	(b)	$\frac{195}{240}$	oe	3	M2 for $\frac{7}{10} \times \frac{7}{8}$ + their $\frac{3}{10} \times \frac{2}{3}$ or M1 for one product
21	(a)	$ \begin{pmatrix} 7 \\ 18 \end{pmatrix} $	$\begin{pmatrix} 6\\19 \end{pmatrix}$	2	B1 for any correct column or row
	(b)	$\frac{1}{5} \begin{pmatrix} 4\\ - \end{pmatrix}$	$\begin{array}{c} 19 \\ + & -1 \\ 3 & 2 \end{array} \right) oe$	2	<b>B1</b> for $k \begin{pmatrix} 4 & -1 \\ -3 & 2 \end{pmatrix}$ seen or $\frac{1}{5} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$ seen
22	(a)	- 23		2	<b>B1</b> for $[g(2)] = 9$
	(b)		$24x + 9x^2$ or $3(7 - 8x + 3x^2)$ answer	2	<b>M1</b> for $(4-3x)^2 + 5$ or <b>B1</b> for $[(4-3x)^2 = ]$ 16 - 12x - 12x + 9x <sup>2</sup> or better
	(c)	2		1	
23	(a)	$\frac{1}{3}$ of	;	2	<b>M1</b> for change in speed $\div$ time seen e.g. $\frac{110-74}{5-4.5}$ or better
	(b)	6.47	or 6.466 to 6.467 or $6\frac{7}{15}$	4	<b>M3</b> for $2 \times \frac{1}{2} \times (74 + 110) \times \frac{0.5}{60} + 74 \times \frac{4}{60}$ oe
					or M2 for total area but with errors in units e.g. $2 \times \frac{1}{2} \times (74 + 110) \times 0.5 + 74 \times 4$ [= 388]
					or <b>M1</b> for evidence of area = distance