

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education (9-1)

MATHEMATICS
Paper 2 (Extended)
MARK SCHEME
Maximum Mark: 60

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

® IGCSE is a registered trademark.

This syllabus is regulated for use in England as a Cambridge International Level 1/Level 2 (9-1) Certificate.



Cambridge IGCSE (9–1) – Mark Scheme **PUBLISHED**

MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Types of mark

- M Method marks, awarded for a valid method applied to the problem.
- A Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation 'dep' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

Abbreviations

awrt answers which round to cao correct answer only

dep dependent

FT follow through after error isw ignore subsequent working nfww not from wrong working

oe or equivalent

rot rounded or truncated

SC Special Case soi seen or implied

© UCLES 2017 Page 2 of 6

Cambridge IGCSE (9–1) – Mark Scheme **PUBLISHED**

Question	Answer	Marks	Part Marks
1(a)	0.15 oe	2	M1 for $0.35 + 0.4 + k + 0.1 = 1$ or better or B1 for 0.85 seen
1(b)	48	1	
2(a)	m^3	1	
2(b)	y ⁻⁸	1	
2(c)	$\frac{x^5y^4}{7}$	2	M1 for 2 correct parts and both x and y present ie: $\frac{x^k y^4}{7}$ or $\frac{x^5 y^k}{7}$ or $kx^5 y^4$ $(k \neq 0)$
3	Any irrational number between 6 and 7	1	
4	8.553	2	M1 for 8.55[]
			If 0 scored, SC1 for <i>their</i> answer seen and rounded correctly to 3dp
5(a)	13.15, 13.25	2	B1 for each
			or SC1 for both answers correct but reversed.
5(b)	$2\pi \times 2.1$	M1	
	13.19	A1	
	their 13.19 > 13.15 oe	B1	Showing <i>their</i> circumference > 13.15
6(a)	16.8	4	M1 for 8.4 × 150 000 soi
			and M1 for division by 10 ⁵ oe soi
			and M1 for $\frac{\text{their distance}}{45} \times [60]$ oe
6(b)	A valid comment	1	FT from <i>their</i> final speed answer in part (a)

© UCLES 2017 Page 3 of 6

Cambridge IGCSE (9–1) – Mark Scheme **PUBLISHED**

Question	Answer	Marks	Part Marks
7	1936 and 81 or 44 ² and 9 ²	2	M1 for 2 correct trials evaluated of form: $a^2 + b^2$ where $a < 10$ and $b > 10$ and a and
			b are integers or $2017 - a^2 = b^2$ where a is a positive integer with b^2 being tested to see if it is square
			If 0 scored, SC1 for 44 and 9 seen as a pair
8(a)	95.4 or 95.39 to 95.40	3	$\mathbf{M2} \text{ for } [LN =] \frac{85}{\cos 27} \text{ oe}$
			or M1 for $\cos 27 = \frac{85}{LN}$ oe
8(b)	38.6 or 38.58 to 38.59	3	M2 for 85×sin27 oe
			or M1 for $\sin 27 = \frac{x}{85}$ oe or M1 for correct line indicated on a diagram
9	40	3	M2 for $\frac{34}{1-0.15}$ oe or B1 for 85[%] oe seen
10	16.5	3	M2 for $\sqrt[3]{\frac{2592}{1500}}$ or $\sqrt[3]{\frac{1500}{2592}}$ soi
			or M1 for $\frac{2592}{1500}$ or $\frac{1500}{2592}$ oe
11	9 nfww	2	M1 for $\frac{54}{308}$ oe
12(a)	3.2	3	M2 for $w = \frac{400}{t^3}$ oe or $50 \times 2^3 = w \times 5^3$
			or M1 for $w = \frac{k}{t^3}$ oe or 50×2^3 seen
12(b)	10	1	
13(a)	Complete correct graph drawn	1	
13(b)	$ \begin{aligned} x &= 0 \\ y &= 0 \end{aligned} $	2	B1 for each

© UCLES 2017 Page 4 of 6

Cambridge IGCSE (9–1) – Mark Scheme **PUBLISHED**

Question	Answer	Marks	Part Marks
14(a)	37	2	M1 for $3(3 \times 5 - 2) - 2$ or $3(3x - 2) - 2$ or $f(5)=13$ or $f(13)$
14(b)	$\frac{x+2}{3}$ final answer	2	M1 for $[x=]\frac{y+2}{3}$ or $y+2=3x$ or $\frac{y}{3}=x-\frac{2}{3}$ or $x=3y-2$ If 0 scored, SC1 for transposing x and y in their equation for x in terms of y
14(c)	x final answer	1	
15	[y=]3x	1	
16	22.8 or 22.79 to 22.80	3	M1 for $\frac{1}{2}x^2 \sin 60 = 25$ or better or $\frac{1}{2}x \times \sqrt{x^2 - \left(\frac{x}{2}\right)^2} = 25$ M1 for $x = \sqrt{\frac{25 \times 2}{\sin 60}}$ or $x = \sqrt{\frac{25 \times 4}{\sqrt{3}}}$
17	$-\frac{1}{2}\mathbf{a} + \frac{1}{6}\mathbf{b} + \frac{1}{3}\mathbf{c}$ or $\frac{(-3\mathbf{a} + \mathbf{b} + 2\mathbf{c})}{6}$	4	M1 for $\overrightarrow{AB} = -\mathbf{a} + \mathbf{b}$ or $\overrightarrow{BC} = -\mathbf{b} + \mathbf{c}$ or $\overrightarrow{MN} = \overrightarrow{MB} + \overrightarrow{BN}$ or any other correct vector expression for \overrightarrow{MN} M1FT for $\overrightarrow{MB} = \frac{1}{2}their(-\mathbf{a} + \mathbf{b})$ or $\overrightarrow{BN} = \frac{1}{3}their(-\mathbf{b} + \mathbf{c})$ M1FT for $\overrightarrow{MN} = \frac{1}{2}their(-\mathbf{a} + \mathbf{b}) + \frac{1}{3}their(-\mathbf{b} + \mathbf{c})$

© UCLES 2017 Page 5 of 6

Cambridge IGCSE (9–1) – Mark Scheme **PUBLISHED**

Question	Answer	Marks	Part Marks
18	$x = k \pm \sqrt{k^2 - kt} $ final answer	4	M1 for $(2x-t)k = x^2$ or $2xk-tk = x^2$ or better
			M1 for $x^2 - 2kx + kt = 0$ or $x^2 - 2kx = -kt$
			M1FT for $\frac{2k \pm \sqrt{4k^2 - 4kt}}{2}$ or $(x-k)^2 - k^2 = -kt$

© UCLES 2017 Page 6 of 6