1(a)	$\begin{pmatrix} 5 \\ -9 \end{pmatrix}$	2	B1 fo	or on	e correct element
	(-9)				
1(b)	(-3 -3 7)	2			$1 \times 3 \text{ matrix}$
			If 0 s	core	d, SC1 for $\begin{pmatrix} -3 \\ -3 \\ 7 \end{pmatrix}$
2(a)	$\begin{pmatrix} -1 & 0 \\ 3 & 1 \end{pmatrix}$	2			or 3 correct elements in final answer $\begin{pmatrix} 0 \\ 3 \end{pmatrix}$ soi or $\begin{pmatrix} 3 & 0 \\ -9 & -3 \end{pmatrix}$ soi
2(b)	$\begin{bmatrix} \frac{1}{2} \begin{pmatrix} -3 & 2 \\ -4 & 2 \end{pmatrix} \text{ or } \begin{pmatrix} -1.5 & 1 \\ -2 & 1 \end{pmatrix}$	3	B2 1	for p	= -3
			OR		
			M1	for 2	$2p - (4 \times -2) = 2 \text{ oe}$ $(their \ p 2)$
			B1 1	for $\frac{1}{2}$	$\left(\frac{their\ p}{2}, \frac{2}{4}\right)$ oe
3(a)	$ \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} $		2	B1	for two or three correct elements
3(b)	(-6 -4)	16	2		(2 1)
					for $[\mathbf{X} =]\begin{pmatrix} 0 & 2 \end{pmatrix} \begin{pmatrix} 2 & 1 \\ -3 & -2 \end{pmatrix}$
	~??	>		or f (2 <i>a</i>	for using $\mathbf{X} = (a \ b)$ to get as far as $(a - 3b) \ a - 2b$ [= $(0 \ 2)$]
4	$\frac{1}{8} \begin{pmatrix} 2 & 2 \\ -1 & 3 \end{pmatrix} \text{ oe or } \begin{pmatrix} \frac{1}{4} & \frac{1}{4} \\ \frac{1}{8} & \frac{3}{8} \end{pmatrix} \text{ oe}$		2 B	B1 fo	$r[k]$ $\begin{pmatrix} 2 & 2 \\ -1 & 3 \end{pmatrix}$ oe or for $\frac{1}{8}$ $\begin{pmatrix} \cdot & \cdot \\ \cdot & \cdot \end{pmatrix}$ oe
5(a)	$\begin{pmatrix} 5 & 4 \\ 7 & 9 \end{pmatrix}$			1	
5(b)(i)	$\begin{pmatrix} 175 \\ 347 \end{pmatrix}$			2	B1 for $\binom{175}{k}$ or $\binom{k}{347}$
					or 175 and 347 seen in final answer
5(b)(ii)	Total cost of Adam's tickets and total Ben's tickets	l cost of		1	

6(a)(i)	(140) (145)			2	B1 for one element correct in a 2 by 1 matrix If 0 scored, SC1 for answer (140 145)
6(a)(ii)	Total money for tickets on Monday and total money for tickets on Tuesday	d		1	
6(b)	$\begin{pmatrix} 2.75 \\ 2.20 \end{pmatrix}$			2	B1 for one element correct or for 2.75 oe and 2.20 oe seen If 0 scored, SC2 for answer $\begin{pmatrix} 154 \\ 159.5 \end{pmatrix}$ or $\begin{pmatrix} 1.1 \times their140 \\ 1.1 \times their145 \end{pmatrix}$ evaluated or SC1 for one element correct
7(a)	$ \begin{pmatrix} 9 & -4 \\ -6 & -5 \end{pmatrix} $			2	B1 for two or three correct elements
7(b)	-2			1	
7(c)	$-\frac{1}{2}\begin{pmatrix} -1 & 0 \\ 3 & 2 \end{pmatrix} $ oe			ľ	$\mathbf{FT} \ \frac{1}{their - 2} \begin{pmatrix} -1 & 0 \\ 3 & 2 \end{pmatrix}$
7(d)	(5 2)			2	B1 for one correct element in 1 by 2 matrix or M1 for $\mathbf{X} = (4 - 2)\mathbf{A}^{-1}$ oe or for $(2x - 3y - y) = (4 - 2)$ oe If 0 scored, SC1 for answer $\begin{pmatrix} 5 \\ 2 \end{pmatrix}$
8(a)	$ \begin{pmatrix} 5 & -5 \\ -4 & 4 \end{pmatrix} $		2	B1 1	for two or three correct elements
8(b)	$\begin{pmatrix} 2 & -2 \\ 0 & 1 \end{pmatrix} \text{ oe isw}$ or $2 \begin{pmatrix} 1 & -1 \\ 0 & \frac{1}{2} \end{pmatrix}$ oe isw		2		for $k \begin{pmatrix} 1 & -1 \\ 0 & \frac{1}{2} \end{pmatrix}$ oe with $k \neq 2$ or 0 or for $2 \begin{pmatrix} \cdot & \cdot \\ \cdot & \cdot \end{pmatrix}$ oe
8(c)	$\begin{pmatrix} 2 \\ -1 \end{pmatrix}$		2		for using X is a 2 by 1 matrix scored, SC1 for a final answer of (2 –1)

9(a)	$\begin{pmatrix} 4 & 8 \\ -2 & -7 \end{pmatrix}$		2	B 1 1	for two or three correct elements
9(b)(i)	-2		1		
9(b)(ii)	$-\frac{1}{4} \begin{pmatrix} -2 & 1 \\ -2 & 3 \end{pmatrix}$ oe isw		1	FT	$-\frac{1}{4} \begin{pmatrix} their k & 1 \\ -2 & 3 \end{pmatrix}$
	or $\left(\frac{1}{2} - \frac{1}{4}\right)$ oe isw				
10(a)	$\begin{pmatrix} -2 & -1 \\ -4 & -2 \end{pmatrix}$			2	B1 for two or three correct elements or M1 for $\begin{pmatrix} 6 & -3 \\ 0 & -2 \end{pmatrix} - 2 \begin{pmatrix} 4 & -1 \\ 2 & 0 \end{pmatrix}$ oe or SC1 for answer $\begin{pmatrix} 2 & 1 \\ 4 & 2 \end{pmatrix}$
10(b)	$\frac{1}{2} \begin{pmatrix} 0 & 1 \\ -2 & 4 \end{pmatrix} \text{ or } \begin{pmatrix} 0 & \frac{1}{2} \\ -1 & 2 \end{pmatrix} \text{ oe }$			3	B2 for $k \begin{pmatrix} 0 & 1 \\ -2 & 4 \end{pmatrix}$ oe with $k \neq \frac{1}{2}$ or for $\frac{1}{2} \begin{pmatrix} \cdot & \cdot \\ \cdot & \cdot \end{pmatrix}$ oe or for 3 or 4 correct elements in $\begin{pmatrix} 0 & \frac{1}{2} \\ -1 & 2 \end{pmatrix}$ seen
	No		>		or M1 for $\mathbf{Y} = \mathbf{A}^{-1}$; or for $\mathbf{Y} = \mathbf{A}^{-1} \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$ or for determinant of $\mathbf{A} = 2$ or B1 for $\begin{pmatrix} 4 & -1 \\ 2 & 0 \end{pmatrix} \begin{pmatrix} a & b \\ c & d \end{pmatrix} = \begin{pmatrix} 4a - c & 4b - d \\ 2a & 2b \end{pmatrix}$
11(a)	(6) nfww			2	B1 for 76 seen or for 70 seen or M1 for $(30 \times 1.2 + 20 \times 2) - (40 \times -0.5 + 30 \times 3)$ oe
11(b)	Difference in profit between We 1 and Week 2 oe	eek		1	
12(a)	$\begin{pmatrix} 1 & 0 \\ 8 & 8 \end{pmatrix}$	2	B1 f	or 2 or	3 elements correct
12(b)	$\begin{pmatrix} -7 \\ 5 \end{pmatrix}$	2	B1 for $\left(\frac{-7}{5}\right)$ or $\frac{-7}{5}$ or $\left(\frac{-7}{k}\right)$ or $\left(\frac{k}{5}\right)$ or $\left(-7, \frac{1}{5}\right)$		
12(c)	$\begin{bmatrix} 2 & 1 \\ -2 & -\frac{1}{2} \end{bmatrix} \text{ or } \frac{1}{2} \begin{pmatrix} 4 & 2 \\ -4 & -1 \end{pmatrix} \text{ oe}$	3 isw	B2 for $\frac{1}{2} \begin{pmatrix} -2 & -2 \\ 4 & 3 \end{pmatrix}$ oe		
			or B	1 for d	eterminant = 2 soi or $k \begin{pmatrix} -2 & -2 \\ 4 & 3 \end{pmatrix}$

13 (a)	1 7	1
(b)	$\begin{pmatrix} -1 & -4 \\ 2 & 0 \end{pmatrix}$	2 C1 for 2 or 3 correct elements.
(c)	(2 0), or (14 × their (a) 0) ft	M1 for (Y =) (6 2) A^{-1} seen. If $(x \ y) A = (6 \ 2)$ is used, then award M1 at the stage where an attempt to solve the simultaneous eqns. is made.
14	(a) $\begin{pmatrix} 6 \\ 7 \\ 15 \end{pmatrix}$	2 B1 for 2 correct entries or for $ \begin{pmatrix} 10 \\ -5 \\ 15 \end{pmatrix} $ or $ \begin{pmatrix} 4 \\ -12 \\ 0 \end{pmatrix} $ soi
	(b) $\binom{13}{10}$	B1 for one entry correct or for both 13 and 10 seen but not in this form.
	(c) (i) $\frac{1}{4} \begin{pmatrix} 4 & 0 \\ 2 & 1 \end{pmatrix}$ oe isw	B1 for det $\begin{pmatrix} 1 & 0 \\ -2 & 4 \end{pmatrix}$ = 4 soi or $\begin{pmatrix} 4 & 0 \\ 2 & 1 \end{pmatrix}$
	(ii) $\begin{pmatrix} -2 & 0 \\ -2 & 1 \end{pmatrix}$	2 B1 for three entries correct or $\begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$ soi
15 (a)	$\begin{pmatrix} 5 \\ -10 \end{pmatrix}$ oe	
(b)	(s =) 5 (t =) 2	C1 for one correct or $\mathbf{M1} \text{ for } \begin{pmatrix} 3s \\ -2s \end{pmatrix} + \begin{pmatrix} -3 \\ 12 \end{pmatrix} = \begin{pmatrix} 12 \\ t \end{pmatrix} \text{ oe}$