


Name:

Section:

Vectors Worksheet

1



NOT TO
SCALE

OAC is a triangle and B is a point on AC such that $AB : BC = 3 : 2$.
 $\vec{OA} = \mathbf{a}$ and $\vec{OB} = \mathbf{b}$.


(a) Find \vec{OC} in terms of \mathbf{a} and \mathbf{b} , giving your answer in its simplest form.

Mega Lecture

$\vec{OC} = \dots\dots\dots$ [3]

(b) D is a point on OC such that $\vec{OD} = \mathbf{b} - \frac{2}{5}\mathbf{a}$.

Show that $OABD$ is a trapezium.



NOT TO SCALE

OABC and *OPQR* are parallelograms.
A is a point on *OP* and *C* is a point on *OR*.
 $\vec{OA} = \mathbf{a}$ and $\vec{OC} = \mathbf{c}$.
 $OA : OP = 1 : 4$ and $OC : CR = 2 : 3$.

(a) Find \vec{OR} in terms of \mathbf{c} .

$\vec{OR} = \dots\dots\dots$ [1]

(b) Find \vec{CQ} , as simply as possible, in terms of \mathbf{a} and \mathbf{c} .

$\vec{CQ} = \dots\dots\dots$ [2]

(c) Find the ratio area *OABC* : area *OPQR*.

$\dots\dots\dots : \dots\dots\dots$ [1]

3 (a) *P* is the point $(-5, 2)$, *Q* is the point $(3, 7)$ and $\vec{QR} = \begin{pmatrix} -4 \\ 6 \end{pmatrix}$.

(i) Find the coordinates of the midpoint of *PQ*.

$(\dots\dots\dots, \dots\dots\dots)$ [1]


(ii) Find the coordinates of point R .

(..... ,) [1]

(iii) Find $|\overrightarrow{QR}|$.

$|\overrightarrow{QR}| = \dots\dots\dots$ units [2]

(b)



$OACB$ is a quadrilateral and N is a point on AB .
 $\overrightarrow{OA} = \mathbf{a}$ and $\overrightarrow{OB} = \mathbf{b}$.
 $\overrightarrow{OA} = 2\overrightarrow{BC}$ and $BN : NA = 1 : 3$.

Find, in terms of \mathbf{a} and \mathbf{b} , in its simplest form

(i) \overrightarrow{AB} ,

$\overrightarrow{AB} = \dots\dots\dots$ [1]

(ii) \overrightarrow{NC} .

$\overrightarrow{NC} = \dots\dots\dots$ [3]

4 (a) A is the point $(2, 3)$ and B is the point $(3, -5)$.

(i) Find \vec{AB} .

$$\vec{AB} = \begin{pmatrix} \\ \end{pmatrix} \quad [2]$$

(ii) $\vec{BC} = \begin{pmatrix} -4 \\ 3 \end{pmatrix}$

Find the coordinates of C .


(.....,) [1]

(iii) $|\vec{AD}| = \sqrt{74}$ and $D = (-3, n)$.

Find the possible values of n .

$$n = \dots\dots\dots \text{ or } n = \dots\dots\dots [3]$$

(b)



NOT TO SCALE

$OQRP$ is a parallelogram.

$$\vec{OP} = \mathbf{p} \text{ and } \vec{OQ} = \mathbf{q}.$$

K is the midpoint of OQ and L is a point on PR .

$$\vec{KL} = \mathbf{p} - \frac{1}{10}\mathbf{q}.$$

Find $PL : LR$.

Mega Lecture

..... : [3]

5 (a) H is the point $(-7, 4)$ and $\vec{HJ} = \begin{pmatrix} 10 \\ -6 \end{pmatrix}$.


(i) Calculate the magnitude of \vec{HJ} .

..... [2]

(ii) Given that $\overrightarrow{HK} = 3\overrightarrow{HJ}$, find the coordinates of point K .

(..... ,) [2]

(b)



NOT TO SCALE

The diagram shows a parallelogram $OBCE$.

$\overrightarrow{OA} = \mathbf{p}$ and $\overrightarrow{OE} = \mathbf{q}$.

AD is parallel to OE and $OA : AB = 1 : 3$.

X is a point on BC such that $BX : XC = 3 : 2$.

Express, as simply as possible, in terms of \mathbf{p} and/or \mathbf{q}

(i) \overrightarrow{OC} ,

$\overrightarrow{OC} = \dots\dots\dots$ [1]


(ii) \overrightarrow{AX} ,

$\overrightarrow{AX} = \dots\dots\dots$ [2]

(iii) \vec{EX} .

$\vec{EX} = \dots\dots\dots$ [2]

6




Vectors \mathbf{p} and \mathbf{q} are shown on the grid.

On the grid, draw the vector

(a) $3\mathbf{p}$, [1]

(b) $\mathbf{q} - \mathbf{p}$. [1]

7



The diagram shows points O and C and the vectors \mathbf{p} and \mathbf{q} .

- (a) Given that $\vec{OA} = 2\mathbf{p}$, mark and label the point A on the diagram. [1]
- (b) Given that $\vec{OB} = \mathbf{p} - 2\mathbf{q}$, mark and label the point B on the diagram. [1]
- (c) Express \vec{OC} in terms of \mathbf{p} and \mathbf{q} .

..... [2]


- 8 (a) $\mathbf{f} = \begin{pmatrix} 4 \\ -3 \end{pmatrix}$ $\mathbf{g} = \begin{pmatrix} 1 \\ -5 \end{pmatrix}$
- (i) Find $\mathbf{g} - 2\mathbf{f}$.

$\left(\quad \right)$ [1]

- (ii) Petra writes $|\mathbf{f}| > |\mathbf{g}|$.
Show that Petra is wrong.

[3]

(b)



NOT TO
SCALE

O, A and B are points with $\vec{OA} = \mathbf{a}$ and $\vec{OB} = \mathbf{b}$.

P is the point on OA such that $OP = \frac{1}{3}OA$.

O, Q and R lie on a straight line and Q is the midpoint of PB .

(i) Find \vec{PB} in terms of \mathbf{a} and \mathbf{b} .

(ii) Find \vec{OQ} in terms of \mathbf{a} and \mathbf{b} .
Give your answer in its simplest form.

$\vec{PB} = \dots\dots\dots$ [1]


(iii) $QR = 2OQ$.

$\vec{OQ} = \dots\dots\dots$ [2]

Show that AR is parallel to PB .

- 9 In the diagram, ADB and ACF are straight lines.

BC intersects DF at E .



$AC : CF = 2 : 1$.

$\vec{DB} = \mathbf{p}$, $\vec{BE} = 3\mathbf{q}$, $\vec{EC} = 2\mathbf{q}$ and $\vec{AC} = 3\mathbf{p} + 5\mathbf{q}$.

- (a) Express \vec{AB} in terms of \mathbf{p} .

Answer $\vec{AB} = \dots\dots\dots$ [1]

- (b) Express \vec{CF} in terms of \mathbf{p} and/or \mathbf{q} .

Answer $\vec{CF} = \dots\dots\dots$ [1]


- (c) Express \vec{EF} in terms of \mathbf{p} and/or \mathbf{q} .

Answer $\vec{EF} = \dots\dots\dots$ [1]

- (d) $\vec{EF} = k\vec{DE}$.

Find k .

Answer $k = \dots\dots\dots$ [2]



OYC is a triangle.
 A is a point on OY and B is a point on CY .
 AB is parallel to OC .
 AC and OB intersect at X .

- (a) Prove that triangle ABX is similar to triangle COX .
 Give a reason for each statement you make.

.....

 [3]

- (b) $\vec{OA} = 3\mathbf{a}$ and $\vec{OC} = 6\mathbf{c}$ and $CB : BY = 1 : 2$.

Find, as simply as possible, in terms of \mathbf{a} and/or \mathbf{c}

- (i) \vec{AB} ,

Answer $\vec{AB} = \dots\dots\dots$ [1]

- (ii) \vec{CY} .

Answer $\vec{CY} = \dots\dots\dots$ [2]

(c) Find, in its simplest form, the ratio

(i) $OX : XB$,

Answer [2]


(ii) area of triangle COX : area of triangle ABX ,

Answer [1]

(iii) area of triangle AYB : area of trapezium $OABC$.

Answer [1]

11



In the diagram, $\vec{OP} = \begin{pmatrix} -3 \\ 4 \end{pmatrix}$ $\vec{PQ} = \begin{pmatrix} 2 \\ 0 \end{pmatrix}$.

(a) Find $|\vec{OP}| + |\vec{PQ}|$.

Answer [3]

(b) T is the point where $\vec{PT} = k\vec{PQ}$.

(i) Express \vec{OT} as a column vector in terms of k .

Answer


[1]

(ii) M is the point such that O , T and M lie on a straight line and $\vec{OM} = \begin{pmatrix} 24 \\ 16 \end{pmatrix}$.

Find the value of k .

Answer $k = \dots\dots\dots$ [2]

12



$OACB$ is a parallelogram.

$\vec{OA} = \mathbf{a}$ and $\vec{OB} = \mathbf{b}$.

P and Q are points on OC such that $OP = PQ = QC$.

(a) Express, as simply as possible, in terms of \mathbf{a} and \mathbf{b} ,

(i) \vec{OP} ,

Answer $\dots\dots\dots$ [1]


(ii) \overrightarrow{BP} .

Answer [1]

(b) Show that triangles OAQ and CBP are congruent.

[2]

13 (a)



ACB and OCD are straight lines.

$AC : CB = 1 : 2$.

$\overrightarrow{OA} = 3\mathbf{a}$ and $\overrightarrow{OB} = 6\mathbf{b}$.

(i) Express \overrightarrow{AB} in terms of \mathbf{a} and \mathbf{b} .

Answer [1]

(ii) Express \overrightarrow{AC} in terms of \mathbf{a} and \mathbf{b} .

Answer [1]

(iii) $\vec{BD} = 5\mathbf{a} - \mathbf{b}$.

Showing your working clearly, find $OC : CD$.

14 (a) $\vec{JK} = \begin{pmatrix} 2 \\ 5 \end{pmatrix}$

$\vec{KL} = \begin{pmatrix} 4 \\ -2 \end{pmatrix}$

$\vec{LM} = \begin{pmatrix} -1 \\ 3 \end{pmatrix}$


Answer : [4]

(i) Find \vec{JM} .

Answer [1]

(ii) Calculate $|\vec{KL}|$.

Answer [2]



In the diagram, $\vec{OA} = \mathbf{a}$ and $\vec{OB} = \mathbf{b}$.

C is the point such that OAC is a straight line and $AC = 2OA$.

D is the midpoint of OB .

E is the point such that $\vec{EC} = \vec{OD}$.

(i) Express, as simply as possible, in terms of **a** and **b**,

(a) \vec{AD} ,

Answer [1]


(b) \vec{EB} .

Answer [1]

(ii) Find $|\vec{EB}| : |\vec{AD}|$.

Answer : [1]

15 (a)



$ABCDE$ is a pentagon.
 AFB , AHE and BGC are straight lines.

(i) $\vec{AE} = \begin{pmatrix} 6 \\ 1 \end{pmatrix}$.

Calculate $|\vec{AE}|$.

Answer units [1]

- (ii) H is the midpoint of AE , and $\overrightarrow{FH} = \begin{pmatrix} 2 \\ -3.5 \end{pmatrix}$.

Find \overrightarrow{AF} .

Answer

[2]

- (iii) G divides BC in the ratio 1 : 2.

$$\overrightarrow{BG} = \begin{pmatrix} 2.5 \\ 0 \end{pmatrix} \text{ and } \overrightarrow{CD} = \begin{pmatrix} -1 \\ -7 \end{pmatrix}.$$

- (a) Find \overrightarrow{GD} .

Answer [1]

- (b) Explain why GD is parallel to FH .


[1]

- (iv) B is the point (3, 10).

Find the coordinates of D .

Answer (.....,) [1]

16



In the diagram, A is the midpoint of OC and B is the point on OD where $OB = \frac{1}{3} OD$.

$\vec{OA} = \mathbf{a}$ and $\vec{OB} = \mathbf{b}$.

(a) Express, as simply as possible, in terms of \mathbf{a} and \mathbf{b}

(i) \vec{AB} ,

Answer [1]

(ii) \vec{CD} .

Answer [1]

(b) E is the point on CD where $CE : ED = 1 : 2$.


(i) Express \vec{BE} , as simply as possible, in terms of \mathbf{a} and/or \mathbf{b} .

Answer [2]

(ii) What special type of quadrilateral is $ABEC$?

Answer [1]

17 (a)



In the triangle ABC , D divides AB in the ratio $3 : 2$, and E divides AC in the ratio $3 : 2$.
 $\vec{AD} = \mathbf{a}$ and $\vec{AE} = \mathbf{b}$.

(i) Show, using vectors, that DE is parallel to BC .


(i) Show, using vectors, that DE is parallel to BC .

[3]

(ii) Find the ratio Area of triangle ADE : Area of triangle ABC .

Answer : [2]

18



A is the point $(5, 5)$ $\overrightarrow{AB} = \begin{pmatrix} 4 \\ -3 \end{pmatrix}$

(a) AB is mapped onto CD by a reflection in the y -axis.

Find \overrightarrow{CD} .

Answer [1]

(b) AB is mapped onto AE by a rotation, centre A , through an angle of 90° clockwise.

Find \overrightarrow{AE} .

Answer [1]

(c) Find $|\overrightarrow{AB}|$.

Answer [1]

19 (a) In this question you may use the grid below to help you.

The point P has position vector $\begin{pmatrix} 4 \\ 2 \end{pmatrix}$ and the point Q has position vector $\begin{pmatrix} 8 \\ -3 \end{pmatrix}$.


(i) Find \overrightarrow{PQ} .

Answer $\begin{pmatrix} \\ \end{pmatrix}$ [1]

(ii) Find $|\overrightarrow{PQ}|$.

Answer [1]

(b)



In the diagram triangles OAB and OCD are similar.

$\vec{OA} = \mathbf{a}$, $\vec{OB} = \mathbf{b}$ and $\vec{BC} = 4\mathbf{a} - \mathbf{b}$.

(i) Express, as simply as possible, in terms of \mathbf{a} and/or \mathbf{b}

(a) \vec{AB} ,

Answer [1]

(b) \vec{AC} ,

Answer [1]

(c) \vec{CD} .

Answer [2]

(ii) Find, in its simplest form, the ratio


(a) perimeter of triangle OAB : perimeter of triangle OCD ,

Answer : [1]

(b) area of triangle OAB : area of trapezium $ABDC$.

Answer : [1]

20 (a)



(i) $\vec{AD} = \begin{pmatrix} 6 \\ 1 \end{pmatrix}$

Calculate $|\vec{AD}|$.

Answer [1]

(ii) $\vec{AE} = \begin{pmatrix} 1 \\ 2 \end{pmatrix}$

H is the midpoint of AD .

Find \vec{EH} .

Mega Lecture

Answer $\begin{pmatrix} \\ \end{pmatrix}$ [2]

(iii) $\vec{BF} = \begin{pmatrix} 1.5 \\ 0 \end{pmatrix}$ $\vec{CG} = \begin{pmatrix} 0.5 \\ -1.5 \end{pmatrix}$

F is the midpoint of BC .

Find \vec{FG} .

Answer $\left(\begin{pmatrix} \\ \end{pmatrix} \right)$ [1]

(iv) Use your answers to **parts (ii) and (iii)** to complete the following statement.

The lines EH and FG are and [1]

(v) Given that E is the midpoint of AB , show that G is the midpoint of CD .