

As part of CIE’s continual commitment to maintaining best practice in assessment, CIE has begun to use different variants of some question papers for our most popular assessments with extremely large and widespread candidature, The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

The content assessed by the examination papers and the type of questions are unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner’s Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiner’s Reports.

Question Paper	Mark Scheme	Principal Examiner’s Report
Introduction	Introduction	Introduction
First variant Question Paper	First variant Mark Scheme	First variant Principal Examiner’s Report
Second variant Question Paper	Second variant Mark Scheme	Second variant Principal Examiner’s Report

**Who can I contact for further information on these changes?**

Please direct any questions about this to CIE’s Customer Services team at: [international@cie.org.uk](mailto:international@cie.org.uk)

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
International General Certificate of Secondary Education

**MARK SCHEME for the May/June 2009 question paper  
for the guidance of teachers**

**0580, 0581 MATHEMATICS**

**0580/21, 0581/21** Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.



- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus
	IGCSE – May/June 2009	0580, 0581

Abbreviations


- cao correct answer only
- ft follow through after an error
- oe or equivalent
- SC Special Case
- www without wrong working

1 (a)	2	1	Any length, can be freehand lines solid or dotted
(b)		1	Mark lost if additional lines drawn or axes extended
2	$\frac{5}{7}$ 72% $\sqrt{\frac{9}{17}}$ $\left(\frac{4}{3}\right)^{-1}$	2	<b>M1</b> correct decimals 0.727(6...) 0.71(4...) 0.72 0.75
3 (a)	06 41	1	Allow 6.41(am). 6:41 and 06:41 Not 6h41m or 641h or 6.41pm
(b)	\$204	1	
4		1, 1	
5	$\frac{1}{2} \begin{pmatrix} 5 & -3 \\ 4 & -2 \end{pmatrix}$ or $\begin{pmatrix} 2.5 & -1.5 \\ 2 & -1 \end{pmatrix}$	2	<b>M1</b> det <b>A</b> or <b> A </b> or $5 \times -2 - 4 \times -3 = 2$ or $\begin{pmatrix} 5 & -3 \\ 4 & -2 \end{pmatrix}$ or $\frac{1}{2} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$ seen Allow $5/2, -3/2, 4/2, -2/2$ in matrix
6	62225000 or $6.2225 \times 10^7$ or 62.225 million cao	2	<b>M1</b> 9.5(million) <b>and</b> 6.55 seen 3sf <b>not</b> appropriate for UB and <b>not</b> allowed for 2 marks
7	(4, 2)	2	<b>M1</b> $\frac{2+6}{2}$ and $\frac{-5+9}{2}$ oe or a drawing used correctly

Page 3	Mark Scheme: Teachers' version	Syllabus
	IGCSE – May/June 2009	0580, 0581

8 (a)	$2a - g$ cao	1	$-g + 2a$
(b)	$2\frac{1}{2}a + \frac{1}{2}g$ oe cao	1	Allow 2.5 or $\frac{5}{2}$ and 0.5
9	$(9(1-x))^2$ oe	3	<b>M1</b> 1 move completed correctly <b>M1</b> 1 more move completed correctly Mark 3rd move in answer space
10	$\frac{2}{c}$	3	<b>M1</b> $d + c - c + d$ or better <b>M1</b> common denominator $cd$ used
11	£3000	3	<b>M1</b> $1.96 \times 25000$ <b>M1</b> "49000" / 1.75
12	$x = 4$ $y = -3$	3	<b>M1</b> consistent multiplication and subtraction of <b>their</b> rearranged eqns. Any other answers must first score M1 to gain an A mark Substitution, matrix and equating methods also permitted
13	0.128	3	<b>M1</b> $t = k/d^2$ $k$ is any letter except $t$ , $d$ or $a$ <b>A1</b> $k = 12.8$ or <b>M1</b> $0.2 \times 8^2 = 12.8$
14 (a)	$3 \times 10^{11}$	2	<b>M1</b> $60 \times 5 \times 10^9$ or better
(b)	5 000 000 or $5 \times 10^6$ or 5 million	2	<b>M1</b> $0.8 \times 10^7 - 3 \times 10^6$ oe or <b>M1</b> $5x = 4 \times 10^7 - 15 \times 10^6$ oe If m is used for a million it must be used consistently
15 (a)	24.7	2	<b>M1</b> $\sin 18 = AB/80$ or $\cos 72 = AB/80$ Allow $AB/\sin 18 = 80/\sin 90$
(b)	11.5	2	<b>M1</b> $\tan 25 = h/(a)$ or $h/\sin 25 = (a)/\sin 65$
16	Angle bisector of angle in the middle  Second angle bisector drawn	4	<b>W1</b> correct bisector drawn <b>W1</b> at least two arcs drawn on the arms and one pair of correct crossing arcs <b>W1</b> as above <b>W1</b> as above  Accuracy $\pm 1^\circ$ but line must go from edge to edge.

<b>Page 4</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>
	<b>IGCSE – May/June 2009</b>	<b>0580, 0581</b>

<b>17 (a)</b>	Reflection in $y = x$	2	<b>M1</b> Reflection <b>A1</b> correct description of the line
<b>(b)</b>	Triangle at (4,6), (4, 7), (7, 7)	2	<b>M1</b> Rotation 90° clockwise <b>A1</b> position
<b>18 (a)</b>	320	2	<b>M1</b> $1080 \times 8/27$ or $(2/3)^3$ or $1080 \div 27/8$ or $(3/2)^3$
<b>(b)</b>	567	2	<b>M1</b> $252 \times 9/4$ or $(3/2)^2$ or $252 \div 4/9$ or $(2/3)^2$
<b>19</b>	314	4	<b>M1</b> $\pi \cdot 18^2 \cdot 40/360$ or $OAD = 113$ identified <b>M1</b> $\pi \cdot 6^2$ (or $\pi \cdot 6^2 \cdot 40/360$ ) or $OBC \dots$ <b>M1</b> $2 \times (OAD - OBC) + \text{circle oe}$ <b>OR</b> <b>M1</b> $\pi \cdot 18^2 \cdot 40/360$ <b>M1</b> $\pi \cdot 6^2 \cdot 140/360$ <b>M1</b> $2 \times OAD + 2 \times BOE$ oe
<b>20</b>	draw $2x - y = 4$ draw $x + y = 6$ draw $y = 4$ correct region identified by R	2 1 1 1	<b>W1</b> Line through (2,0) or (0,-4) 
<b>21 (a)</b>	$\begin{pmatrix} 2x + 12 & 3x + 6 \\ 14 & 15 \end{pmatrix}$	2	<b>M1</b> for any correct row or column  Allow $2(x + 6)$ , $3(x + 2)$
<b>(b)</b>	5	3	<b>M1</b> $\begin{pmatrix} 2x + 12 & 21 \\ 2x + 4 & 15 \end{pmatrix}$ one row (or column) correct <b>M1</b> $2x + 4 = 14$ or $3x + 6 = 21$
<b>22 (a)</b>	58	1	
<b>(b)</b>	32	1	
<b>(c)</b>	58	1 ft	
<b>(d)</b>	24	2	

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
International General Certificate of Secondary Education

**MARK SCHEME for the May/June 2009 question paper  
for the guidance of teachers**

**0580, 0581 MATHEMATICS**

**0580/22, 0581/22** Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.



- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus
	IGCSE – May/June 2009	0580, 0581

Abbreviations

- cao correct answer only
- ft follow through after an error
- oe or equivalent
- SC Special Case
- www without wrong working


1 (a)	2	1	Any length, can be freehand lines solid or dotted
(b)		1	Mark lost if additional lines drawn or axes extended
2	$\frac{18}{25} \sqrt{\frac{8}{15}} 74\% \left(\frac{27}{20}\right)^{-1}$	2	<b>M1</b> correct decimals 0.74 0.730(2... ) 0.72 0.740(7...)
3 (a)	06 43	1	Allow 6.43(am) Not 6h43m or 643h or 6.43pm
(b)	\$247	1	
4		1, 1	
5	$\frac{1}{10} \begin{pmatrix} 3 & -7 \\ 4 & -6 \end{pmatrix}$ oe	2	<b>M1</b> det <b>A</b> or <b> A </b> or $-6 \times 3 - 7 \times -4 = 10$ or $\begin{pmatrix} 3 & -7 \\ 4 & -6 \end{pmatrix}$ or $\frac{1}{10} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$ seen
6	62225000 or $6.2225 \times 10^7$ or 62.225 million cao	2	<b>M1</b> 9.5(million) <b>and</b> 6.55 seen 3sf <b>not</b> appropriate for UB and <b>not</b> allowed for 2 marks
7	(6, 3)	2	<b>M1</b> $\frac{4+8}{2}$ and $\frac{-7+13}{2}$ oe or a drawing used correctly

Page 3	Mark Scheme: Teachers' version	Syllabus
	IGCSE – May/June 2009	0580, 0581

8	(a) $2a - g$ cao	1	$-g + 2a$
	(b) $2\frac{1}{2}a + \frac{1}{2}g$ oe cao	1	Allow 2.5 or $\frac{5}{2}$ and 0.5
9	$(8(1-x))^2$ oe	3	<b>M1</b> 1 move completed correctly <b>M1</b> 1 more move completed correctly Mark 3rd move in answer space
10	$\frac{2}{c}$	3	<b>M1</b> $d + c - c + d$ or better <b>M1</b> common denominator $cd$ used
11	£2400	3	<b>M1</b> $3.92 \times 20000$ <b>M1</b> "78400" / 3.50
12	$x = 5$ $y = -2$	3	<b>M1</b> consistent multiplication and subtraction of <b>their</b> rearranged eqns. Any other answers must first score M1 to gain an A mark Substitution, matrix and equating methods also permitted
13	0.625 or $\frac{5}{8}$	3	<b>M1</b> $t = k/d^2$ or $td^2 = k$ or <b>M1</b> $0.4 \times 5^2 = 10$ <b>A1</b> $k = 10$ $k$ is any letter except $t, d$ or $\alpha$
14	(a) $4.8 \times 10^{11}$	2	<b>M1</b> $60 \times 8 \times 10^9$ or better
	(b) 5 000 000 or $5 \times 10^6$ or 5 million	2	<b>M1</b> $0.8 \times 10^7 - 3 \times 10^6$ oe or <b>M1</b> $5x = 4 \times 10^7 - 15 \times 10^6$ oe  If m is used for a million it must be used consistently
15	(a) 24.7	2	<b>M1</b> $\sin 18 = AB/80$ or $\cos 72 = AB/80$ Allow $AB/\sin 18 = 80/\sin 90$
	(b) 11.5	2	<b>M1</b> $\tan 25 = h/(a)$ or $h/\sin 25 = (a)/\sin 65$
16	Angle bisector of angle in the middle	2	<b>W1</b> correct bisector drawn <b>W1</b> at least two arcs drawn on the arms and one pair of correct crossing arcs
	Second angle bisector drawn	2	<b>W1</b> as above <b>W1</b> as above Accuracy $\pm 1^\circ$ but line must go from edge to edge.



Page 4	Mark Scheme: Teachers' version	Syllabus
	IGCSE – May/June 2009	0580, 0581

17 (a)	Reflection in $y = x$	2	M1 Reflection A1 correct description of the line
(b)	Triangle at (4,6), (4, 7), (7, 7)	2	M1 Rotation 90° clockwise A1 position
18 (a)	320	2	M1 $1080 \times 8/27$ or $(2/3)^3$ or $1080 \div 27/8$ or $(3/2)^3$
(b)	567	2	M1 $252 \times 9/4$ or $(3/2)^2$ or $252 \div 4/9$ or $(2/3)^2$
19	314	4	M1 $\pi \cdot 18^2 \cdot 40/360$ or $OAD = 113$ identified M1 $\pi \cdot 6^2$ (or $\pi \cdot 6^2 \cdot 40/360$ ) or $OBC \dots$ M1 $2 \times (OAD - OBC) + \text{circle oe}$ <b>OR</b> M1 $\pi \cdot 18^2 \cdot 40/360 (=113.10)$ M1 $\pi \cdot 6^2 \cdot 140/360 (=43.98)$ M1 $2 \times OAD + 2 \times BOE$ oe
20 (a)	draw $2x - y = 4$ draw $x + y = 6$ draw $y = 4$	2 1 1	W1 Line through (2,0) or (0,-4) 
(b)	correct region identified by R	1	
21 (a)	$\begin{pmatrix} 2x+12 & 3x+6 \\ 14 & 15 \end{pmatrix}$	2	M1 for any correct row or column Allow $2(x+6)$ , $3(x+2)$
(b)	5	3	M1 $\begin{pmatrix} 2x+12 & 21 \\ 2x+4 & 15 \end{pmatrix}$ one row (or column) correct M1 $2x+4 = 14$ or $3x+6 = 21$
22 (a)	58	1	
(b)	32	1	
(c)	58	1 ft	= (a)
(d)	24	2	