www.PapaCambridge.com

CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2013 series

0581 MATHEMATICS

0581/22

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

F	Page 2	Mark Scheme	Syllabus
		IGCSE – May/June 2013	0581
Abbre	eviations		Cally
cao	correct answer	only	OH:
cso	correct solutio	n only	Se l
dep	dependent		, co
ft	follow through	n after error	- On
isw	ignore subsequ	uent working	
oe	or equivalent		

Abbreviations

oe Special Case SC

without wrong working www

seen or implied soi

Qu	Answers	Mark	Part Marks
1	A B	1	
	A B	1	
2	(p+3)(k+m)	2	B1 for $k(p+3) + m(p+3)$ or $p(k+m) + 3(k+m)$
3	17 – 4 <i>n</i>	2	B1 for $\pm 4n$ seen
4	4.55×10^8	2	B1 for figs 455 seen
5	10.5 www	2	M1 for $42 = \frac{1}{2} \times BC \times 8$ or better
6	2.2[0]	2	M1 for 11.99 ÷ 0.626 soi by 19.2 or 19.15
7 (a)	5.17225	1	
(b)	5.2	1FT	FT their (a)
8	6.1 final answer	2	M1 for $[\sqrt{37.8225}=]$ 6.15
9	40.3 or 40.31 to 40.32	3	M2 for $4.4 \times \sqrt[3]{\frac{0.05}{65}}$ soi
			or M1 for $\sqrt[3]{\frac{0.05}{65}}$ soi or $\sqrt[3]{\frac{65}{0.05}}$ soi
10 (a)	95	1	
(b)	77	2	B1 for [angle] $ACD = 58^{\circ}$ or [angle] $BAC = 19^{\circ}$ or [angle] $ANB = 103^{\circ}$ or [angle] $CAE = 66^{\circ}$

Page 3	Mark Scheme	Syllabus	8
	IGCSE – May/June 2013	0581	100-

Qu	Answers	Mark	Part Marks
11	with 2 correct steps seen $\frac{18k}{35k}$	3	Part Marks B1 for $\frac{5k}{3k}$ and M1 for $\frac{6}{7} \times their \frac{3}{5}$
12	14.5 oe	3	M2 for complete correct method or M1 for one correct step
13	6632.55 cao final answer	3	M2 for $6250 \times (1 + \frac{2}{100})^3$ oe
			or M1 for $6250 \times (1 + \frac{2}{100})^2$ oe
			SC2 for answer 382.55 final answer
14	0.625 oe	3	M1 for $y = \frac{k}{x^3}$
			$\mathbf{A1} \text{ for } k = 40$
15	$\frac{-7 \pm \sqrt{7^2 - 4(2)(-3)}}{2 \times 2}$	B2	B1 for $\sqrt{7^2 - 4(2)(-3)}$ or better seen
	2×2		B1 for $p = -7$ and $r = 2 \times 2$ or better as long as in the form $\frac{p + \sqrt{q}}{r}$ or
			$\frac{p-\sqrt{q}}{r}$
	0.39, -3.89 cao	B1,B1	After B0B0 for the two answers, SC1 for 0.4 or 0.386[0009]
			and -3.9 or -3.886[0009] or SC1 for -0.39 and 3.89
16	15	4	M2 for $\frac{1}{2} \times 40 \times (26 + 19)$ oe
			or M1 for one valid area calculation
			Indep M1 for ÷ 60
			SC3 for answer 900
17 (a)	7 correct plots	2	P1 for 5 or 6 correct
(b)	Negative	1	
(c)	ruled line of best fit within tolerance	1	

		mm
Page 4	Mark Scheme	Syllabus
-	IGCSE – May/June 2013	0581

Qu		Answers	Mark	Part Marks
18		-1 -2 -3 -4	4	Part Marks B3 for $x < -\frac{3}{5}$ and $x > -4.5$ oe or B2 for $x < -\frac{3}{5}$ or $x > -4.5$ oe or B1 for $5x < -3$ or $-9 < 2x$ oe Or mark on answer line -1 oe
19	(a)	arc centre A radius 5 cm	2	B1 arc with centre A
	(b)	ruled perpendicular bisector of <i>DB</i> with 2 pairs of correct arcs	2	B1 correct ruled line B1 2 pairs of correct arcs
	(c)	cao	1	
20	(a)	$10 < h \le 13$	1	
	(b)	12.1[2] www	4	M1 for at least 5 correct mid-values seen
				M1 for $\sum fx$ where x is in the correct interval
	(c)	70, 115, 153, 185, 200	2	M1 for their $\sum fx \div 200$
				B1 for 3 or 4 correct
21	(a)	4.5 oe	2	B1 for $[g(5)=]$ 0.1 oe
	(b)	x	2	M1 for $\frac{1}{2(\frac{1}{2x})}$ seen oe
	(c)	$\frac{x-4}{5}$ oe	2	M1 for a correct first step
				e.g. $y - 4 = 5x$ or $\frac{y}{5} = x + \frac{4}{5}$ or $x = 5y + 4$
	(d)	- 3	2	M1 for $\left(\frac{1}{2}\right)^{-3} = 8$ or $\left(\frac{1}{2}\right)^{x} = \left(\frac{1}{2}\right)^{-3}$
				or $2^x = \frac{1}{8}$ oe or $2^{-x} = 2^3$