

# Cambridge IGCSE™

---

**CAMBRIDGE INTERNATIONAL MATHEMATICS****0607/61**

Paper 6 (Extended)

**May/June 2024**

MARK SCHEME

Maximum Mark: 60

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2024 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

---

This document consists of **7** printed pages.

**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

**Mathematics-Specific Marking Principles**

- 1 Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing.
- 2 Unless specified in the question, non-integer answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected.
- 3 Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points.
- 4 Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw).
- 5 Where a candidate has misread a number or sign in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 A or B mark for the misread.
- 6 Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.

**MARK SCHEME NOTES**

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

**Types of mark**

- M Method marks, awarded for a valid method applied to the problem.
- A Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation 'dep' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.


**Abbreviations**

- awrt answers which round to  
 cao correct answer only  
 dep dependent  
 FT follow through after error  
 isw ignore subsequent working  
 nfwf not from wrong working  
 oe or equivalent  
 rot rounded or truncated  
 SC Special Case  
 soi seen or implied

Question	Answer	Marks	Partial Marks						
1	$\begin{array}{ccccccc} & & & & 30 & & \\ 60 & 59 & 58 & \dots & 31 & & \\ 61 & 61 & 61 & \dots & 61 & & \\ & & & & 30 \times 61 & & \end{array}$	3	<b>B1</b> for the first two rows <b>B1</b> for 61 seen in the third row <b>B1</b> for $30 \times 61$						
2	129 seen as the sum of 1 and 128 and the sum of one other pair of values	C1							
	$64 \times \text{their } 129$	C1							
	8256	1							
3	$102 \times 205$ in last row of the middle column	1							
4	$T = \frac{n}{2}(n+1)$ oe	2	Mark final answer for 2 or B1 <b>B1</b> for an incorrectly expressed product e.g. $\frac{n}{2} \times n + 1$						
5(a)	<table border="1" style="margin-left: auto; margin-right: auto;"> <tbody> <tr> <td style="text-align: center;">14</td> <td style="text-align: center;"><math>\frac{7}{3}</math></td> </tr> <tr> <td style="text-align: center;">30</td> <td style="text-align: center;"><math>\frac{9}{3}</math></td> </tr> <tr> <td style="text-align: center;">55</td> <td style="text-align: center;"><math>\frac{11}{3}</math></td> </tr> </tbody> </table>	14	$\frac{7}{3}$	30	$\frac{9}{3}$	55	$\frac{11}{3}$	2	<b>B1</b> for one correct in the final column
	14	$\frac{7}{3}$							
30	$\frac{9}{3}$								
55	$\frac{11}{3}$								
	$\frac{14}{6}$ or $\frac{30}{10}$ or $\frac{3}{1}$ or 3 or $\frac{55}{15}$ in the correct cell or linked to a correct fraction with denominator 3	C1							
5(b)	Three first differences of 2 or $\frac{2}{3}$ seen	C1							
	$\frac{2n+1}{3}$ oe, isw	2	<b>B1</b> for $\frac{2}{3}n$ seen or implied or <b>B1</b> for a final answer of $2n + 1$						

Question	Answer	Marks	Partial Marks
5(c)	Substitution of $T = 1830$ and $n = 60$ to form a calculation that will generate the answer without further rearrangement e.g. $1830 \times \frac{2 \times 60 + 1}{3}$	<b>C1</b>	<b>FT</b> <i>their</i> <b>5(b)</b>
	73 810	<b>1</b>	<b>FT</b> <i>their</i> <b>5(b)</b> providing it is of the form $\frac{an+b}{3}$ where $a$ and $b$ are non-zero constants
5(d)	$S = \frac{n(n+1)(2n+1)}{6}$ oe seen, isw	<b>1</b>	<b>FT</b> <i>their</i> $\frac{n}{2}(n+1) \times \frac{an+b}{3}$ providing <i>their</i> $\frac{n}{2}(n+1)$ is a polynomial with at least 2 terms in terms of $n$ and $a$ and $b$ are non-zero constants
6(a)	21                      441	<b>1</b>	
6(b)	$C = T^2$	<b>1</b>	Mark final answer
6(c)	$1830^2$	<b>C1</b>	
	3 348 900	<b>1</b>	
7(a)	$\frac{39}{3}$ $\frac{83}{3}$ in last column	<b>2</b>	<b>B1</b> for each or <b>B1</b> for $\frac{12201}{441}$ and $\frac{1300}{100}$ or 13
7(b)	Three second differences of 4 or $\frac{4}{3}$ seen	<b>C1</b>	
	$2n^2 + 2n - 1$ oe	<b>3</b>	mark final answer for <b>3</b> marks or <b>B2</b> or <b>B1</b> <b>B2</b> for $2n^2 + 2n$ [+c] or <b>B1</b> for $2n^2$ [+ bn + c]  If <b>C1 B0</b> or <b>C0 B0</b> scored, <b>SC1</b> for a correct answer seen and then spoiled
7(c)	Substitution of $C = 1830^2$ and $n = 60$ to form a calculation that will generate the answer without further rearrangement e.g. $\frac{2 \times 60^2 + 2 \times 60 - 1}{3} \times 3348900$	<b>C1</b>	<b>FT</b> <i>their</i> 3 348 900 and <i>their</i> $\frac{(2n^2 + 2n - 1)}{3}$ if the numerator is quadratic with at least two terms
	8170199700	<b>1</b>	
8(a)	Correct values for <i>their</i> $Z$	<b>1</b>	

Question	Answer	Marks	Partial Marks
8(b)	$y = x$	1	
9(a)	Correct statement for a different point e.g. [the poorest] 0.8 of [the] population [only] earn 0.5 of [the total] income	1	
9(b)(i)	$1 - 0.7 = 0.3$ and $1 - 0.4 = 0.6$ oe	1	
9(b)(ii)	Correct statement for <i>their</i> point from (a) e.g. [the richest] 0.2 of [the] population earn 0.5 of [the total] income	1	FT <i>their</i> (a)
10(a)	0	1	
10(b)	Correct shaded triangle or calculation indicating the area of triangle = $\frac{1}{2}$ , times 2  e.g. $2 \times \frac{1}{2} [1 \times 1]$ or correct sketch	C1	May be seen on the graph
	1	1	
11	$\frac{1}{2} \times 0.7 \times 0.4 + 0.3 \times 0.4 + \frac{1}{2} \times 0.3 \times 0.6$	C3	C2 for two correct area calculations or C1 for two from 0.14, 0.12, 0.09
	0.35 seen	1	
	$\frac{1}{2} [1 \times 1]$ – <i>their</i> 0.35	C1	
	0.3 or correct evaluation of $2(0.5 - \textit{their} 0.35)$	1	FT <i>their</i> 0.35 providing the result is positive and less than 1
12(a)	$\frac{1}{2} \times x \times y + (1 - x) \times y + \frac{1}{2} \times (1 - x) \times (1 - y)$	C3	C2 for two correct area terms or C1 for one correct area term C1 for horizontal line drawn and (1 - x) or (1 - y) seen on diagram or used appropriately in at least one calculation
	$\frac{1}{2}xy + y - xy + \frac{1}{2} - \frac{1}{2}x - \frac{1}{2}y + \frac{1}{2}xy$ oe isw	2	B1 for one term out of seven missing or incorrect or for $(1 - x)(1 - y) = 1 - x - y + xy$ seen in working

Question	Answer	Marks	Partial Marks
12(b)	$\frac{1}{2} - \left( \frac{1}{2} + \frac{1}{2}y - \frac{1}{2}x \right)$ or $\frac{1}{2} - \frac{1}{2}y + \frac{1}{2}x - \frac{1}{2}$ oe	<b>M1</b>	<b>FT</b> $\frac{1}{2}$ – <i>their 12(a)</i> providing <i>their 12(a)</i> is an expression with at least one $x$ term and at least one $y$ term
	Multiplication by 2 leading correctly to given answer $x - y$	<b>A1</b>	<b>dep</b> on a correct expression for $T$ in <b>(a)</b>
12(c)	Valid reason suggesting that the area found in the approximate method is less than the shaded area: A triangle takes up part of the shaded area oe	<b>1</b>	
13(a)	Sketch of $G = x - x^2$ with $x = 0.5$ indicated on the sketch or $0.5 - 0.5^2$	<b>C1</b>	
	0.25	<b>1</b>	
13(b)(i)	(0, 0) and (1, 1)	<b>1</b>	
13(b)(ii)	1	<b>1</b>	
13(b)(iii)	Correct sketch 	<b>2</b>	<b>B1</b> for curve with one turning point and passing through (0, 0) and (1, 0)
13(c)	[Maximum = ] 0.25	<b>C1</b>	
	Same [income inequality]	<b>1</b>	<b>dep</b> on correct maximum point for country B and the correct answer in <b>13(a)</b>