Centre Number

Candidate Number

Name

CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

PHYSICAL SCIENCE

tion 0652/01

Paper 1 Multiple Choice

May/June 2003

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the answer sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C**, and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate answer sheet.

Read the instructions on the Answer Sheet very carefully.


Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 20.


www.PapaCambridge.com

1 An ice cube is left on a warm table.



What happens to the molecules of water in the ice cube?

- **A** The molecules condense.
- **B** The molecules dissolve.
- **C** The molecules gain energy.
- **D** The molecules lose energy.
- 2 The diagram shows the first step in separating sand from salt.



What is the next step?

- **A** evaporate the water
- **B** filter the mixture
- **C** freeze the mixture
- **D** make a chromatogram

www.PapaCambridge.com 3 The table shows what some students wrote about the electrical charges on the pa atom.

Which student was correct?

| student | proton | electron | neutron |
|---------|-----------|------------|-----------|
| Α | +1 | 0 | -1 |
| В | +1 | – 1 | 0 |
| С | 0 | +1 | –1 |
| D | –1 | +1 | 0 |


4 The table shows the nucleon numbers and proton numbers of the atoms of some elements.

| nucleon number | 35 | 37 | 40 | 39 | 40 |
|----------------|----|----|----|----|----|
| proton number | 17 | 17 | 18 | 19 | 19 |

How many are atoms of non-metallic elements?

- **A** 1
- В 2
- C 3
- D


- 5 An ionic compound is likely to
 - Α be a gas.
 - be coloured. В
 - С conduct electricity when molten.
 - D react vigorously with water.



X and Y react to form an ionic compound.

What is the formula of the compound?

- XY Α
- XY_3 В
- C XY_7
- X_7Y D
- 7 When sodium reacts with water, a solution and a gas are produced.



The solution is tested with litmus paper and the gas is tested with a splint.

What happens to the litmus paper and to the splint?

| | litmus paper | splint |
|---|--------------|-------------------------|
| A | blue to red | glowing splint relights |
| В | blue to red | lighted splint 'pops' |
| С | red to blue | glowing splint relights |
| D | red to blue | lighted splint 'pops' |

8 Which of hydrogen and uranium form oxides when used as a source of energy?

| hydrogen | uranium |
|----------|-------------------|
| ✓ | ✓ |
| ✓ | × |
| X | ✓ |
| × | × |
| | hydrogen ✓ ✓ X |

9 A piece of zinc is placed in dilute sulphuric acid.

Which change slows down the speed of reaction?

- A adding a catalyst
- B adding water
- C heating the acid
- **D** powdering the zinc


10 A spark can cause a mixture of hydrogen and air to explode.


$$2H_2 + O_2 \longrightarrow 2H_2O$$


Which two terms apply to this explosion of hydrogen?


| | the reaction is | the hydrogen is |
|---|-----------------|-----------------|
| Α | endothermic | oxidised |
| В | endothermic | reduced |
| С | exothermic | oxidised |
| D | exothermic | reduced |

11 Which graph could represent the explosive combustion of methane?









12 Which of the following are properties of the oxides of most non-metals?

| | property 1 | property 2 |
|---|------------|------------|
| Α | acidic | covalent |
| В | acidic | ionic |
| С | basic | covalent |
| D | basic | ionic |

13 Aqueous ammonia is added to solutions containing the ions of four metals.

aluminium

copper(II)

iron(III)

zinc

Which of these ions give a coloured precipitate?

| | aluminium | copper(II) | iron(III) | zinc |
|---|-----------|------------|-----------|------|
| Α | ✓ | × | × | ✓ |
| В | ✓ | × | ✓ | × |
| С | × | ✓ | × | ✓ |
| D | × | ✓ | ✓ | × |


- 14 Which of the following is the pH value of an alkaline solution?
 - Α 3
- В 5
- C 7
- D 9

- 15 An element **X** has the two properties listed.
 - It acts as a catalyst.
 - 2 It forms colourless ions.

Which of these properties suggest that **X** is a transition element?

| | property 1 | property 2 |
|---|------------|------------|
| Α | ✓ | ✓ |
| В | ✓ | × |
| С | X | ✓ |
| D | Х | × |

16 The diagram shows a method of making hydrogen.



Which acid and metal would be suitable and safe for this method?

| | metal | acid |
|---|--------|-------------------|
| Α | copper | hydrochloric acid |
| В | copper | sulphuric acid |
| С | sodium | hydrochloric acid |
| D | zinc | sulphuric acid |

www.PapaCambridge.com 17 Rust can be removed from pieces of iron by using hydrochloric acid. This is possible because rust is

- Α an alloy.
- В a metal oxide.
- C a red-brown solid.
- D soluble in water.
- In an experiment, incomplete combustion of ethanol occurs.

Which gases may be present in the products?

- Α carbon dioxide, carbon monoxide and hydrogen
- carbon dioxide, carbon monoxide and water В
- C carbon dioxide, hydrogen and water
- D carbon monoxide, hydrogen and water
- Methanol and ethanol are both liquids. 19


They both burn with a blue flame to produce carbon dioxide and water.

Both contain the functional group —O—H.

Which of the underlined words shows that methanol and ethanol are members of the same homologous series?

- Α both burn
- В both liquids
- C both contain the functional group —O—H
- D produce carbon dioxide and water


20 Compound X has the structure shown.



Which reactions does X show?

| | addition of hydrogen | addition polymerisation |
|---|----------------------|-------------------------|
| Α | ✓ | ✓ |
| В | ✓ | × |
| С | X | ✓ |
| D | × | × |

21 A glass tank contains some water.



The length QR and the width RS of the tank are known.

What other distance needs to be measured in order to be able to calculate the volume of the water?

- A ST
- **B** SV
- **C** TU
- **D** TV

www.PapaCambridge.com

WWW. PapaCambridge.com

22 A tunnel has a length of 50 km. A car takes 20 min to travel between the two ends of

What is the average speed of the car?

- **A** 2.5 km/h
- **B** 16.6 km/h
- C 150 km/h
- **D** 1000 km/h

23 Which statement is correct?


- A Mass is a force, measured in kilograms.
- **B** Mass is a force, measured in newtons.
- **C** Weight is a force, measured in kilograms.
- **D** Weight is a force, measured in newtons.
- 24 Three children, X, Y and Z, are using a see-saw to compare their weights.




Which line in the table shows the correct order of the children's weights?

| | heaviest | \longleftrightarrow | lightest |
|---|----------|-----------------------|----------|
| Α | Х | Υ | Z |
| В | X | Z | Υ |
| С | Y | Χ | Z |
| D | Y | Z | Х |

25 A spring is suspended from a stand. Loads are added and the extensions are measured.



Which graph shows the result of plotting extension against load?



- 26 What is the source of the energy converted by a hydro-electric power station?
 - Α hot rocks
 - В falling water
 - C oil
 - D waves
- A labourer on a building site lifts heavy concrete blocks onto a lorry. Lighter blocks are now lifted the same distance in the same time.

What happens to the work done in lifting each block and the power exerted by the labourer?

| | work done in lifting each block | power exerted by labourer |
|---|------------------------------------|------------------------------|
| Α | decreases | decreases |
| В | decreases | remains the same |
| С | increases | increases |
| D | remains the same | increases |

water. It to Cannoning Conn

28 A person holds a glass beaker in one hand and fills it quickly with hot water. It is seconds before his hand starts to feel the heat.


Why is there this delay?


- **A** Glass is a poor conductor of heat.
- **B** Glass is a good conductor of heat.
- **C** Water is a poor conductor of heat.
- **D** Water is a good conductor of heat.
- 29 What causes refraction when light travels from air into glass?
 - A The amplitude of the light waves changes.
 - **B** The colour of the light changes.
 - **C** The frequency of the light waves changes.
 - **D** The speed of the light changes.
- **30** A woman tunes her radio to a station broadcasting on 200 m.

What does the 200 m tell her about the radio wave?


- A its amplitude
- B its frequency
- C its speed
- **D** its wavelength

31 Which diagram correctly shows rays passing through a camera lens?





32 A metal rod XY is placed near a magnet. End X is attracted when it is placed near to the north pole of the magnet, and also when it is placed near to the south pole.




How does end Y behave when it is placed, in turn, near to the two poles of the magnet?

| | Y near north pole | Y near south pole |
|---|-------------------|-------------------|
| Α | attraction | attraction |
| В | attraction | repulsion |
| С | repulsion | attraction |
| D | repulsion | repulsion |


When the potential difference (p.d.) across a piece of resistance wire is changed 33 through the wire also changes.

The temperature of the wire is kept the same.

Which graph shows how the p.d. and current are related?



Two faulty ammeters and two perfect ammeters are connected in series in the circuit shown.



The readings on the ammeters are

A₁ 2.9 A

A₂ 3.1 A

A₃ 3.1 A

A₄ 3.3 A

Which two ammeters are faulty?


- A_1 and A_2

- $\textbf{B} \quad \textbf{A}_1 \text{ and } \textbf{A}_4 \qquad \qquad \textbf{C} \quad \textbf{A}_2 \text{ and } \textbf{A}_3 \qquad \qquad \textbf{D} \quad \textbf{A}_3 \text{ and } \textbf{A}_4$


Which electrical component would not normally be found in a battery-operated torch (flashlight)?




In which circuit are both lamps protected by the fuse?




B O








37 Four lamps are labelled '60 W 240 V'.

In which circuit are the lamps connected so that they all work at normal brightness?











The diagram below shows the screen of a cathode-ray oscilloscope tube. 38



The tube is placed between a pair of charged plates.

Which diagram shows the new position of the spot?



- Which type of radiation can be stopped by a sheet of paper?
 - Α α -particles
 - В β-particles
 - C γ -rays
 - D X-rays

www.PapaCambridge.com 40 The half-life of a radioactive substance is 5 hours. A sample is tested and found to 2 of the substance.

How much of the substance was present in the sample 20 hours before the sample was tested

- $0.03\,\mathrm{g}$ Α
- В 0.12 g
- С 1.92 g
- 7.68 g D

BLANK PAGE

www.PapaCambridge.com

BLANK PAGE

www.PapaCambridge.com

| | Elements |
|------------|---------------------------|
| DATA SHEET | The Periodic Table of the |
| | |

| - | | | | | | | | Group | dno | | | | | | | | |
|---------------------------------|------------------|------------|------|----------------|-----------------|---------------|---------------|---------------|----------------|------------|---------------|-----------------|---------------|------------------|----------------|----------------|----------------|
| | | | | | | | | | | | | | IV | > | IN | IIA | 0 |
| | | | | | | | - I | | | | | | | | | | ⁴ ∄ |
| | | | | | | | Hydrogen 1 | | | | | | | | | | Helium 2 |
| 6 | | | | | | , | | | | | | £ | 12 | 14 | 16 | 19 | 20 |
| Be | | | | | | | | | | | | Ф | ပ | z | 0 | ш | Se |
| Beryllium | | | | | | | | | | | | | 0 | Nitrogen | 0 | | |
| | | | | | | | | | | | | 2 | 9 | 2 | 8 | 6 | 10 |
| 24 | | | | | | | | | | | | 27 | 28 | 31 | 35 | 35.5 | 40 |
| Mg | | | | | | | | | | | | ΡI | Si | _ | တ | ಽ | Ā |
| Magnesium 12 | | | | | | | | | | | | Aluminium 13 | Silicon 14 | Phosphorus 15 | Sulphur 16 | Chlorine 17 | Argon 18 |
| 40 45 48 | | 48 | | 51 | 52 | 55 | 56 | 29 | 29 | 64 | 65 | 02 | 73 | 75 | 62 | 80 | 8 |
| Ca Sc Ti | | F | _ | > | ပ် | M | Ъ | ပိ | Z | D C | Zu | Ga | Ge | As | Se | ā | ž |
| Scandium | | Titani | E | Vanadium | Chromium | Manganese | lron | Cobalt | Nickel | Copper | Zinc | Gallium | Germanium | Arsenic | Selenium | Bromine | Krypton |
| 21 22 | | 22 | | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
| 68 | | 91 | | 88 | 96 | | 101 | 103 | 106 | 108 | 112 | 115 | 119 | 122 | 128 | 127 | 131 |
| > | | Ν | _ | g | ω | ပ | æ | 돈 | Pq | Ag | ၓ | ٦ | Su | Sb | Цe | Ι | Xe |
| Strontium Yttrium Zirconium | Yttrium | Zircor | mnic | Niobium | Molybdenum | Technetium | Ruthenium | Rhodium | Palladium | Silver | Cadmium | Indium | Tin | Antimony | Tellurium | lodine | |
| 98 | 04 | 5 | | 1 | | 54 | 44 | 42 | 40 | 4/ | 46 | | | | 76 | 20 | ă. |
| 139 | | | 178 | ₽ I | 184 | 186 | 190 | 192 | 195 | 197 | 201 | 504 | 207 | 508 1 | (| | 1 |
| E . | | - : | ŧ | <u>_</u> | ≥ | e R | sO ; | - | <u></u> | Αn | Đ | 1 | g. | <u>.</u> | ရ | ¥ | ב ב |
| Barium Lanthanum Hamium 57 * 72 | anthanum * 72 | 12 | E | lantalum 73 | l ungsten 74 | Hhenium 75 | Osmium 76 | Iridium 77 | Platinum 78 | pios 62 | Mercury 80 | I hallium 81 | Lead 82 | Bismuth 83 | Polonium 84 | Astatine 85 | Hadon 86 |
| 226 227 | 227 | | | | | | | | | | | | | | | | |
| | Ac | | | | | | | | | | | | | | | | |
| _ | Actinium | | | | | | | | | | | | | | | | |
| + 68 | | | | | | | | | | | | | | | | | |
| | | | | 140 | | 144 | | 150 | 152 | 157 | 159 | 162 | 165 | 167 | 169 | 173 | 175 |
| 3-71 Lanthanoid series | series | | | පී | | ğ | Pa | Sm | Ш | В | P | δ | 우 | ங் | Ę | Ϋ́ | ב |
| 0-103 Actinoid series | əries | | | Cerium | Praseodymium | Neodymium | Promethium | Samarium | Europium | Gadolinium | Terbium | Dysprosium | Holmium 67 | Erbium | Thulium | Ytterbium | Lutetium 74 |
| | | | | | Sc | 00 | 10 | 20 | 3 | 04 | 00 | 90 | /0 | 80 | 80 | 0, | |
| | | | | 222 | _ | 000 | | | | | | | | _ | _ | | |

| a = relative atomic mass | X = atomic symbol | b = proton (atomic) number |
|--------------------------|-------------------|----------------------------|
| ß | × | q |
| | <u>></u> | |

| 89 29 | Es Fm | 99 100 | Lo (r + p) |
|-------|-----------------------------|--------|---|
| . 99 | Cf Californium | 86 | 00010 |
| 65 | Bk Berkelium | 26 | ליני טיוויי |
| 64 | Cm Curium | 96 | of concept |
| . 89 | Am Americium | 92 | 3 24 2000 |
| 62 | Pu Plutonium | 94 | 27 C of o |
| 61 | Np Neptunium | 93 | of Auto to |
| . 09 | 238 U Uranium | 92 | The vellines of one make the second and the second |
| 59 | Pa Protactinium | 91 | o to omil |
| 58 | 232 Th Thorium | 06 | Though |

I ne volume of one mole of any gas is $24 \,\mathrm{dm}^2$ at room temperature and pressure (r.t.p.).

www.papaCambridge.com

Md Mendelevium 101