# www.PapaCambridge.com UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

### PHYSICAL SCIENCE

0652/01

Paper 1 Multiple Choice

May/June 2004

45 minutes

Multiple Choice Answer Sheet Additional Materials:

Soft clean eraser

Soft pencil (type B or HB is recommended)

### **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the answer sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions.

For each question, there are four possible answers A, B, C, and D. Choose the one you consider correct and record your choice in **soft pencil** on the separate answer sheet.


## Read the instructions on the answer sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 20.


1 Which diagram represents melting?




key

O molecule

www.PatraCambridge.com








2 Four different liquids are mixed together to form a single liquid.

Which method could be used to separate the mixture back into the four liquids?

- A catalysis
- **B** distillation
- **C** filtration
- **D** fractional distillation

3 Chromatography is used to test three brands of drink for banned colourings.




Which of the drinks contain banned colourings?

- A Fizzo only
- **B** Fizzo and Juicy
- C Juicy only
- **D** Juicy and Sparkle

- 4 Which atom has two more electrons than an atom of a noble gas?
  - **A** aluminium
  - **B** bromine
  - C calcium
  - **D** rubidium

 $\mathbf{A}$   $\mathsf{A}l$ 

5 Which element has the atomic structure shown?



key


**D** Si


- e electron
- n neutron
- nucleus


**6** Which ions are formed from the relevant atoms by gaining electrons?

	sodium ion	chloride ion
Α	✓	✓
В	✓	x
С	x	✓
D	X	X

7 The electronic structures of atoms P and Q are shown.







P and Q combine to form a covalent molecule.

What is the formula of the molecule?

- **A** PQ
- B PQ<sub>4</sub>
- C PQ<sub>8</sub>
- D P₄Q

8 How is the following reaction written as a balanced symbol equation?

carbon + carbon dioxide → carbon monoxide

- A  $C + CO_2 \rightarrow 2CO$
- $\textbf{B} \quad \textbf{C} + \textbf{CO}_2 \rightarrow \textbf{C}_2 \textbf{O}_2$
- $\textbf{C} \quad 2C + CO_2 \rightarrow 2CO$
- **D**  $2C + CO \rightarrow 2CO_2$

9 Which fuel burns without forming carbon dioxide?

- **A** coal
- **B** hydrogen
- C methane
- **D** petrol

10 The equation shows what happens when a neutron collides with a nucleus of uranium–235.

neutron + uranium–235 → krypton + barium + three neutrons

What else is released during this stage?

- **A** energy
- **B** hydrogen
- C oxygen
- **D** protons

www.PapaCambridge.com 11 Tests are carried out on a solution containing both copper(II) sulphate and sodium ch

test	reagent	result
1	aqueous ammonia	white precipitate
2	aqueous barium chloride	blue precipitate
3	aqueous silver nitrate	white precipitate
4	aqueous sodium hydroxide	blue precipitate


In which tests are the results correct?

- 1 and 2
- В 1 and 4
- 2 and 3
- 3 and 4
- 12 A few crystals of ammonium chloride are placed in a test-tube and then 5 cm<sup>3</sup> of aqueous solution **S** are added. The mixture is heated.

Ammonia gas is given off.

What could be dissolved in water to make **\$**?

- ammonium sulphate
- В copper(II) hydroxide
- potassium hydroxide
- sodium nitrate D
- 13 The diagrams show what happens when three different metals are added to water.



What are the metals?

	X	Y	Z
Α	calcium	copper	potassium
В	copper	calcium	potassium
С	potassium	calcium	copper
D	potassium	copper	calcium

www.PapaCambridge.com


**14** Some of the general physical properties of metals are shown.

1	Metals are good conductors	of electricity.
	- C	,

- 2 Metals are hard solids.
- 3 Metals have high densities.
- 4 Metals have high melting points.

How many of these properties does sodium have?

- A 1 only
- B 1 and 2 only
- **C** 1, 2 and 3 only
- **D** 1, 2, 3 and 4
- 15 Which of the metals aluminium, copper and gold occur 'native'?
  - A aluminium and copper
  - B aluminium and gold
  - C aluminium, copper and gold
  - D copper and gold
- **16** The diagram shows one of the stages in the purification of water.



Which process is being used?


- **A** chlorination
- **B** distillation
- **C** filtration
- **D** neutralisation

www.PapaCambridge.com 17 Which type of hydrocarbon reacts rapidly with bromine and what is the colour colour bromine?

	hydrocarbon	colour change of bromine
Α	alkane	brown to colourless
В	alkane	colourless to brown
С	alkene	brown to colourless
D	alkene	colourless to brown

**18** The bar chart represents the composition of natural gas.

Which bar represents methane?




19 The molecule shown is found in tired muscles.

To which homologous series does this compound belong?

	acids	alcohols
Α	✓	
В	✓	x
С	x	✓
D	x	x

de from it.


20 The diagram shows the structure of a monomer and of the polymer made from it.



What are the monomer and polymer?

	monomer	polymer
Α	ethane	poly(ethane)
В	ethane	poly(ethene)
С	ethene	poly(ethane)
D	ethene	poly(ethene)


21 The diagram shows a measuring cylinder.




Which unit would be most suitable for its scale?

- $\mathbf{A} \quad \text{mm}^2$
- B mm<sup>3</sup>
- C cm<sup>2</sup>
- $\mathbf{D}$  cm<sup>3</sup>

22 A piece of cotton is measured between two points on a ruler.




When the length of cotton is wound closely around a pen, it goes round six times.



What is the distance once round the pen?

- 2.2 cm
- В 2.6 cm
- C 13.2 cm
- D 15.6 cm

23 The diagram shows the speed-time graph for an object moving at constant speed.



What is the distance travelled by the object in the first 3s?

- 1.5 m Α
- **B** 2.0 m
- $3.0 \, \text{m}$
- D 6.0 m

24 Which statement about the mass of a falling object is correct?

- It decreases as the object falls. Α
- В It is equal to the weight of the object.
- C It is measured in newtons.
- It stays the same as the object falls. D

25 The weights of four objects, 1 to 4, are compared using a balance.







Which object is the lightest?

- A object 1
- B object 2
- **C** object 3
- object 4


26 Which of the following is a unit of density?

- $A \text{ cm}^3/g$
- B g/cm<sup>2</sup>
- C g/cm<sup>3</sup>
- $\mathbf{D}$  kg/m<sup>2</sup>

**27** A boy and a girl run up a hill in the same time.








girl weighs 500 N

The boy weighs more than the girl.

Which statement is true about the power produced?

- **A** The boy produces more power.
- **B** The girl produces more power.
- **C** They both produce the same power.
- **D** It is impossible to tell who produces more power.

28 An engineer wants to fix a steel washer on to a steel rod. The rod is just too big to fit of the washer.




How can the engineer fit the washer onto the rod?


- cool the washer and put it over the rod Α
- В cool the washer and rod to the same temperature and push them together
- C heat the rod and then place it in the hole
- D heat the washer and place it over the rod
- 29 An experiment is set up to find out which metal is the best conductor of heat. Balls are stuck with wax to rods made from different metals, as shown in diagram X.

The rods are heated at one end. Some of the balls fall off, leaving some as shown in diagram Y.

Which labelled metal is the best conductor of heat?




www.papaCambridge.com 30 Thermometer X is held above an ice cube and thermometer Y is held the same dis the ice cube. After several minutes, the reading on one thermometer changes. The ice not melt.



Which thermometer reading changes and why?

	thermometer	reason
Α	Х	cool air rises from the ice cube
В	Х	warm air rises from the ice cube
С	Y	cool air falls from the ice cube
D	Υ	warm air falls from the ice cube

31 A vertical stick is dipped up and down in water at P. In two seconds, three wave crests are produced on the surface of the water.




Which statement is true?

- Distance X is the amplitude of the waves.
- В Distance Y is the wavelength of the waves.
- **C** Each circle represents a wavefront.
- **D** The frequency of the waves is 3 Hz.

www.PapaCambridge.com


**32** The diagram shows a ray of light entering a block of glass.




Which numbered angles are the angles of incidence and of refraction?


	angle of incidence	angle of refraction
Α	1	3
В	1	4
С	2	3
D	2	4


33 Three rays of light fall on a converging lens as shown.




Which diagram shows the path of the rays after passing through the lens?













34 Which circuit shows how a voltmeter is connected to measure the potential difference across the cell?










www.PapaCambridge.com


www.PapaCambridge.com 35 An electrical component is to be placed in the circuit at Z, to allow the brightness of be varied from bright to dim.



What should be connected at Z?




**36** The circuit shown contains four lamps and three switches.




Which switches must be closed to light only lamps 1 and 3?

- switch 1 only
- switch 1 and switch 2 only В
- C switch 1 and switch 3 only
- switch 2 and switch 3 only


37 The diagram shows a torch containing two 2 V cells, a switch and a lamp.



What is the circuit diagram for the torch?



**38** A beam of cathode rays passes through an electric field between two parallel plates.



In which direction is the beam deflected?

- into the page
- out of the page В
- C towards the bottom of the page
- towards the top of the page D

# **39** Which line correctly describes $\alpha$ -particles?

	electric charge	penetrates 1 cm of aluminium?
Α	negative	yes
В	negative	no
С	positive	yes
D	positive	no

www.PapaCambridge.com 40 A small amount of a radioactive isotope contains 72 billion unstable nuclei. The isotope is 4 hours.

How many unstable nuclei would remain after 12 hours?

- 6 billion
- В 9 billion
- C 18 billion
- **D** 24 billion

**BLANK PAGE** 

www.PapaCambridge.com

19

**BLANK PAGE** 

www.PapaCambridge.com

# DATA SHEET The Periodic Table of the Elements

	0	4 <b>He</b> ium 2	20 <b>Neon</b> 10	40 <b>Ar</b> Argon	84 <b>Kry</b> Krypton 36	131 <b>Xe</b> Xenon 54	Rn Radon 86	
			19 <b>H</b> Fluorine	35.5 <b>C1</b> Chlorine	80 <b>Br</b> Bromine 35	127 <b>I</b> lodine 53	At Astatine 85	
	>		16 Oxygen	32 Sulphur	79 <b>Se</b> Selenium 4	128 <b>Te</b> Tellurium	Po Polonium 84	
	>		14 <b>N</b> Nitrogen 7	31 Phosphorus 16	75 <b>AS</b> Arsenic 33	122 <b>Sb</b> Antimony 51	209 <b>Bi</b> Bismuth 83	
	≥		12 <b>C</b> Carbon 6	28 <b>Si</b> Silicon	73 <b>Ge</b> Germanium		207 <b>Pb</b> Lead	
-	=		11 Boron 5	27 <b>A1</b> Aluminium	70 <b>Ga</b> Gallium 31	115 <b>In</b> Indium	204 <b>T t</b> Thallium	
-					65 <b>Zn</b> Zinc 30	112 <b>Cd</b> Cadmium 48	201 <b>Hg</b> Mercury 80	
					64 <b>Cu</b> Copper	108 <b>Ag</b> Silver	197 <b>Au</b> Gold	
dn					59 <b>Ni</b> Nickel	106 Pd Palladium 46	195 <b>Pt</b> Platinum 78	
Group					59 <b>Co</b> Cobalt	103 Rh Rhodium	192 <b>Ir</b> Iridium	
		T Hydrogen			56 <b>Fe</b> Iron	101 <b>Ru</b> Ruthenium 44	190 <b>Os</b> Osmium 76	
			ı		Manganese	Tc Technetium 43	186 <b>Re</b> Rhenium 75	
					52 <b>Cr</b> Chromium 24	96 <b>Mo</b> Molybdenum 42	184 <b>W</b> Tungsten 74	
					51 <b>V</b> Vanadium 23	93 <b>Nb</b> Niobium	181 <b>Ta</b> Tantalum	
					48 <b>Ti</b> Titanium 22	2r Zrconium 40	178 <b>Hf</b> Hafnium 72	
					Scandium	89 <b>&lt;</b> Yttrium 39	139 <b>La</b> Lanthanum 57 *	Actinium
	=		9 <b>Be</b> Beryllium	24 Mg Magnesium 12	40 <b>Ca</b> Calcium	Sr Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium
	_		7 <b>Lithium</b>	23 <b>Na</b> Sodium	39 <b>K</b> Potassium	85 <b>Rb</b> Rubidium	133 <b>CS</b> Caesium 55	<b>Fr</b> Francium

-71 Lanthanoid series	-103 Actinoid series
*58-7	90-10

a = relative atomic mass	X = atomic symbol	b = proton (atomic) numbe	
в	×	p	
	Key		

Praseodymium 6	Na Neodymium 60 238 U	Promethium 61 Np Neptunium 93	Samarium	_					Ĺ		77	
23	8 _ m	Neptunium 93	Sallialiulii	, in the second	5 of	<b>2</b> Pr	ב ב	2	֡֞֞֞֜֞֜֞֜֞֝֓֓֓֓֓֓֓֓֓֓֓֓֓֟	<b>E</b>	ΥD	3 🞚
- 33	ium	Np Neptunium 93	70	63	Gadolinum 64		99 99 99 99 99 99 99 99 99 99 99 99 99	, <u> </u>	68 89	69	70	71
	anium	Neptunium 93	Pu	Am	Cm	æ	ರ	Es	Æ	Md	S N	1
Ura 2			Plutonium 94	Americium 95	Curium 96	Berkelium 97	Californium 98	Einsteinium 99	Fermium 100	Mendelevium 101	Nobelium 102	Lawr 10
ခ	mole	of any ga	ıs is 24 dn	n³ at roon	n tempera	ature and	The volume of one mole of any gas is 24 dm $^3$ at room temperature and pressure (r.t.p.).	(r.t.p.).			B	Cambridge
										13	o.co.	

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).