Centre Number Candidate Number Name

www.PapaCambridge.com UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

PHYSICAL SCIENCE

0652/02

Paper 2 (Core)

October/November 2006

1 hour 15 minutes

Candidates answer on the Question Paper. No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| For Exam | niner's Use |
|----------|-------------|
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| Total | |

[1]

[2]



Fig. 1.1

(ii) Calculate the relative molecular mass, M_r , of **ethanol**, C_2H_6O . Show your working.

$$M_{\rm r} =$$
 [2]

(iii) Complete the diagram in Fig.1.2 for ethanoic acid, C₂H₄O₂.

Fig. 1.2

- **(b)** Ethanol, C₂H₆O, can be used as a fuel.
 - (i) Balance the following chemical equation for the products of the complete combustion of ethanol.

$$C_2H_6O + 3O_2 \longrightarrowCO_2 +H_2O$$
 [1]

(ii) Describe a chemical test for the carbon dioxide produced.

test result [2]

(iii) Describe a chemical test for the water produced.

test

For Examiner's Use

| (6) | ethanoic acid in a beaker. | ding |
|-----|--|------|
| | Suggest how the pH number of the liquid in the beaker changes. | Tage |
| | | |
| | | |
| | | [2] |

2 (a) Look at the Periodic Table on page 16.

| State the number of electrons in the outer shell of an atom of | State the number of | f electrons in | the outer sh | ell of an atom of |
|---|---------------------|----------------|--------------|-------------------|
|---|---------------------|----------------|--------------|-------------------|

(i) the alkali metal caesium, Cs,

www.PapaCambridge.com (ii) the halogen astatine, At.

(b) Describe the formation of each of the ions in caesium astatide, CsAt, from the atoms of caesium and of astatine.

[2]

(c) A molecule of chlorine, Cl_2 , has a single covalent bond between the two atoms. A molecule of astatine, At₂, has similar bonding.

Draw a diagram to show the bonding in a molecule of astatine, At₂.

Show only the outer electrons.

3 Fig. 3. 1 shows part of a gas thermostat used in an oven.




Fig. 3.1

| (, | Explain why less gas enters the burner as the temperature in the oven gets higher. |
|----|--|
| | |
| | |
| | |
| | [2] |

(b) Fig. 3.2 shows a loaf of bread cooking in the oven.




Fig. 3.2

Thermal energy is transferred from the burning gas to the bread by conduction, convection and radiation.

Explain, with reference to this example, what is meant by

| (1) | conduction, | |
|------|-------------|-----|
| (ii) | convection, | |
| | | |
| iii) | radiation. | |
| | | [4] |

www.PapaCambridge.com A meteorite is a piece of rock which comes from the outer part of the solar systemeters the Earth's atmosphere.

Fig. 4.1 shows the speed of the meteorite as it approaches and finally strikes the Earth.




Fig. 4.1

| (a) | As furtl | the meteorite approaches the Earth it is travelling at a high speed and accelerather. | es |
|-----|-------------|---|------------|
| | (i) | Name the type of energy it has due to its motion. | [1] |
| | (ii) | Suggest why it accelerates as it approaches the Earth. | |
| | | | |
| | | | |
| | | [2 | 2] |
| | | | |
| (b) | Wh | en the meteorite enters the Earth's atmosphere it slows down rapidly. | |
| (b) | Wh(i) | Mark, with an X , the point on the graph at which the meteorite enters the Earth | n's [1] |
| (b) | | Mark, with an X , the point on the graph at which the meteorite enters the Earth | |
| (b) | (i) | Mark, with an X , the point on the graph at which the meteorite enters the Earth atmosphere. | |
| (b) | (i) | Mark, with an X , the point on the graph at which the meteorite enters the Earth atmosphere. | |
| (b) | (i) | Mark, with an X , the point on the graph at which the meteorite enters the Earth atmosphere. Using scientific terms explain why the meteorite slows down. | |
| | (i) | Mark, with an X , the point on the graph at which the meteorite enters the Earth atmosphere. Using scientific terms explain why the meteorite slows down. | [1] |

5 A boy holds a long rope at one end and moves it sharply up and down to send wave the rope. Fig. 5.1 shows the waves moving along the rope.




Fig. 5.1

(a) Mark on the diagram (i) the wavelength of the wave and label it λ , (ii) the amplitude of the wave and label it A. [2] (b) Explain how the boy changes the movement of his hand to (i) increase the amplitude of the wave, (ii) increase the frequency of the wave. (c) When a guitar string is plucked a sound is heard. Explain how the sound is produced.

| 6 | (a) | Balloons are used to lift radio equipment high in the atmosphere to measure placement temperature and ozone levels. |
|---|-----|---|
| | | Explain why helium, not hydrogen, is used to fill these balloons. |
| | | |
| | | |
| | | [2] |
| | (b) | Filament lamps have a thin wire of tungsten that glows white hot when connected to the electrical supply. |
| | | Explain why argon, not air, is used to fill these lamps. |
| | | |
| | | |
| | | [2] |
| | | |
| | (c) | An atom of helium has the notation 4_2 He. |
| | | An atom of argon has the notation $^{40}_{18}$ Ar. |

| notation of atom | ⁴ ₂ He | ⁴⁰ ₁₈ Ar |
|--|------------------------------|--------------------------------|
| number of protons in nucleus | 2 | |
| number of neutrons in nucleus | | 22 |
| arrangement of electrons in shells in the atom | 2 | |

Complete Fig. 6.1 for these atoms.

Fig. 6.1

[3]

7 Fig. 7.1 shows a circuit. The e.m.f. of the battery is 12V.




Fig. 7.1

(a) What is the total resistance in the circuit when the ammeter reads 2A?

Show your working and state the unit.

[2]

(b) Two soft iron nails are attracted to the core as shown in Fig. 7.2.




Fig. 7.2

(i) Complete Fig. 7.2 to show the poles induced on the nails.

(ii) Explain what happens to the nails when the current is gradually reduced to zero.

| | the state of the s | |
|-----|--|-----|
| | Iron, Fe, is described as a <i>transition</i> element. State two properties of iron that are common to transition elements. 1 | 1 |
| (a) | Iron, Fe, is described as a <i>transition</i> element. | 3 |
| | State two properties of iron that are common to transition elements. | 13 |
| | 1. | • |
| | 2 | [2] |
| | | |
| (b) | Iron reacts with dilute hydrochloric acid. | |
| | Fe(s) + 2HC $l(aq)$ FeC $l_2(aq)$ + H $_2(g)$ | |
| | State two ways of increasing the speed of this reaction. | |
| | 1. | |
| | 2 | [2] |
| | | |
| (c) | Iron goes rusty in damp air. | |
| | State two ways to prevent iron from rusting. | |
| | 1. | |
| | 2 | [2] |
| (d) | Rust is a form of iron oxide. When this is heated in carbon monoxide, iron and carbo dioxide are formed. | on |
| | Explain this reaction in terms of oxidation and reduction. | |
| | oxidation | |
| | | |
| | reduction | |
| | | [2] |

9 An experiment is done to measure the half-life of an isotope of neon. The results are in Fig. 9.1

| | | | | | | | | 4 | 4 | |
|------------------------------|---------|----------|---------|-----------|----------|----------|---------|----------|-------|--------------------------|
| | | | | 11 | | | | | N. Da | For |
| experiment is don ig. 9.1 | e to me | easure t | he half | life of a | an isoto | pe of ne | eon. Th | e result | s are | For Examiner's Use |
| count rate/Bq | 180 | 150 | 125 | 104 | 85 | 70 | 60 | 51 | 42 | The state of |
| time/s | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | COM |
| | | | | Fig. 9.1 | | • | • | • | • | |

Fig. 9.1

- (a) The first four points are already plotted on the grid in Fig. 9.2.
 - (i) Plot the remaining points.
 - (ii) Draw a smooth curve through the points.




Fig. 9.2

(b) Use the graph to find the half-life of the isotope.

(c) The isotope decays by emission of a beta-particle (β -particle). Complete the equation to show the decay.

$$^{23}_{10}$$
Ne \longrightarrow Na + $^{10}_{10}$ β

[2]

[3]

| | | Energy is needed to convert a boiling liquid, at constant temperature, into a gas. Use the kinetic particle theory of matter to explain this fact. |
|----|-----|---|
| 40 | (-) | Francis and data assumed a halling liquid at a patent town part up into a series |
| 10 | (a) | Energy is needed to convert a boiling liquid, at constant temperature, into a gas. Use the kinetic particle theory of matter to explain this fact. |
| | | |
| | | [2] |
| | (b) | Explain why evaporation from the surface of a liquid causes the temperature of the remaining liquid to cool. |
| | | |
| | | |
| | | [2] |
| | (c) | |
| | | liquid P liquid Q |
| | | heat heat |
| | | Fig. 10.1 |
| | | Liquid P continues to boil at a constant temperature. |
| | | Liquid Q continues to boil at a temperature that increases with time. |
| | | Explain these observations. |
| | | |
| | | |
| | | [2] |
| | | (ii) Name one example of a liquid that behaves like liquid Q . |
| | | [1] |

www.PapaCambridge.com 13 **11** (a) Describe how a polythene rod can be charged. **(b)** Fig. 11.1 shows a negatively charged polythene rod suspended by an insulating thread. insulating thread polythene rod Fig. 11.1 State what happens when (i) a negatively charged rod is brought up to end A, (ii) a positively charged acetate rod is brought up to end A, (iii) a positively charged acetate rod is brought up to end B,

(iv) an uncharged glass rod is brought up to end A.

[4]

BLANK PAGE

www.PapaCambridge.com

15

BLANK PAGE

www.PapaCambridge.com

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

DATA SHEET
The Periodic Table of the Elements

| | | | | | | | | Gre | Group | | | | | | | | |
|-----------------|--|---------------------------|-----------------|----------------|--------------------|--------------------|------------------|----------------|-----------------|------------------|---------------|-----------------|---------------|------------------|-----------------|-----------------|----------------|
| _ | = | | | | | | | | <u> </u> | | | = | ≥ | > | > | = | 0 |
| | _ | | | | | | Hydrogen | | | | | | | | | | 4 H |
| | | | | | | | 1 | | | | | | | | | | 2 |
| 7 | 6 | | | | | | | | | | | 11 | 12 | 14 | 16 | 19 | 20 |
| = | | | | | | | | | | | | Ω | ပ | z | 0 | ш | Ne |
| 2 Lithium | Beryllium 4 | E | | | | | | | | | | Boron 5 | Carbon 6 | Nitrogen 7 | Oxygen 8 | Fluorine 9 | Neon 10 |
| 23 | 24 | | | | | | | | | | | 27 | | | 32 | 35.5 | 40 |
| Na | Mg | _ | | | | | | | | | | Ν | | | တ | CI | Ā |
| Sodium 11 | ≥ 4 | - En | | | | | | | | | | Aluminium 13 | 4 | Phosphorus 15 | Sulphur 16 | Chlorine 17 | Argon 18 |
| 88 | 40 | 45 | 48 | 51 | 52 | 55 | 56 | 59 | | 64 | | 70 | 73 | 75 | 62 | 80 | 84 |
| ¥ | Ca | လွ | F | > | ဝံ | Mn | Fe | රි | | చె | | Ga | Ge | As | Se | | 궃 |
| Potassium 19 | Calcium 20 | m Scandium 21 | Titanium 22 | Vanadium 23 | Chromium 24 | Manganese 25 | Iron 26 | Cobalt 27 | Nickel 28 | Copper 29 | Zinc 30 | Gallium 31 | ε | Arsenic 33 | Selenium 34 | Φ | Krypton 36 |
| 82 | 88 | 88 | 91 | 93 | 96 | | 101 | 103 | 106 | 108 | 112 | | | 122 | 128 | | 131 |
| Rb | Š | > | Zr | Q N | Mo | ည | Ru | Rh | Pd | Ag | ပ္ပ | In | Sn | Sb | <u>e</u> | Н | Xe |
| Rubidium 37 | Strontium 38 | m Yttrium 39 | Zirconium 40 | Niobium 41 | Molybdenum 42 | n Technetium 43 | Ruthenium | Rhodium 45 | Palladium 46 | Silver 47 | Cadmium 48 | 49 | | Antimony 51 | Tellurium 52 | lodine 53 | Xenon 54 |
| 133 | | | 178 | 181 | | 186 | 190 | 192 | 195 | 197 | 201 | | | | | | |
| Cs | | | Ξ | Тa | > | Re | Os | ŀ | ₹ | Αn | £ | 11 | Pb | Β | Ъ | ¥ | Ru |
| Caesium 55 | Barium 56 | Lanthanum 57 | * Hafnium | Tantalum 73 | Tungsten 74 | Rhenium 75 | Osmium 76 | Iridium 77 | Platinum 78 | Gold 79 | Mercury 80 | Thallium 81 | Lead 82 | | Polonium 84 | Astatine 85 | Radon 86 |
| | 226 | 227 | | | | | | | | | | | | | | | |
| 正 | | | | | | | | | | | | | | | | | |
| Francium 87 | Radium 88 | n Actinium † | | | | | | | | | | | | | | | |
| *58-71 | l anthan | *58-71 anthanoid series | | 140 | 141 | 144 | | 150 | 152 | 157 | 159 | 162 | 165 | 167 | 169 | 173 | 175 |
| 100-100 | 30-7 Framinanold seme †90-103 Artinoid series | old series | | ပီ | ቯ | PR | Pm | Sm | Ē | <u>6</u> | ₽ P | ۵ | 운 | ш | Tm | | 3 |
| | | SDIDS D | | Cerium 58 | Praseodymium 59 | Neodymium 60 | Promethium 61 | Samarium 62 | Europium 63 | Gadolinium 64 | Terbium 65 | Ę | Holmium 67 | Erbium 68 | | Ytterbium 70 | Lutetium 71 |
| | Ø | a = relative atomic mass | nic mass | C | | occ | | | | | | | | | | | |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

www.papaCambridge.com

Md Mendelevium 101

b = proton (atomic) number

a = relative atomic mass X = atomic symbol

Key