Centre Number

www.papacambridge.com UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

# PHYSICAL SCIENCE

0652/05

Paper 5 Practical Test

October/November 2006

1 hour 30 minutes

Candidates answer on the Question Paper. Additional Materials: As listed in Instructions to Supervisors

# **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use a soft pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions. Chemistry practical notes for this paper are printed on page 12


At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
1	
2	
Total	



**BLANK PAGE** 

- 1 You are going to cut out an L-shaped card and use it to take various measurements
- www.PapaCambridge.com (a) Carefully cut out the L-shaped figure using the dimensions shown. If you make mistake you may ask for another piece of card.



(i) Measure the distance **CE** on your own cut L-shaped figure and record it below.

distance CE = [1] mm

- (ii) Make a mark 5 mm from point A so that distance x, shown on Fig. 1.2 is 5 mm.
  - Insert the drawing pin at this mark as near as possible to the edge AB of the • card.
  - Attach the plumb-line to the pin and insert the pin in the cork or suitable support provided. Make sure that the card swings freely.
  - Mark the position of point G, where the plumb-line crosses the edge CD. Measure the distance CG. This distance is labelled y in the diagram. Record the distance, y, in Fig. 1.3




Fig. 1.2



www.papaCambridge.com



(iii) Repeat the procedure for four further values of x, moving the pin about 5 mm nearer to B each time. Measure and record y for each new value of x. [3]

4

5 (b) (i) Plot a graph of y (vertical axis) against x and draw the best fit straight line to your points. [4]

(ii) From the graph determine  $y_o$ , the value of y when x = 0.

**y**<sub>o</sub> = \_\_\_\_\_mm [2]

www.papacambridge.com (c) (i) Place the L-shaped card on the space below. Using a pencil, draw arou card. Label the drawing with the letters **A** to **F** as shown in Fig. 1.2.

(ii) Using the value of  $y_o$  from (b)(ii), show point G on your drawing. Join point **G** to point **A**. Measure and record the length of the line **AG**.

> length of line **AG** = \_\_\_\_mm [2]

(iii) Draw the line CE. Mark the point M, where lines CE and AG cross. [1]

www.PapaCambridge.com 2 You are provided with three solids, A, B and C. One is an acid, one a base and the salt. You are required to decide which is the acid, the base and the salt by carrying out tests (a), (b) and (c).

Some of the spaces are already completed. If you do not see a reaction, write 'no reaction'.

7

(a) (i) Place about one fifth of solid A in a test-tube. Add an equal amount of solid sodium carbonate. Add about 2 cm<sup>3</sup> of water and mix. Note any reaction and record your observation in Fig. 2.1.

Test: addition of sodium carbonate and water		
solid <b>A</b>	solid <b>B</b>	solid <b>C</b>
		white precipitate

(ii) Repeat the test replacing solid **A** with solid **B**. Record any observation in Fig. 2.1.

### Fig. 2.1

[2]

[4]

- (b) (i) Place another portion of solid A in a test-tube. Add an equal amount of ammonium chloride. Now add about 5 cm<sup>3</sup> water and warm the mixture. If a gas is evolved you must identify it. Record your observation in Fig. 2.2 including the test for the identification of any gas given off.
  - (ii) Repeat test (b)(i) using solid B in place of solid A.
  - (iii) Carry out the test again replacing solid **B** with solid **C**.

(c) (i) Use another portion of solid **B** and add about  $5 \text{ cm}^3$  of water. Shake the cont the test-tube to dissolve the solid. You may filter the mixture if necessary.

Add aqueous ammonia solution a little at a time until it is in excess.

www.papaCambridge.com (ii) Repeat test (c)(i) using solid C in place of solid B. Record any observation in Fig. 2.3.

Test: addition of aqueous ammonia a little at a time until in excess.		
solid <b>A</b>	solid <b>B</b>	solid <b>C</b>
no apparent reaction		

Fig. 2.3

[3]

(d) Using the results of tests (a), (b) and (c), decide which is the acid, which is the base and which is the salt and give your reasons. Do not try to name the solids.

solid <b>A</b> is	because	
solid <b>B</b> is	because	
solid <b>C</b> is	because	[3]



**BLANK PAGE** 



**BLANK PAGE** 

### **CHEMISTRY PRACTICAL NOTES**

# Test for anions

12 CHEMISTRY PRACTICAL NOTES Test for anions		
anion	test	test result
carbonate (CO <sub>3</sub> <sup>2–</sup> )	add dilute acid	effervescence, carbon dioxide produced
chloride (C <i>l</i> -) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.
nitrate (NO <sub>3</sub> <sup>-</sup> ) [in solution]	add aqueous sodium hydroxide then aluminium foil; warm carefully	ammonia produced
sulphate (SO <sub>4</sub> <sup>2–</sup> ) [in solution]	acidify then add aqueous barium chloride <i>or</i> aqueous barium nitrate	white ppt.

### Test for aqueous cations

cation	effect of aqueous sodium hydroxide	effect of aqueous ammonia
ammonium ( $NH_4^+$ )	ammonia produced on warming	-
copper(II) (Cu <sup>2+</sup> )	light blue ppt., insoluble in excess	light blue ppt., soluble in excess giving a dark blue solution
iron(II) (Fe <sup>2+</sup> )	green ppt., insoluble in excess	green ppt., insoluble in excess
iron(III) (Fe <sup>3+</sup> )	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess
zinc (Zn <sup>2+</sup> )	white ppt., soluble in excess giving a colourless solution	white ppt., soluble in excess, giving a colourless solution

#### **Test for gases**

gas	test and test results
ammonia (NH <sub>3</sub> )	turns damp litmus paper blue
carbon dioxide (CO <sub>2</sub> )	turns limewater milky
chlorine (Cl <sub>2</sub> )	bleaches damp litmus paper
hydrogen (H <sub>2</sub> )	"pops" with a lighted splint
oxygen (O <sub>2</sub> )	relights a glowing splint

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.