

ATIONS CANDING TO STATE OF THE PARTY OF THE

*	
6	
5	
6	
З	
0	
0	
2	
9	
9	
_	
~	

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

PHYSICAL SCIENCE

0652/03

Paper 3 (Extended)

October/November 2008

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

DO NOT WRITE IN ANY BARCODES

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use					
1					
2					
3					
4					
5					
6					
7					
8					
9					
Total					

This document consists of 16 printed pages.






Fig. 1.1

(a)	(i)	Calculate the weight of the mass
		(g = 10  N/kg)

Show your working.

weight =	
•	


(ii) Write down the force acting on the mass due to the spring.

**(b)** The mass is pulled down 1.5 cm and released.

Draw an arrow on the diagram and label it F, to show the direction of the resultant force on the mass immediately after it is released. [1]

For iner's

The graph in Fig. 1.2 shows the results of an experiment in which different load attached to the spring.



/cm

Fig. 1.2

- (c) On the graph, mark the limit of proportionality and label it P. [1]
- (d) (i) Use the graph to find the resultant force when the mass is pulled down by 1.5 cm.

resultant force =

(ii) Calculate the initial acceleration of the mass when it is released.

acceleration = [3]

aluminib. For iner's

2 Metal greenhouse frames, as shown in Fig. 2.1, are usually made of steel or aluminib.




Fig. 2.1

(a) A disadvantage of using steel for a greenhouse frame is that it rusts when in contact with water and air.

This problem can be overcome by galvanising the steel.

(i)	Explain what is meant by the term <i>galvanising</i> .	
		. <b></b> [1]
(ii)	Galvanising stops steel from rusting, even if the protective coating is scratched	t to
(,	expose the steel underneath.	. 10
	Explain why.	
		[3]
(iii)	Describe another method that could be used to prevent the steel frame rusting.	
		 [1]

	(iv)	Does this method protect the steel frame as well as galvanising?  Explain your answer
		Explain your answer.
		[1]
(b)	An	aluminium greenhouse frame does not corrode as quickly as steel.
	Exp	plain why.
		[2]
(c)	Alu	minium is also used to make aircraft bodies.
	For	this use aluminium is alloyed with other metals.
	(i)	What effect does alloying have on the properties of aluminium that make it more useful for aircraft construction?
		[1]
	(ii)	Explain why alloying has this effect.
		[2]

For iner's

AMANA PAR CANADATA For iner's

3 Fig. 3.1 shows a liquid-in-glass thermometer.

0 10 20 30 40 50 60 70 80 90 100 110 °C

Fig. 3.1

(a)	explain wh water.	at happens	s to the liqi	ud when	the therm	ometer is	s placed II	n a beaker	of hot
									[21

**(b)** Fig. 3.2 shows another type of thermometer, known as a thermocouple.




Fig. 3.2

(i) Name suitable materials for

wire A	
wires <b>B</b> and <b>C</b>	[2]

(ii) Junction 1 is placed in melting ice. Junction 2 is placed in boiling water. The voltmeter reads 7.2 mV.

Junction **2** is then placed in a beaker of water. The voltmeter reading falls to 4.8 mV. Calculate the temperature of the beaker of water.

Show your working.

temperature	[2]
ion por a taro	 [-]

(iii)	State and explain <b>one</b> advantage that the thermocouple has over the liquid glass thermometer.	Cannon For inel
		[2]

4 (a) Complete Table 4.1 to show the arrangement of electrons in atoms of these elen

The first one has been done for you.

Table 4.1

element	electron arrangement				
Mg	2	8	2		
К					
Ar					
N					

[3]

		[2
(D)	and the position of that element in the Periodic Table.	eni

(c) Elements in Group 7 are called halogens. Table 4.2 gives some information about the physical properties of three halogens.

Table 4.2

halogen	proton number	melting point/°C	boiling point/°C	colour
chlorine	17	-101	-35	pale green
bromine	35	-7	59	deep red
iodine	53	114	184	dark grey

		[1]
	What is the formula of calcium iodide?	
(i)	Calcium forms ions with the formula Ca <sup>2+</sup> . lodine forms ions with the formula I <sup>-</sup> .	

St.	For iner's	
	[1] Te.Co	1

(ii) The element below iodine in this Group is astatine.Suggest the colour of astatine.

(d) Table 4.3 gives information about four elements in Group 0 of the Periodic Table, called the noble gases.

Table 4.3

element	proton number	melting point/°C	boiling point/°C	density of gas in kg/m³
helium	2	-272	-269	0.17
neon	10	-248	-246	0.84
argon	18	-189	-186	1.67
krypton	36	-157	-152	3.50

(i)	Describe the trend in boiling point for elements in Group 0.	
		[2]
(ii)	The density of air is 1.20 kg/m <sup>3</sup> .	
	Helium is used in airships and weather balloons. The other noble gases are not.	
	Use data from the table to suggest why.	
		••••
		••••
		[3]

(a) Fig. 5.1 shows a ripple tank with three wavefronts approaching an area of 5 water.




Fig. 5.1

On Fig. 5.1, draw four more wavefronts to complete the diagram.

[3]

[3]

(b) Fig. 5.2 shows a similar ripple tank, with three wavefronts approaching a gap in a barrier.




Fig. 5.2

- (i) On Fig. 5.2, draw four wavefronts after they pass through the gap.
- (ii) Name the process being demonstrated.

[1]

6

Wh	en p	etrol is burned in a car engine, pollutant gases are produced.	
(a)	In the car engine nitrogen and oxygen combine to form oxides of nitrogen, including nitrogen monoxide, NO.		
	(i)	Describe the problems caused by release of oxides of nitrogen into the air.	
		ro.	
		[2]	
	(ii)	To reduce the quantity of oxides of nitrogen released into the air, modern cars are fitted with catalytic converters.	
		Explain how a catalytic converter removes nitrogen oxide from car exhaust gases.	
		[2]	
(b)	Pro	pane can be used as an alternative fuel to petrol.	
	Pro	pane burns according to the following equation.	
		$C_3H_8 + 5O_2 \rightarrow 3CO_2 + 4H_2O$	
		culate the mass and volume, at room temperature and pressure, of carbon dioxide duced by the complete combustion of 1.0 kg of propane.	
	Sho	ow your working.	
		C, 12; H,1; O,16.] room temperature and pressure 1 mole of any gas has a volume of 24 dm <sup>3</sup> .]	
		mass of carbon dioxide =kg	

volume of carbon dioxide =

[5]

(c) Carbon dioxide is a covalent compound.

www.PapaCambridge.com Draw a diagram to show the arrangement of outer electrons in a molecule of carbon dioxide.

	May	
	13	
Eth	ene is reacted with steam to make ethanol.	For singer's
(a)	Describe how ethene is obtained.	Middle
		For iner's
		[2]
(b)	Write a balanced equation for the reaction between ethene and steam.	
		[2]
(0)	Complete this contains to describe the conditions used for this reaction	
(6)	Complete this sentence to describe the conditions used for this reaction.	
	Ethene and steam are mixed at high pressure in the presence of	
		[1]

8	A nuclear power	station supplies	200 000 kW to the	National Grid at 55 000 V.

(a) Calculate the current from the power station. Show your working.

	MM. Par
at 55 000 V.	For hiner's
	SCOM

		current =[3]
(b)		e energy is transmitted across the country at this voltage. It is stepped down to 250 V domestic use.
	(i)	Explain why the energy is transmitted at a very high voltage.
	(ii)	Name the device used to step down the voltage.
	(iii)	Calculate the turns ratio required to step the voltage down from 55 000 V to 250 V. Show your working.
		primary turns : secondary turns
		<u> </u>
(c)		ansformer is described as 100% efficient. Dain what is meant by this statement.
		[1]

	The state of the s	
	15 A. H.	
The	e iodine isotope, $^{131}_{53}$ I, decays by emitting a $\beta$ –particle.	For iner's
(a)	to iodine isotope, $^{131}_{53}$ I, decays by emitting a $\beta$ -particle. Explain what is meant by a $\beta$ -particle.	age com
	[2]	
(b)	(i) Complete the equation which describes the decay.	
	$^{131}_{53}I = ^{131}_{1111}X + ^{1111}_{1111}\beta$	
	(ii) Use the Periodic Table, on page 16, to identify the element X and comment on its reactivity.	
	[4]	
<b>(</b> -)	This isotone has a half life of 0.4 days and is used in madical diagnosis and treatment	
(c)	This isotope has a half-life of 8.1 days and is used in medical diagnosis and treatment.  Suggest why the isotope is suited for this purpose.	

[2]

	Elements
DATA SHEET	The Periodic Table of the

								Gre	Group								
_	=											=	<u> </u>	>	IN	IIA	0
							1 Hydrogen										4 <b>He</b> Helium
7 <b>Li</b> Lithium	Be Beryllium											11 Boron 5	12 Carbon	14 <b>N</b> itrogen 7	16 Oxygen	19 Fluorine	20 Neon 10
23 <b>Na</b> Sodium	24 Magnesium											27 <b>A1</b> Aluminium 13	28 <b>Si</b> Silicon	31 <b>P</b> Phosphorus 15	32 <b>S</b> Sulphur 16	35.5 <b>C1</b> Chlorine	40 <b>Ar</b> Argon
39 K	40 <b>Ca</b> Calcium	Scandium 21	48 <b>T</b> Trtanium 22	51 <b>V</b> Vanadium 23	Cr Chromium 24	Mn Manganese 25	56 <b>Fe</b> Iron	59 <b>Co</b> Cobalt 27	59 <b>X</b> Nickel	64 <b>Cu</b> Copper 29	65 <b>Zn</b> 2nc 30	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>AS</b> Arsenic 33	79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	84 <b>Kr</b> Krypton 36
Rb Rubidium	Strontium	89 <b>×</b>	2r Zirconium 40	Niobium	96 <b>Mo</b> Molybdenum 42	Tc Technetium 43	Ruthenium	103 <b>Rh</b> Rhodium 45	106 Pd Palladium 46	108 <b>Ag</b> Silver 47	112 <b>Cd</b> Cadmium 48	115 <b>In</b> Indium	<b>Sn</b> Tin 50	122 <b>Sb</b> Antimony 51	128 <b>Te</b> Tellurium 52	127 <b>I</b> lodine	131 <b>Xe</b> Xenon
133 Cs Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57 *	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tantalum 73	184 W Tungsten 74	186 <b>Re</b> Rhenium 75	190 <b>Os</b> Osmium 76	192 <b>Ir</b> Iridium	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold	201 <b>Hg</b> Mercury 80	204 <b>T t</b> Thallium 81	207 <b>Pb</b> Lead Lead	209 <b>Bi</b> Bismuth 83	<b>Po</b> Polonium 84	At Astatine 85	Radon 86
<b>Fr</b> Francium 87	226 <b>Ra</b> Radium 88	227 <b>Ac</b> Actinium 89															
*58-71 L	*58-71 Lanthanoid series 190-103 Actinoid series	d series series		140 <b>Ce</b>	141 <b>Pr</b> Praseodymium	144 <b>Na</b> Neodymium	<b>Pm</b> Promethium	Samarium	152 <b>Eu</b> Europium	157 <b>Gd</b> Gadolinium	159 <b>Tb</b> Terbium	162 <b>Dy</b> Dysprosium	165 <b>Ho</b> Mium	167 <b>Er</b> Erbium	169 <b>Tm</b> Thulium	173 <b>Yb</b> Ytterbium	175 <b>Lu</b> Lutetium

1 68															
oid series d series	140 <b>Ce</b>	141 <b>Pr</b>	144 <b>Nd</b>	Pm	Sm	152 <b>Eu</b>	157 <b>Gd</b>	159 <b>Tb</b>	162 <b>Dy</b>	165 <b>Ho</b>	167 <b>Er</b>	169 <b>Tm</b>	173 <b>Yb</b>	175 <b>Lu</b>	
	58	Fraseodymium 59		Frometmum 61	Samarium 62	Europium 63	Gadolinium 64	erbium 65	Dysprosium 66	- E7	68	69 e	70	Luterium 71	
a = relative atomic mass	232		238												
X = atomic symbol	드	Ра	_	å	Pu	Am	S	æ	ర	Es	Fn	Md	8	ئ	22
b = proton (atomic) number	Thorium 90	Protactinium 91	Uranium 92	Neptunium 93	Plutonium 94	Americium 95	Curium 96	Berkelium 97	Californium 98	Einsteinium 99	Fermium 100	Mendelevium 101	Nobelium 102	Lawrencium 103	m.
	The v	The volume of one mole of any gas is $24\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).	one mole	of any ga	s is 24 dr	n³ at roor	n tempera	ature and	pressure	(r.t.p.).				S	DanaCar
													3	Morie	
													Se.co	1	

Key

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.