

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Middle Con

*	
∞	
7	
W	
9	
W	
4	
œ	
_	
6	
_	

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

PHYSICAL SCIENCE

0652/21

Paper 2 (Core)

October/November 2012

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
Total	

This document consists of 16 printed pages.



1 Fig. 1.1 shows an uncalibrated liquid-in-glass thermometer.



Fig. 1.1

(a)	(i)	Name a suitable liquid to use in the thermometer.	
	(ii)	State the physical property of the liquid on which the operation of the thermome depends.	[1] ter [1]
(b)	(i)	Explain what is meant by a fixed point.	
	(ii)	What are the values of the fixed points on the Celsius temperature scale? upper fixed point lower fixed point	[2]
(c)	The	e thermometer is to be calibrated. e two fixed points are marked on the thermometer. scribe the remaining stages in calibrating the thermometer.	
			[2]

o Call	For iner's
[1]	Tide

2	Chlorine is a	member of	Group VII	of the	Periodic	Table.

(a)	(i)	State the name given to Group VII elements.	1
			[1]
	(ii)	Name a Group VII element which is less reactive than chlorine.	
			[1]
	(iii)	Name the Group I element which is in the same Period as chlorine.	
			[1]

(b) Complete Table 2.1 by giving the name and chemical formula of an ionic and a covalent compound of chlorine.

Table 2.1

compound	name	formula
ionic		
covalent		




Fig. 3.1

- (a) On Fig. 3.1 mark a possible position of the centre of mass of the man. Label it C. [1]
- (b) The mass of the man is 75 kg.
 - (i) Explain what is meant by mass.

[1]

(ii) Calculate the weight of the man.

 $[g = 10 \, \text{N/kg}]$

weight = [2

www.PapaCambridge.com

(c) The man jumps off the tightrope.

The graph in Fig. 3.2 shows his speed in a vertical direction after jumping.




Fig. 3.2

Use Fig. 3.2 to find

1	٠) the	maximum	speed	of the	e man.
Ν	ч.	,	IIIaxiiIIaiii	opood	01 111	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

(ii) the height, *d*, of the wire above the ground.

$$d =$$
 m [3]

(d) (i) Name the form of energy the man has due to his motion as he falls to the ground.

- 1 1	П
 ъ.	. 1

(ii) Suggest what happens to this energy when he hits the ground.

Fig. 4.1 shows apparatus used to react copper(${
m II}$) oxide with hydrogen.




Fig. 4.1

(a)	(i)	Copper(II) oxide is black.
		State the colour change you would see when copper(II) oxide is reduced to copper by hydrogen.
		[1]
	(ii)	Write a balanced equation for this reaction.
		[1]
	(iii)	Explain what this reaction shows about the relative reactivity of copper and of hydrogen.
		[1]
(b)		scribe how you could show that carbon (charcoal) is more reactive than copper and s reactive than magnesium.
		101

	32	
	7	1
	monium sulfate, (NH ₄) ₂ SO ₄ , and ammonium nitrate, NH ₄ NO ₃ , are important ogen-containing fertilisers. Name two substances which react together to make ammonium nitrate.	Cam
(a)	Name two substances which react together to make ammonium nitrate.	
	1	
	2	[2]
(b)	Calculate the relative molecular mass of ammonium sulfate.	
	[Relative atomic masses: <i>A_r</i> : H,1; N,14; O,16; S,32.]	
	answer	[2]
(c)	show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH ₄ NO	
(c)		
(c)	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH ₄ NO	
(c)	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH ₄ NO	
(c)	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH ₄ NO	
(c)	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH ₄ NO	
(c)	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH ₄ NO	O ₃ .
(c)	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH ₄ NO	
	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH ₄ NO	O ₃ .
	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH ₄ N0 [Relative molecular mass of ammonium nitrate is 80]	O ₃ .

6 Fig. 6.1 shows the refraction of red light as it passes through a parallel sided glass bit




Fig. 6.1

(a) On Fig. 6.1 mark

(i) an angle of incidence and label it i, [1]

(ii) an angle of refraction and label it **r**. [1]

(b) Blue light refracts more than red light.

Blue light is shone along the same incident path as the red light.

On Fig. 6.1, draw the path of the blue light as it passes through the block and emerges into the air. [2]

www.PapaCambridge.com (c) Fig. 6.2 shows a parallel beam of light incident on a converging lens. beam of light principal focus lens Fig. 6.2 (i) On Fig. 6.2 draw rays to show the path of the light after it passes through the lens. [3] (ii) On Fig. 6.2 draw an arrow to show the focal length of the lens. [1] (d) Powerful lenses are usually very thick. Images formed by these lenses have coloured edges. Suggest and explain a reason for this. You will find it helpful to use the information from parts (b) and (c) in your explanation.

7 Danielle is investigating the resistance of a length of constantan wire.

She builds the circuit shown in Fig. 7.1.




Fig. 7.1

(a)	(i)	Name the component labelled X .	[1]
	(ii)	Explain the use of this component in the circuit.	
			[1]
	(iii)	On Fig. 7.1, show how Danielle should connect a meter to measure the poten difference across the wire.	tial [2]
b)		en the potential difference across the constantan wire is 4.5 V, the reading on temeter is 0.12 A.	the
	Cal	culate the resistance of the constantan wire.	

resistance =	unit	[3]

	Danielle connects a second identical constantan wire in parallel with the original State how (i) the total resistance in the circuit changes,	
	11	
(c)	Danielle connects a second identical constantan wire in parallel with the original	For
	State how	Tight let's
	(i) the total resistance in the circuit changes,	Se.Co.
	[1]	13
	(ii) the reading on the ammeter changes.	
	[1]	
(d)	A third piece of constantan wire has the same length as the original wire but has a larger diameter.	
	State how the resistance of the third wire compares with the resistance of the original wire.	
	Give a reason for your answer.	
	[2]	

www.PapaCambridge.com 8 Fig. 8.1 shows apparatus used in an experiment to react hydrochloric acid with calcium carbonate to produce carbon dioxide.




Fig. 8.1

- (a) Complete Fig. 8.1 to show apparatus used to collect and measure the volume of the carbon dioxide. [2]
- **(b)** Describe a test to show that the gas collected is carbon dioxide.

test			
result	t	[2]	

(c) Table 8.1 shows the volume of carbon dioxide collected during the experiment.

Table 8.1

time/minutes	volume of carbon dioxide collected/cm³
0	0
1	15
2	26
3	34
4	40
5	40

(i) On Fig. 8.2, plot the results from Table 8.1.

powder is used instead of lumps.

volume of carbon dioxide/cm3




Fig. 8.2

- (ii) On Fig. 8.2, draw the curve of best fit. [2] (iii) Explain why the reaction stops after 4 minutes. [1] (iv) The experiment is repeated using the same mass of calcium carbonate. This time
 - On Fig. 8.2, sketch the curve for this experiment. [2]

www.PapaCambridge.com (a) Complete Table 9.1 to show the gases formed, if any, when each of the subs 9 listed react with dilute sulfuric acid.

Table 9.1

substance added	gas, if any, formed
copper	
magnesium	
sodium carbonate	

$\Gamma \cap \Gamma$	ı
1.)	

(b)	Α	salt	is	formed	when	а	metal	oxide	neutr	alises	an	acid
-----	---	------	----	--------	------	---	-------	-------	-------	--------	----	------

Complete the word equation for this reaction.

10 (a) Fig. 10.1 shows the structure of the alkane, ethane.




Fig. 10.1

Draw a similar diagram to show the structure of the alkene, ethene.

		etnene	[2]
(b)	Nan	ne an alkane with four carbon atoms and give its formula.	
	nan	ne	
	forn	nula	[2]
(c)	(i)	Explain why ethene is more reactive than ethane.	
			[1]
	(ii)	Explain why ethene is important in the chemical industry.	
			[1]

For iner's

The Periodic Table of the Elements DATA SHEET

	_ 0 §	o 0 5	o = 6	4 . = uo	≈ o e	و ي		ت ت ک ا
0				36 X %	24 X X × 8 × 8 × 8 × 8 × 8 × 8 × 8 × 8 × 8	Rad Rad		175 Lu
II/		19 Fluorine	35.5 C1 Chlorine	80 Br Bromine 35	127	At Astatine 85		173 Yb
>		16 Oxygen	32 S Sulfur 16	79 Se Selenium 34	128 Te Tellurium	Po Polonium 84		169 Tm
^		14 N Nitrogen 7	31 P Phosphorus 15	75 AS Arsenic	Sb Antimony 51	209 Bis Bismuth 83		167 Er
>		12 Carbon	28 Si icon	73 Ge Germanium 32	119 Sn Tin	207 Pb Lead		165 Holmium
		11 Boron 5	27 A1 Auminium 13	70 Ga Gallium 31	115 n Indium	204 T 1 Thallium		162 Dy Dvsprosium
					Cadmium 48	201 Hg Mercury 80		159 Tb
				64 Copper	108 Ag Silver	197 Au Gold		157 Gd Gadolinium
				59 Nickel	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu
				59 Co Cobalt	103 Rh Rhodium 45	192 r		Samarium
	T Hydrogen			56 Fe Iron	Ruthenium 44	190 OS Osmium 76		Pm
						186 Re Rhenium 75		Neodymium
				Cr Chromium	96 Mo Molybdenum 42	184 W Tungsten 74		141 Praseodymium
				51 V Vanadium 23	93 Nb Niobium 41	181 Ta Tantalum		140 Gerium
				48 T	2r Zirconium 40	178 H Hafnium 72		
				Sc Scandium 21	89 ×	139 La Lanthanum 57 *	227 Ac Actinium 89	series ries
=		9 Be Beryllium	24 Mg Magnesium	40 Ca Calcium	Sr Strontium	137 Ba Barium 56	226 Ra Radium 88	Inthanoid ctinoid se
_		7 Li Lithium	23 Na Sodium	39 K Potassium 19	Rb Rubidium	Caesium 55	Fr Francium 87	*58-71 Lanthanoid series
			III IV V VII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VI	III IV V VII V			1 11 11 11 12 12 12 12	

50															
o pripo	140	141	144		150	152	157	159	162	165	167	169	173	175	
d series	ပီ	ŗ	P	Pm	Sm	En	<u>G</u> d	욘	۵	운	ш	ᆵ	Υp	3	
odilgo	Cerium 58	Praseodymium 59	Neodymium 60	Promethium 61	Samarium 62	Europium 63	Gadolinium 64	Terbium 65	Dysprosium 66	Holmium 67	Erbium 68	Thulium 69	Ytterbium 70	Lutetium 71	
i = relative atomic mass	232		238												
(= atomic symbol	드	Ра)	ď	Pu	Am	Cm	B	ర	Es	Fm	Md	Š	ئ	4
= proton (atomic) number	Thorium 90	Protactinium 91	Uranium 92	Neptunium 93	Plutonium 94	Americium 95	Curium 96	Berkelium 97	Californium 98	Einsteinium 99	Fermium 100	Mendelevium 101	Nobelium 102	Lawrencium 103	lendelevium Nobelium Lawrencium 102 103
															D'
	The v	The volume of one mole of any gas is 24 dm ³ at room temperature and pressure (r.t.p.).	one mole	of any ga	ıs is 24 dr	n³ at roor	n tempera	ature and	pressure	(r.t.p.).					20.
														0	-
													•	an.	1
														76	
													30	1	
												1	0.0	-	
													0		
													1		

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Key

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.