

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

dride con

*	
_	
N	
∞	
2	
W	
4	
_	
9	
∞	

CANDIDATE NAME						
CENTRE NUMBER				CANDIDATE NUMBER		

**PHYSICAL SCIENCE** 

0652/22

Paper 2 (Core)

October/November 2012

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
Total	

This document consists of 16 printed pages.



1 Fig. 1.1 shows an uncalibrated liquid-in-glass thermometer.



Fig. 1.1

(a)	(i)	Name a suitable liquid to use in the thermometer.	
	(ii)	State the physical property of the liquid on which the operation of the thermome depends.	[1] ter [1]
(b)	(i)	Explain what is meant by a fixed point.	
	(ii)	What are the values of the fixed points on the Celsius temperature scale?  upper fixed point  lower fixed point	[2]
(c)	The	thermometer is to be calibrated.  two fixed points are marked on the thermometer.  scribe the remaining stages in calibrating the thermometer.	
			 [2]

o Call	For iner's
[1]	Tide

2	Chlorine is a	member of	Group VII	of the	Periodic	Table.

(a)	(i)	State the name given to Group VII elements.	1
			[1]
	(ii)	Name a Group VII element which is less reactive than chlorine.	
			[1]
	(iii)	Name the Group I element which is in the same Period as chlorine.	
			[1]

**(b)** Complete Table 2.1 by giving the name and chemical formula of an ionic and a covalent compound of chlorine.

Table 2.1

compound	name	formula
ionic		
covalent		




Fig. 3.1

- (a) On Fig. 3.1 mark a possible position of the centre of mass of the man. Label it C. [1]
- (b) The mass of the man is 75 kg.
  - (i) Explain what is meant by mass.

[1]

(ii) Calculate the weight of the man.

 $[g = 10 \, \text{N/kg}]$ 

weight = [2

www.PapaCambridge.com

(c) The man jumps off the tightrope.

The graph in Fig. 3.2 shows his speed in a vertical direction after jumping.




Fig. 3.2

Use Fig. 3.2 to find

(	i)	) the	maximum	speed	of the	man,

(ii) the height, *d*, of the wire above the ground.

$$d =$$
 m [3]

(d) (i) Name the form of energy the man has due to his motion as he falls to the ground.

- 1	1	ı

(ii) Suggest what happens to this energy when he hits the ground.

	cı

Fig. 4.1 shows apparatus used to react copper( ${
m II}$ ) oxide with hydrogen.




Fig. 4.1

(a)	(i)	Copper(II) oxide is black.
		State the colour change you would see when copper(II) oxide is reduced to copper by hydrogen.
		[1]
	(ii)	Write a balanced equation for this reaction.
		[1]
	(iii)	Explain what this reaction shows about the relative reactivity of copper and of hydrogen.
		[1]
(b)		scribe how you could show that carbon (charcoal) is more reactive than copper and s reactive than magnesium.
		101

	32	
	7	1
	monium sulfate, (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> , and ammonium nitrate, NH <sub>4</sub> NO <sub>3</sub> , are important ogen-containing fertilisers.  Name <b>two</b> substances which react together to make ammonium nitrate.	Cam
(a)	Name <b>two</b> substances which react together to make ammonium nitrate.	
	1	
	2	[2]
(b)	Calculate the relative molecular mass of ammonium sulfate.	
	[Relative atomic masses: <i>A<sub>r</sub></i> : H,1; N,14; O,16; S,32.]	
	answer	[2]
(c)	show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH <sub>4</sub> NO	
(c)		
(c)	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH <sub>4</sub> NO	
(c)	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH <sub>4</sub> NO	
(c)	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH <sub>4</sub> NO	
(c)	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH <sub>4</sub> NO	
(c)	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH <sub>4</sub> NO	O <sub>3</sub> .
(c)	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH <sub>4</sub> NO	
	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH <sub>4</sub> NO	O <sub>3</sub> .
	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH <sub>4</sub> N0 [Relative molecular mass of ammonium nitrate is 80]	O <sub>3</sub> .

6 Fig. 6.1 shows the refraction of red light as it passes through a parallel sided glass bit




Fig. 6.1

(a) On Fig. 6.1 mark

(i) an angle of incidence and label it i, [1]

(ii) an angle of refraction and label it **r**. [1]

(b) Blue light refracts more than red light.

Blue light is shone along the same incident path as the red light.

On Fig. 6.1, draw the path of the blue light as it passes through the block and emerges into the air. [2]

www.PapaCambridge.com (c) Fig. 6.2 shows a parallel beam of light incident on a converging lens. beam of light principal focus lens Fig. 6.2 (i) On Fig. 6.2 draw rays to show the path of the light after it passes through the lens. [3] (ii) On Fig. 6.2 draw an arrow to show the focal length of the lens. [1] (d) Powerful lenses are usually very thick. Images formed by these lenses have coloured edges. Suggest and explain a reason for this. You will find it helpful to use the information from parts (b) and (c) in your explanation.

7 Danielle is investigating the resistance of a length of constantan wire.

She builds the circuit shown in Fig. 7.1.




Fig. 7.1

(a)	(i)	Name the component labelled <b>X</b> .	[1]
	(ii)	Explain the use of this component in the circuit.	
			[1]
	(iii)	On Fig. 7.1, show how Danielle should connect a meter to measure the poten difference across the wire.	tial [2]
b)		en the potential difference across the constantan wire is 4.5 V, the reading on temeter is 0.12 A.	the
	Cal	culate the resistance of the constantan wire.	

resistance =	unit	[3	]

	Danielle connects a second identical constantan wire in parallel with the original State how  (i) the total resistance in the circuit changes,	
	11	
(c)	Danielle connects a second identical constantan wire in parallel with the original	For
	State how	Tight let's
	(i) the total resistance in the circuit changes,	Se.Co.
	[1]	13
	(ii) the reading on the ammeter changes.	
	[1]	
(d)	A third piece of constantan wire has the same length as the original wire but has a larger diameter.	
	State how the resistance of the third wire compares with the resistance of the original wire.	
	Give a reason for your answer.	
	[2]	

www.PapaCambridge.com 8 Fig. 8.1 shows apparatus used in an experiment to react hydrochloric acid with calcium carbonate to produce carbon dioxide.




Fig. 8.1

- (a) Complete Fig. 8.1 to show apparatus used to collect and measure the volume of the carbon dioxide. [2]
- **(b)** Describe a test to show that the gas collected is carbon dioxide.

test			
result	t	[2]	

(c) Table 8.1 shows the volume of carbon dioxide collected during the experiment.

Table 8.1

time/minutes	volume of carbon dioxide collected/cm³
0	0
1	15
2	26
3	34
4	40
5	40

(i) On Fig. 8.2, plot the results from Table 8.1.

powder is used instead of lumps.

volume of carbon dioxide/cm3




Fig. 8.2

- (ii) On Fig. 8.2, draw the curve of best fit. [2] (iii) Explain why the reaction stops after 4 minutes. [1] (iv) The experiment is repeated using the same mass of calcium carbonate. This time
  - On Fig. 8.2, sketch the curve for this experiment. [2]

www.PapaCambridge.com (a) Complete Table 9.1 to show the gases formed, if any, when each of the subs 9 listed react with dilute sulfuric acid.

Table 9.1

substance added	gas, if any, formed
copper	
magnesium	
sodium carbonate	

$\Gamma \cap \Gamma$	ı
1.)	

(b)	Α	salt	is	formed	when	а	metal	oxide	neutr	alises	an	acid
-----	---	------	----	--------	------	---	-------	-------	-------	--------	----	------

Complete the word equation for this reaction.

**10** (a) Fig. 10.1 shows the structure of the alkane, ethane.




Fig. 10.1

Draw a similar diagram to show the structure of the alkene, ethene.

		etnene	[2]
(b)	Nan	ne an alkane with four carbon atoms and give its formula.	
	nan	ne	
	forn	nula	[2]
(c)	(i)	Explain why ethene is more reactive than ethane.	
			[1]
	(ii)	Explain why ethene is important in the chemical industry.	
			[1]

For iner's

The Periodic Table of the Elements DATA SHEET

	0	4 <b>He</b> Helium	9	40 <b>Ar</b> Argon	84 Krypton 36	131 <b>Xe</b> Xenon	Radon 86		175 <b>Lu</b> Lutetium
	IIA		19 Fluorine	Φ	80 <b>Br</b> Bromine	127 	At Astatine 85		73 Yb
	>		16 Oxygen 8	32 <b>S</b> Sulfur	Selenium	Te Tellurium	<b>Po</b> Polonium 84		169 <b>Tallium</b>
	>		14 <b>N</b> itrogen 7	31 <b>P</b> Phosphorus 16	75 <b>AS</b> Arsenic	122 <b>Sb</b> Antimony 51	209 <b>Bi</b> Bismuth 83		167 <b>Er</b> bium
	2			28 <b>Si</b> Silicon		119 <b>Sn</b> ⊤in	207 <b>Pb</b> Lead		165 <b>H</b> olmium
	=		11 Boron 5	27 <b>A1</b> Aluminium 13	70 <b>Ga</b> Gallium 31	115   <b>n</b>   Indium	204 <b>T t</b> Thallium		162 <b>Dy</b> Dysprosium
						112 <b>Cd</b> Cadmium 48			159 <b>Tb</b>
						108 <b>Ag</b> Silver 47			157 <b>Gd</b> Gadolinium
Group					59 Nickel	106 <b>Pd</b> Palladium 46			152 <b>Eu</b> Europium
Gre					59 <b>Co</b> Cobalt	103 <b>Rh</b> Rhodium 45	192   <b>  r</b>     <b>r</b>		J50 Samarium
		1 <b>H</b> Hydrogen			56 <b>Fe</b> Iron	Ru Ruthenium 44	190 <b>Os</b> Osmium 76		<b>Pm</b>
					Mn Manganese	Tc Technetium 43	186 <b>Re</b> Rhenium 75		144 Neodymium
					52 <b>Cr</b> Chromium 24	96 <b>Mo</b> Molybdenum 42	184 <b>W</b> Tungsten 74		141 <b>Pr</b> Praseodymium
					51 <b>V</b> Vanadium 23	93 <b>Nb</b> Niobium 41	181 <b>Ta</b> Tantalum		140 Cerium
					48 <b>Ti</b> Titanium	91 Zr Zirconium 40	178 <b>Hf</b> Hafnium 72		
					Scandium 21	89 <b>~</b>	139 <b>La</b> Lanthanum *	227 <b>Ac</b> Actinium 89	series eries
	=		9 <b>Be</b> Beryllium	24 Mg Magnesium	40 <b>Ca</b> Calcium	Sr Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium	*58-71 Lanthanoid series
	_		7 Lithium 3	23 <b>Na</b> Sodium	39 <b>K</b> Potassium 19	Rb Rubidium 37	133 <b>CS</b> Caesium 55	Fr Francium 87	*58-71 Le
									-

- 60															
Series	140	141	144		150	152	157	159	162	165	167	169	173	175	
series	Cerium	Pr Praseodymium	Neodymium 60	Pm Promethium 61	Samarium Sanarium	<b>Eu</b> Europium 63	<b>Gd</b> Gadolinium 64	Terbium	Dy Dysprosium 66	Holmium 67	Erbium	Thullum	Yb Ytterbium	Lutetium	
= relative atomic mass = atomic symbol = proton (atomic) number		Pa Protactinium 91	238 <b>U</b> Uranium	Neptunium 93	Pu Plutonium 94	Americium 95	Courium 96	Bk Berkelium 97	Californium 98	Einsteinium	Fm Fermium 100	Mendelevium 101	Nobelium	Lr Lawrencium 103	Md No Lr Nobelium Lawencium Nobelium Lawencium 102 103
	The vo	olume of c	one mole	The volume of one mole of any gas is 24 dm <sup>3</sup> at room temperature and pressure (r.t.p.).	s is 24 dn	n³ at roor	n tempera	ature and	pressure	(r.t.p.).				1	Pak
													•	Ca	
														Mon	
													Se.C	1	
												1	On		

Key

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.