

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

PHYSICAL SCIENCE 0652/12

Paper 1 Multiple Choice October/November 2017

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 20.

Electronic calculators may be used.



CAMBRIDGE

International Examinations

1	Wh	What is the name of the process by which gas particles move to occupy all the available space?									
	Α	boiling									
	В	condensation									
	С	diffusion									
	D	evaporation									
2	An	atom of sodium	contains 11	protons, 11	electrons	s and 12 ne	eutrons.				
	Wh	at is the nucleon	number of	the atom?							
	Α	11	B 12	С	22	D	23				
3	When atoms of sodium combine with atoms of chlorine, sodium chloride is formed.										
	Hov	ow are the bonds between sodium and chlorine formed?									
	A	Chlorine gives electrons to sodium.									
	В	Sodium and ch	lorine lose e	electrons.							
	С	Sodium gives e	electrons to	chlorine.							
	D	Sodium shares	electrons w	ith chlorine.							
4	Sodium carbonate reacts with hydrochloric acid to form sodium chloride, carbon dioxide and water.										
	Wh	What is the balanced equation for the reaction?									
	Α	Na ₂ CO ₃ + HC	$l \rightarrow NaC l$	+ CO ₂ + F	I ₂ O						
	В	Na ₂ CO ₃ + 2HO	$Cl \rightarrow NaCl$	+ CO ₂ +	H ₂ O						
	С	Na ₂ CO ₃ + HC	$l \rightarrow 2NaCl$	+ CO ₂ +	H ₂ O						
	D	Na ₂ CO ₃ + 2HO	Cl o 2NaC	Cl + CO ₂ +	H ₂ O						
5	Wh	ich compound h	as the large	st relative m	olecular	mass, <i>M</i> _r ?					
	A	CO ₂	B NO ₂	С	SiO ₂	D	SO ₂				

6 The diagram shows wood burning in air.



Which two words describe what happens to the wood and the type of reaction taking place?

	wood is	type of reaction
Α	oxidised	endothermic
В	oxidised	exothermic
С	reduced	endothermic
D	reduced	exothermic

7 The rate of reaction between marble chips and hydrochloric acid is investigated.

The equation is shown.


$$CaCO_3(s) + 2HCl(aq) \rightarrow CaCl_2(aq) + H_2O(I) + CO_2(g)$$

Which conditions give the fastest rate of production of carbon dioxide gas?

	concentration of hydrochloric acid	size of marble chips	hydrochloric acid temperature/°C
Α	high	small	30
В	high	medium	25
С	low	large	30
D	low	small	20

- 8 Which oxide is basic?
 - A calcium oxide
 - **B** carbon dioxide
 - C sulfur dioxide
 - **D** water

9 Which test is used to show that a gas is ammonia?



10 Which row describes the trend in melting point and density of the Group I elements as the group is descended?

	melting point	density
Α	decrease	decrease
В	decrease	increase
С	increase	decrease
D	increase	increase

11 Metal element X has a high melting point.

It does not react with cold water.

The chloride salt of X is soluble in water forming a blue solution.

What is another property of X?

- A it can be cut with a knife
- B it does not conduct electricity
- C it floats on water
- **D** it is a catalyst

12 Metal Q is added to different metal sulfate solutions.

The results are shown.

metal sulfate solution	reaction takes place
calcium sulfate	no
copper sulfate	yes
magnesium sulfate	no
sodium sulfate	no

What is the order of reactivity?

	most reactive	least reactive			
Α	sodium	calcium	magnesium	copper	Q
В	sodium	calcium	magnesium	Q	copper
С	sodium	calcium	Q	magnesium	copper
D	sodium	Q	calcium	magnesium	copper

13 Bauxite and haematite are important ores.

Which metals do the ores contain?

	bauxite	haematite
Α	Al	Cu
В	Al	Fe
С	Cu	Αl
D	Fe	Cu

14 Air is a mixture of different gases.

Which row gives the percentage of nitrogen, oxygen and other gases in the air?

	percentage of gas present in air							
	nitrogen oxygen other gases							
Α	1	78						
В	21 78 1							
С	78 1 21							
D	78	21	1					

- **15** Which process does **not** produce carbon dioxide?
 - A an acid reacting with a carbonate
 - **B** burning coal
 - **C** burning hydrogen
 - **D** respiration
- **16** A power station burns coal to generate electricity.


Sulfur dioxide, an acidic gas, is present in the waste gases.

Which compound is used to neutralise the sulfur dioxide?

- A calcium chloride
- **B** hydrated cobalt chloride
- **C** hydrated copper sulfate
- **D** slaked lime

17 The fractional distillation of petroleum is shown.

From which position is methane obtained?



18 Which row describes compounds in the same homologous series?

	chemical properties	functional group
Α	different different	
В	different	the same
С	similar	different
D	similar	the same

19 Limonene is a colourless, unsaturated hydrocarbon found in lemons.

Which row describes the colour change when a few drops of limonene are shaken with bromine?


	colour of bromine at the start of experiment	colour of bromine after mixing with limonene		
A	colourless	colourless		
В	colourless	orange		
С	orange	colourless		
D	orange	orange		

20 Ethanol is an alcohol used in antibacterial wipes.

What is the formula for ethanol?

- A C_2H_5O
- B CH₃CO₂H
- C C₂H₅OH
- D C₂H₄OH

21 The diagram shows some water in a measuring cylinder, and the same measuring cylinder with a stone completely immersed in the water.




What is the volume of the stone?

- **A** 60 cm³
- **B** 70 cm³
- **C** 72.5 cm³
- **D** 125 cm³

stone

22 The speed-time graph represents the motion of a car.



What is the total distance travelled by the car in 80 seconds?


- **A** 100 m
- **B** 800 m
- **C** 1200 m
- **D** 1600 m

- 23 Which statement about the weight of an object is correct?
 - A Its weight is its mass divided by the acceleration of free fall.
 - **B** Its weight is its mass multiplied by the acceleration of free fall.
 - **C** Its weight is the acceleration of free fall divided by its mass.
 - **D** Its weight is the same as its mass.
- 24 A metal container has a mass of 200 kg.

The container is filled with 1.00 m³ of a liquid. The total mass is now 1000 kg.

What is the density of the liquid?

- **A** $0.00125 \, \text{kg/m}^3$
- **B** $0.00500 \,\mathrm{kg/m^3}$
- **C** $800 \, \text{kg/m}^3$
- **D** $1000 \, \text{kg/m}^3$
- 25 The diagram shows some of the equipment used to find the centre of mass of a sheet of card.



Which row shows other items needed?

	pencil	small weight	stopwatch	string
Α	✓	✓	✓	X
В	✓	✓	X	✓
С	✓	X	✓	✓
D	X	✓	✓	✓

key


✓ needed

x not needed

26 A power station uses nuclear fission to obtain energy.

In this process, nuclear energy is first transferred to

- A chemical energy.
- **B** electrical energy.
- **C** gravitational energy.
- **D** thermal (heat) energy.
- 27 An engineer needs to fit an iron bar into a gap in an iron base.




At room temperature, the bar is slightly too big to fit in the gap.

How can the engineer make the bar fit into the gap?

- A Cool the bar and heat the base.
- **B** Cool the base and cool the bar to the same temperature.
- C Cool the base and heat the bar.
- **D** Heat the base and heat the bar to the same temperature.

28 An engineer is designing a laboratory to be built on the Moon. There is no air on the Moon.

Which diagram shows how energy is lost as heat from a laboratory on the Moon?



29 A boy throws a small stone into a pond. A wave spreads out from where the stone hits the water and travels to the side of the pond.

The boy notices that 8 wave crests reach the side of the pond every 5.0 s.

What is the frequency of the wave?


A 0.20 Hz

B 0.63 Hz

C 1.6 Hz

D 40 Hz

30 A ray of light in a glass block strikes the edge of the block. The angle of incidence is much smaller than the critical angle.



What happens to this ray?

- A It is completely reflected.
- **B** It is completely refracted.
- **C** It is partially reflected and partially refracted.
- **D** It is refracted at an angle of refraction of 90°.
- 31 The diagram represents the electromagnetic spectrum. Some sections have been labelled.

Which section is infra-red radiation?

gamma- rays	Α	В	visible light	С	D	radio waves
----------------	---	---	------------------	---	---	----------------

32 Three objects, P, Q and R, vibrate with the frequencies shown and produce longitudinal waves in the air.

object	frequency/Hz
Р	25
Q	1000
R	15 000

Which of these waves can be heard by a human with normal hearing?

- A P, Q and R
- **B** P and Q only
- **C** P and R only
- **D** Q and R only

33 A magnet is brought near to an unmagnetised iron bar. This causes the iron bar to become magnetised.




Which magnetic pole is induced at X and what is the effect on the iron bar?

	pole induced	effect on iron bar
Α	N	attracted
В	N	repelled
С	S	attracted
D	S	repelled

34 A positively charged insulating rod is placed on a balance. The reading on the balance is shown in diagram 1.

Two charged rods X and Y are now brought close to the positively charged rod in turn.

Diagram 2 and diagram 3 show the new reading on the balance in each case.




Which row gives the charges on rod X and rod Y?

	rod X	rod Y
Α	negative	negative
В	negative	positive
С	positive	negative
D	positive	positive

35 The circuit shown is used to determine the resistance of resistor R.


P and Q are two meters, connected correctly.





Which calculation gives the value of R?


- **A** (reading of meter P) \div (reading of meter Q)
- **B** (reading of meter P) \times (reading of meter Q)
- **C** (reading of meter Q) + (reading of meter P)
- **D** (reading of meter Q) \div (reading of meter P)

36 Which is the V/I characteristic graph for a metallic (ohmic) conductor at a constant temperature?











37 A student investigates the current in a circuit that contains two resistors connected in parallel. The circuit includes four ammeters **A**, **B**, **C** and **D**.

Which ammeter shows the largest reading?



38 The diagram shows cathode rays entering an electric field between two charged parallel plates.



The cathode rays are deflected as they pass between the plates.

In which direction are they deflected?

- A into the page
- B out of the page
- **C** towards the top of the page
- **D** towards the bottom of the page

39 The emissions from a radioactive source pass through a sheet of lead, 10 mm thick.

Which row describes other properties of these emissions?

	ionising effect	deflection in an electric field
Α	strong	from positive to negative
В	strong	no deflection
С	weak	from positive to negative
D	weak	no deflection

40 A certain element has two isotopes.

Which row compares the nucleon numbers and the proton numbers of the isotopes?

	nucleon numbers	proton numbers
Α	must be different	must be different
В	must be different	must be the same
С	must be the same	must be different
D	must be the same	must be the same

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	III/	2 :	Не	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	IIA				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	Αţ	astatine -			
					8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	molod –	116	^	livermorium -
	>				7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	>				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	ŀΙ	flerovium
	≡				2	М	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	ပ	cadmium 112	80	Нg	mercury 201	112	S	copernicium -
											29	Cn	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
Group											28	z	nickel 59	46	Pd	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium -
Gro											27	ဝိ	cobalt 59	45	牊	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium -
		F :	I	hydrogen 1							26	Ьe	iron 56	44		-		SO	osmium 190	108	Hs	hassium –
											25	M	manganese 55	43	ပ	technetium -	75	Re	rhenium 186			bohrium –
					_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	В	dubnium –
						ato	rek				22	i=	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	꿆	rutherfordium —
											21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89-103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	99	Ba	barium 137	88	Ra	radium -
	_				ဇ	=	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	В	rubidium 85	55	S	caesium 133	87	Ŧ	francium -

22		29	09	61	62	63	64	65	99	29	89	69	70	71
La		Ā		Pm	Sm	En	P G	Д	۵	웃	Ē	Tm	ХÞ	Γn
lanthanu 139		praseodymium 141	neodymium 144	promethium	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175
68		. 6	92	93	94	95	96	97	86	66	100	101	102	103
Ac	T	Ра	\supset	Q Q	Pu	Am	S	番	ರ	Es	Fm	Md	%	۲
actiniun		protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium	nobelium	lawrencium
1		231	238	ı	ı	I	ı	ı	ı	ı	I	ı	ı	I

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).