

## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

PHYSICAL SCIENCE

Paper 3 (Core) October/November 2018

1 hour 15 minutes

0652/31

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

A copy of the Periodic Table is printed on page 20.

Electronic calculators may be used.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.



**1** Fig. 1.1 shows a toy car in two positions on a ramp.




Fig. 1.1

The car is released from position  $\bf A$ . It moves at a constant speed down the ramp. It takes 3.2 seconds to reach position  $\bf B$ .

A metre ruler is used to measure the distance it has travelled.

(a) (i) Use Fig. 1.1 to determine the distance the car travels in moving from position **A** to position **B**.

(ii) Calculate the speed of the car down the ramp.

**(b)** On the axes on Fig. 1.2, sketch the speed time graph for the car as it travels down the ramp.




Fig. 1.2

[2]

[Total: 6]

The transition elements are a collection of metals in the Periodic Table.

2

Trai	Transition metals or their compounds are often used as catalysts.					
(a)	State <b>two</b> other general properties of transition elements.					
	1					
	2	[2]				
		[۷]				
(b)	Some metals occur 'native' in the Earth's crust.					
	Name two transition elements which occur native.					
	1					
	2					
		[2]				
(c)	Name the transition metal alloyed with chromium to make stainless steel.					
		[1]				
(d)	Name the transition metal in the ore hematite.					
(ω)						
		[1]				
	ा	otal: 6]				

**3** Fig. 3.1 shows a waterfall.




Fig. 3.1

A log at the top of the waterfall falls over the edge.

(a)	(i)	State the form of energy that the log has due to its position at the top of the waterfall.	
			[1]
	(ii)	State <b>two</b> forms of energy to which energy is transferred as the log falls.	
		1	
		2	

(b) A log is caught on the bank of the river, as shown in Fig. 3.2.




Fig. 3.2

A man attaches the rope to the log at point  ${\bf X}$  and pulls it with a force of 350 N at right angles to the log.

Point **Y** acts as a pivot. The distance between point **X** and point **Y** is 4.0 m.

(i) Calculate the moment of the 350 N force about point Y.Show your working.

Nm [2]	moment =	
	Describe what is meant by the moment of a force about a point.	(ii)
[1]		
[Total: 6]		

	State why sodium is in Group I		Table.	
				[1]
(b)	The representation of sodium in			
		7 11 <b>N</b> a		
		sodiur 23 19	m	
		Fig. 4	l.1	
	State what the numbers 11 and	23 represer	nt.	
	11			
	23			[2]
(c)	Sodium reacts with chlorine to	form an ionid	c compound.	
	(i) Name this ionic compound	l.		
				[1]
	(ii) Write a balanced chemica	equation fo	r this reaction.	
				[2]
(d)	Complete Table 4.1 to give the	formulae of	the two ions in pota	ssium iodide.
		Table	4.1	
	na	ne	formula of ion	
	potas	sium		-
	iod	ide		_
				<u> </u>

0652/31/O/N/18

[Total: 8]

© UCLES 2018

**5** Fig. 5.1 and Fig. 5.2 show a liquid-in-glass thermometer at room temperature and the same thermometer in a beaker of warm water.




Fig. 5.1 Fig. 5.2

(a) (i) Record the temperature of the warm water.

				tempe	erature =	=			°C	[1]
	(ii)	Explain why the temperature rises		ne therm	nometer	moves	up the	e thermometer	when	the
										. [1]
b)	The	Celsius scale has	s two fixed po	ints.						
	Nan	ne one fixed point.								
										. [1]
c)	Wat	er in a beaker is b	ooiling.							
	Des	cribe what happer	ns when wate	er boils.						
										. [2]

[Total: 5]

Eth	anol can be used as a fuel.	
It bu	urns in air in an exothermic reaction.	
(a)	State what is meant by exothermic.	
	[	
(b)	(i) Balance this equation for the burning of ethanol.	
	$C_2H_5OH + \dots O_2 \rightarrow \dots CO_2 + \dots H_2O$	[1]
	(ii) Name one product of this reaction.	
(c)	Explain why it is dangerous to burn ethanol in a limited supply of air.	
(d)	Name a fuel that does <b>not</b> produce any carbon containing compounds when it is burned.	
	[	1]
	[Total:	6]

7 Fig. 7.1 shows a side view of water waves in a shallow tank.




Fig. 7.1

- (a) On Fig 7.1, draw an arrow to show
  - (i) the amplitude of the wave and label this arrow **A**,

[1]

(ii) the wavelength of the wave and label this arrow  $\lambda$ .

[1]

**(b)** Fig. 7.2 shows a view of the water waves from above.

The wavefronts move from deep water to an area of shallow water.




Fig. 7.2

- (i) On Fig. 7.2, draw **three** more wavefronts to show what happens when the wavefronts enter the shallow water. [3]
- (ii) Name the process which occurs as the wavefronts enter the shallow water.

.....[1]

[Total: 6]

**8** The alkanes are members of a homologous series.

Table 8.1 gives the names and formulae of some alkanes.

Table 8.1

name	formula
methane	CH <sub>4</sub>
ethane	C <sub>2</sub> H <sub>6</sub>
propane	
butane	C <sub>4</sub> H <sub>10</sub>

		emane	02116	
		propane		
		butane	C <sub>4</sub> H <sub>10</sub>	
(a)	Comp	plete Table 8.1 by suggesting the form	nula of propane.	
	Propa	ne has three carbon atoms per mole	ecule.	[1]
(b)	Calcu	late the relative molecular mass, $M_{r}$	of butane.	
	[ <i>A</i> <sub>r</sub> : C	, 12; H, 1]		
			<i>M</i> <sub>r</sub>	[1]
(c)	(i) E	Ethene, C <sub>2</sub> H <sub>4</sub> , is an unsaturated hydr	ocarbon.	
	[	Draw the structures of ethene and eth	nane in the space below.	

ethene ethane [2]

(ii)	Name the reagent used to show that ethene is unsaturated and that ethane is saturated.
	State the observation made for each hydrocarbon with this reagent.
	reagent
	observation with ethene
	observation with ethane
	[3]
	[Total: 7]

**9** Fig. 9.1 shows the electromagnetic spectrum.




Fig. 9.1

(a)	Name	the	type	of	wave	found	at
-----	------	-----	------	----	------	-------	----

(i)	Ρ,	[1]
(ii)	Q.	 [1]

**(b)** As the wavelength of the waves increases, state what happens to the speed of the waves in a vacuum.

.....[1]

(c) Fig. 9.2 shows a cup of coffee emitting thermal radiation.




Fig. 9.2

Identify the part of the electromagnetic spectrum emitted by the cup as thermal radiation.

[1]

[Total: 4]

**10** Fig. 10.1 shows how drinking water is obtained from river water.



Fig. 10.1

(a)	Sta	te what is removed from the river water during filtration
		[1]
(b)	(i)	State what is added to the water during chlorination.
		[1]
	(ii)	State how chlorination makes the water safe to drink.
		[1]
(c)	A st	udent uses anhydrous copper(II) sulfate to test for the presence of water.
	(i)	Describe the colour change when she adds water to the anhydrous copper(II) sulfate.
		starting colour
		final colour[2]
	(ii)	State how anhydrous copper( $\mathrm{II}$ ) sulfate is obtained from hydrated copper( $\mathrm{II}$ ) sulfate for use in this test.
		[1]
		[Total: 6]

11 Fig. 11.1 is a circuit diagram.




		Fig. 1	1.1
(a)	Nar	me component S.	
			[1]
(b)	The	e potential difference across resistor <b>R</b> is	3 4.0 V.
	The	e current in <b>R</b> is 1.6 A.	
	(i)	Determine the current in component S	
			current = A [1]
			current = A[1]
	(ii)	Calculate the resistance of resistor <b>R</b> .	
		Show your working and state the unit.	

resistance = ..... unit ..... [3]

(c) An identical resistor **T** is connected in parallel with resistor **R**, as shown in Fig. 11.2.




Fig. 11.2

State the effect of adding resistor  ${\bf T}$  on the current supplied by the battery.

Explain your answer.

effect	 	 	 
explanation	 	 	 
	 	 	 [2]

[Total: 7]

12	(a)	Aluminium saucepans do not burn when they are used to cook food but powdered aluminium explodes when it is close to a naked flame.										
		Exp	plain why the aluminium behaves differently in these two situations.									
	(b)	(i)	Describe another situation where fine powders in the air are dangerously explosive.									
			[1]									
		(ii)	Suggest a safety precaution which helps prevent explosions when working with fine powders.									
			[1]									
	(c)		monia is a chemical used in industry. It is made by reacting hydrogen gas with ogen gas.									
		(i)	Name a raw material which could be used as a source of nitrogen.									
		(ii)	The reaction to make ammonia can be very slow.									
			Suggest two ways of making the reaction faster.									
			1									
			2[2]									

[Total: 7]

13

For t	his (	question, you will be expected to use the Periodic Table on page 20.
<sup>131</sup> I i	s ar	unstable isotope of iodine.
(a)	(i)	Determine how many protons there are in a nucleus of this isotope.
		number of protons =[1]
(	(ii)	Determine how many neutrons there are in a nucleus of this isotope.
		number of neutrons =[1]
(i	iii)	Determine how many electrons there are in a neutral atom of this isotope.
		number of electrons =[1]
(b)	The	isotope decays by the emission of a beta-particle.
	(i)	State the nature of a beta-particle.
		[1]
(	(ii)	State how the number of protons and the number of neutrons in the nucleus changes when a beta-particle is emitted.
		change to the number of protons
		change to the number of neutrons
		[2]

[Total: 6]

## **BLANK PAGE**

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	<b>=</b>	2 I	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	П	iodine 127	85	¥	astatine			
	5			8	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъо	olonium –	116		ermorium -
	>								hosphorus 31												<u>-</u>
	2								silicon pl										114	Ρl	lerovium -
	=								lluminium 27												
												zinc 65							112	ű	opernicium -
										59	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	oentgenium o
<u>d</u>										<u> </u>		nickel 59							-		
Group												cobalt 59									_
		- ]	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	9/	SO	osmium 190	108	H <sub>s</sub>	hassium
				J						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium -
					ГО	SS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>a</u>	tantalum 181	105	o O	dubnium -
				9	ator	relat				22	i=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿉	rutherfordium -
							1			21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_			3	Ξ	lithium 7	11	Na	sodium 23	19	メ	potassium 39	37	Sp.	rubidium 85	55	Cs	caesium 133	87	Ļ	francium -

71	3	lutetium	175	103	۲	lawrencium	I
70	Υp	ytterbium	173	102	8	nobelium	I
69	Tm	thulium	169	101	Md	mendelevium	1
89	щ	erbium	167	100	Fm	ferminm	I
29	웃	holmium	165	66	Es	einsteinium	1
99	Ò	dysprosium	163	86	Ç	californium	I
65	Д	terbium	159	26	Ř	berkelium	_
64	Gd	gadolinium	157	96	Cm	curium	1
63	En	europium	152	96	Am	americium	I
62	Sm	samarium	150	94	Pu	plutonium	ı
61	Pm	promethium	I	63	dN	neptunium	I
09	ΡN	neodymium	144	92	⊃	uranium	238
59	Ţ	praseodymium	141	91	Ра	protactinium	231
28	Ce	cerium	140	06	T	thorium	232
22	Гa	lanthanum	139	68	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).