

**MARK SCHEME for the October/November 2006 question paper**

**0625 PHYSICS**

**0625/02** Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

The grade thresholds for various grades are published in the report on the examination for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.


CIE is publishing the mark schemes for the October/November 2006 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme	Syllabus Paper
	IGCSE - OCT/NOV 2006	0625

www.PapaCambridge.com

## NOTES ABOUT MARK SCHEME SYMBOLS

- B marks** are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.
- M marks** are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.
- C marks** are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.
- A marks** are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.
- c.a.o.** means "correct answer only".
- e.c.f.** means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated "e.c.f."
- e.e.o.o.** means "each error or omission".
- brackets ( )** around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets.  
e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.
- underlining** indicates that this must be seen in the answer offered, or something very similar.
- un.pen.** means "unit penalty". An otherwise correct answer will have one mark deducted if the unit is wrong or missing. This **only** applies where specifically stated in the mark scheme. Elsewhere, incorrect or missing units are condoned.
- OR/or** indicates alternative answers, any one of which is satisfactory for scoring the marks.



QU.	SCHEME	
<b>1 (a)</b>	55 (s)	
<b>(b)</b>	55/5 ecf	C1
	11 (s) ecf	A1
<b>(c)</b>	EITHER                      OR                      OR                      OR	
	300/hour                      1 takes 11s                      5 takes 55s                      1 hour for 300	B1
	= 5/min                      300 take 3300s                      300 take 60x55s                      3600/300s for 1	B1
	takes less than 1 min for 5                      less than 1hr for 300                      less than 1hr for 300                      1 takes less time than this	B1
	YES/NO ticked according to his working	<u>B1</u> <u>7</u>
<hr/>		
<b>2</b>	2 <sup>nd</sup> box ticked	B1
	3 <sup>rd</sup> box ticked (use ✓ + × = 0 for extras)	<u>B1</u> <u>2</u>
<hr/>		
<b>3 (a)</b>	OP accelerating	B1
	PQ accelerating	B1
	QR constant speed	B1
	RS slowing down (however expressed)	B1
<b>(b)</b>	O <u>and</u> S (both)	B1
<b>(c)</b>	6 (m/s)	B1
<b>(d)</b>	70 (s)	B1
<b>(e)</b>	find area OPQRS (however expressed)	<u>B1</u> <u>8</u>
<hr/>		
<b>4 (a) (i)</b>	radiation	B1
	(ii) conduction	B1
<b>(b) (i)</b>	kinetic (however expressed)	B1
	potential (however expressed)	B1
	(ii) idea of energy loss or friction	<u>B1</u> <u>5</u>

- 5 (a) (magnitude of) force  
distance (from fulcrum)
- (b) (i) force B1  
moment OR turning effect B1
- (ii)  $F_1 + F_2 + W$  B1
- (iii) F B1  
6

- 6 (a) (i) eye to image line perpendicular to mirror, by eye B1  
object distance = image distance, by eye B1
- (ii) normal correctly drawn, by eye B1
- (iii) ray to bottom edge of mirror correct M1  
reflected ray at correct angle to mirror, by eye  
(condone sloppy normal) A1
- (b) sensible attempt at explanation B1
- (c) (i) 2 (m) (NO ecf) B1
- (ii) distance lady to mirror = 3 (m) C1  
distance moved = 2 (m) (NO ecf) A1  
away from mirror/wall B1  
10

- 7 (a) (i) large, OR accept any large example e.g. cliff B1
- (ii) speed = distance/time OR speed = 2xdistance/time C1  
(in any form)  
correct substitution C1  
480 (m) c.a.o. A1
- (b) speed = 6/50 OR 3/50 C1  
0.12 (m/s) OR 0.06 (m/s) A1  
6

Page 5	Mark Scheme	Syllabus Paper
	IGCSE - OCT/NOV 2006	0625

- 8 (a) (i) (group) 1
- (ii) (group) 2
- (iii) plastics OR glass OR ebonite B1
- (b) top – and bottom + B1
- (c) region/area/space etc. B1
- charge B1
- experiences a force B1  
7

- 
- 9 (a) good straight line through first 5 points, drawn with a rule B1
- (b) intelligent attempt at a reason B1
- (c) 67 – 40 C1
- 27 (mm) A1
- (d) 2.4 – 2.5 (N) B1  
5

- 
- 10 (a) less turns on Sy OR more turns on Py B1
- (b) voltage OR p.d. OR volts is less B1
- (c)  $V_1/V_2 = N_1/N_2$  in any form C1
- correct substitution C1
- 12 (V) A1
- (d) voltage too high OR bell would be damaged B1  
6

- 
- 11 (a) 92 B1
- (b) orbit OR outside nucleus B1
- (c) 146 B1
- (d) nucleus B1
- (e) decreases M1
- by 2 A1  
6

Page 6	Mark Scheme	Syllabus Paper
	IGCSE - OCT/NOV 2006	0625

- 12 (a) reverse connections to ammeter or battery
- (b) current OR amps OR amperes B1
- (c) 4 components in series (ignore symbols) B1  
 4 recognisably correct symbols (ignore connections) B1
- (d) (i) voltmeter OR multimeter on volts scale B1  
 (ii) voltmeter shown connected in parallel with resistor B1
- (e)  $I = V/R$  in any form C1  
 correct substitution no ecf from wrong equation C1  
 0.4 (A) c.a.o. A1
- (f) his value of (e) B1
- (g) (i) 7.5  $\Omega$  ticked B1  
 (ii) increases current e.c.f. B1  
12

www.PapaCambridge.com