

www.PapaCambridge.com

As part of CIE's continual commitment to maintaining best practice in assessment, CIE has begun to use different variants of some question papers for our most popular assessments with extremely large and widespread candidature, The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

The content assessed by the examination papers and the type of questions are unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner's Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiner's Reports.

Question Paper

Introduction First variant Question Paper Second variant Question Paper

Mark Scheme

Introduction
First variant Mark Scheme
Second variant Mark Scheme

Principal Examiner's Report

Introduction
First variant Principal Examiner's Report
Second variant Principal Examiner's Report

Who can I contact for further information on these changes?

Please direct any questions about this to CIE's Customer Services team at: international@cie.org.uk

www.PapaCambridge.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2008 question paper

0625 PHYSICS

0625/31

Paper 31 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme	Syllabus	· Ag Per
	IGCSE – October/November 2008	0625	123

NOTES ABOUT MARK SCHEME SYMBOLS AND OTHER MATTERS

B marks are independent marks, which do not depend on any other marks. For a B mark scored, the point to which it refers must actually be seen in the candidate's answer.

M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.

C marks

are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.

A marks are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.

c.a.o. means "correct answer only".

e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated "e.c.f."

e.e.o.o. means "each error or omission".

brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

<u>underlining</u> indicates that this <u>must</u> be seen in the answer offered, or something very similar.

OR/or indicates alternative answers, any one of which is satisfactory for scoring the marks.

Spelling Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit.

Significant Answers are acceptable to any number of significant figures ≥ 2, except if specified otherwise, or if only 1 sig. fig. is appropriate.

Units It is expected that all final answers will have correct units. Deduct one unit penalty for each incorrect or missing unit, maximum 1 per question. No unit penalty if unit is missing from final answer but is shown correctly in the working.

Fractions These are only acceptable where specified.

Extras Ignore extras in answers if they are irrelevant; if they contradict an otherwise correct response or are forbidden by mark scheme, use right + wrong = 0

Ignore Indicates that something which is not correct is disregarded and does not cause a right plus wrong penalty.

Not/NOT Indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate i.e. right plus wrong penalty applies.

Work which has been crossed out, but not replaced, should be marked as if it had not been crossed out.

Page 3		2	Mayle Calcause Callabase	20	
	Pa	ge 3	Mark Scheme Syllabus	Q.	er
			IGCSE – October/November 2008 0625	10	1
1	(a)	(i)		C1 A1	ambri
		(ii)	OR unbalanced force) OR weight > friction)	B1	
		(ii)	to overcome/compensate for friction/resistance	ы	
	(b)	2/2.5 0.8 k	5 or 4/5 etc. or F/a or F = ma kg	C1 A1	
	(c)	0.7/0 0.87	0.8 e.c.f. from (b) 75 (m/s²) e.c.f. from (b) could be scored on table (no unit needed)	B1 B1	
	(d)	(i)	$v = at \text{ or } 0.5 \times 1.2$ 0.6 m/s	C1 A1	
		(ii)	any velocity × time or speed × time	C1	
			0.36 m c.a.o. (note: 0.72 m gets C1, A0)	A1	[11]
2	(a)		masses chosen with ratio 2:1 or 3:1 or 3:2 sen masses in correct holes to balance	M1 A1	
	(b)	NOT	does not rotate/is balanced/in equilibrium/no movement Γ spin the disc NOT anything to do with calculating moments Γ when disturbed, returns to original position	B1	
	(c)	acce	ment of one mass correct (ignore units) ept mass × distance calculated al answers	B1 B1	
	(d)		ect addition of masses/weights, including 200g mass correctly converted to N	B1 B1	[7]
3	(a)	(i)	hdg or $70 \times 1050 \times 10$ 735 000 Pa or 7.35×10^5 Pa accept N/m ² for Pa	C1 A1	
		(ii)	$8.35 \times 10^5 \text{Pa OR his (a)(i)} + 1.0 \times 10^5$ accept N/m ² for Pa	B1	
	(b)		ssure \times area or P = F/A or $6.5 \times 10^5 \times 2.5$ 25×10^6 N	C1 A1	
	(c)		ause density is less accept new calculation of pressure because salt water is denser	B1	[6]

Danie				1 2 11		
	Pa	ge 4	Mark Scheme	Syllabus	2	er
			IGCSE – October/November 2008	0625	201	-
4	(a)	typical r	andom path drawn, at least 3 abrupt changes of directi	ion	B1 B1	ambric
	(b)	just as l	ecules hit dust particles in all directions/move it in all dir likely to be up as down narks scored on diagram)	rections	B1 B1	
	(c)		movements smaller OR slower movement senergy OR movement decreases		B1	[4]
5	(a)		nnel no longer giving heat to ice OR ice at M.P./consta R heater reached max temp	int temp	B1	
		0 0 0	side of large pieces could be well below freezing point R smaller air gaps if pieces smaller R better contact between heater and ice R to ensure heat from heater only goes to the ice R larger surface area nore ice melts faster)) any 1))	B1	
	(b)	mass o	f beaker NOT mass of ice NOT mass of water f beaker + water / + × = 0 for extras other than power & time)		B1 B1	
	(c)	m <i>l</i> in ar Wt or P	of ice melted by heater = 16.3 – 2.1) = 14.2 g ny form, words, symbols or numbers t in any form, words, symbols or numbers accept VIt OR 338 000 J/kg c.a.o		C1 C1 C1 A1	[8]
6	(a)	light of	one colour/frequency/wavelength		B1	
	(b)		/sin <i>i</i> OR n = sin <i>i</i> /sin <i>r</i> in any form 30 = 1.49 OR sin <i>r</i> = 1.49 × sin30 48.2°		C1 C1 A1	
	(c)	•	ngle >30° and <60° to normal, by eye, correct way N ormany angles or labelling	O e.c.f.	B1	
	(d)		/spectrum would appear OR range of angles (ignore "ra persion OR ray splits up	ainbow")	B1	
	(e)	90° app	prox (accept any value 80° to 90°)		B1	
	(f)	(totally	internally) reflected OR T.I.R. ignore not refracted		B1	[8]

	Page 5				er
			IGCSE – October/November 2008	0625	2
7	(a)	same v	attempt at arcs of circles, at least 3 wavelength as incoming waves, by eye e shape ignore distance to first wave) of curvature of arcs at centre of gap, by eye	B1 B1 B1	Cambridge
	(b)	speed/ 8 Hz o	/wavelength or 20/2.5 or $v = f\lambda$ r 8 s ⁻¹ or 8 waves/second	C1 A1	
	(c)	his (b)	or "the same"	B1	[6]
8	(a)		es a.c. to d.c. OR rectifies a/c OR allows current to flow one events current flowing backward	way only B1	
	(b)		2×12 or $2 \times 12 \times 60 \times 60$ or amps \times seconds or 86 400 C or 86 000 C	C1 A1	
	(c)	OR W	J/C OR energy converted/work done per unit charge/coulon /A OR volts/p.d. when no current in circuit energy are delivered/needed for every coulomb of charge	nb C1	
		OR 12	W is the power to drive a current of 1 A	A1	
	(d)	(i) s	series connection shown, any recognisable symbols	B1	
		` '	otal power = 16 W OR 8/6 1.33 A accept fraction c.a.o.	C1 A1	
	(any power \times any time or $16 \times 60 \times 60$ or IVt or $8 \times 60 \times 60$ 57 600 J or 0.016 kWh or 28 800 J or 0.008 kWh	C1 A1	[10]
9	(a)	or hea	water to higher level storage) t water) any one rge accumulators/batteries) charge capacitor NOT generator	B1	
	(b)		o energy/power/heat loss OR to reduce current allow thinner cables OR more efficient NOTHING ELSE	B1	
	(c)	I^2R		B1	
	(d)		$00 = 32000/1100 \text{ OR N}_1/\text{N}_2 = \text{V}_1/\text{V}_2 \text{ in any arrangement}$ or 34 900 or 34 909 or 34 910 or 35 000	C1 A1	
	(e)		power = output power or $V_1I_1 = V_2I_2$ t = power/voltage in any form, words, symbols or numbers	C1 C1 A1	[8]

								4	
	Pa	ige 6			Mark Scheme		Syllabus	.0	er
				IGCSE – (October/November 2	800	0625	Z	8
10	(a)	(i)	LD	R correctly identif	fied			В1	a Cambrio
		(ii)	lar	mp correctly identi	fied			B1	To
		(iii)	tra	nsistor correctly id	dentified			B1	
	(b)	resi: LDF	stand R get	ce of LDR become	he voltage OR voltage	e across LD	R gets bigger	M1 A1 A1	[6]
11	(a)	A B C D 4 co	Y X sc		deflection plates tal deflection plates ent/phosphor OR tube	NOT glas	s	B2	
	(b)			of releasing electro the electron bear	ons/thermionic emissi n vertically	on		B1 B1	
	(c)	(i)	у-г	olates/y-input or B	NO e.c.f.			B1	
		(ii)	x-p	olates/x-input or C	NO e.c.f.			B1	[6]

www.PapaCambridge.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2008 question paper

0625 PHYSICS

0625/32

Paper 32 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

6	econd variant	Mar	k Scheme	444
Page 2			Mark Scheme	Syllabus
			IGCSE – October/November 2008	0625
	1	NOTE	ES ABOUT MARK SCHEME SYMBOLS AND OTHE	Syllabus 0625 ER MATTERS other marks. For a B mark n in the candidate's answer.
	B marks		independent marks, which do not depend on any cred, the point to which it refers must actually be see	other marks. For a B mark n in the candidate's answer.
	M marks	to b	method marks upon which accuracy marks (A mark e scored, the point to which it refers must be see didate fails to score a particular M mark, then none red.	ks) later depend. For an M mark en in a candidate's answer. If a
	C marks	refe evid can	compensatory method marks which can be scored rare not written down by the candidate, provence that they must have known it. e.g. if an equididate does not write down the actual equation ws he knew the equation, then the C mark is scored	ided subsequent working gives uation carries a C mark and the but does correct working which
	A marks		accuracy or answer marks which either depend on ways which allow a C mark to be scored.	an M mark, or which are one of
	c.a.o.	mea	ans "correct answer only".	
	e.c.f.	mist may bear	ans "error carried forward". This indicates that if a take and has carried his incorrect value forward to so be given marks indicated by e.c.f. provided his ring in mind his earlier mistake. This prevents a nonce for a particular mistake, but only applies to m	subsequent stages of working, he subsequent working is correct, candidate being penalised more
	e.e.o.o.	mea	ns "each error or omission".	
	brackets ()	clari	and words or units in the mark scheme are inten fy the mark scheme, but the marks do not depend kets e.g. 10 (J) means that the mark is scored for 1	d on seeing the words or units in
	underlining	indid	cates that this <u>must</u> be seen in the answer offered, o	or something very similar.
	OR/or	indid	cates alternative answers, any one of which is satisf	factory for scoring the marks.
	Spelling	Ве	generous about spelling and use of English. If a	an answer can be understood to

Significant figures

Answers are acceptable to any number of significant figures ≥ 2, except if

specified otherwise, or if only 1 sig. fig. is appropriate.

Units It is expected that all final answers will have correct units. Deduct one unit penalty for each incorrect or missing unit, maximum 1 per question. No unit penalty if unit is

missing from final answer but is shown correctly in the working.

Fractions These are only acceptable where specified.

mean what we want, give credit.

Ignore extras in answers if they are irrelevant; if they contradict an otherwise correct **Extras**

response or are forbidden by mark scheme, use right + wrong = 0

Indicates that something which is not correct is disregarded and does not cause a right Ignore

plus wrong penalty.

Indicates that an incorrect answer is not to be disregarded, but cancels another Not/NOT

otherwise correct alternative offered by the candidate i.e. right plus wrong penalty

applies.

Work which has been crossed out, but not replaced, should be marked as if it had not been crossed out.

Pa	ge 3		abus	er
		IGCSE – October/November 2008 06	25	-
(a)	OR I	of accelerating force/force down slope = friction force no resultant force/forces balanced ept energy argument if Physics correct)	abus 25	anb
(b)	(i)	idea of accelerating force/force down slope > friction force OR forces unbalanced (accept energy argument if Physics correct)	B1	
	(ii)	F = ma NOT f α a	B1	
	(iii)	12 × 2 24N	C1 A1	
(c)	(i)	resultant force = 38N OR his (b)(iii) + 14 38/12 OR (his (b)(iii) + 14)/12 3.166 m/s ² or 3.17 m/s ² or 3.2 m/s ² NOT 3.16 e.c.f.	C1 C1 A1	
	(ii)	$v = at \text{ or } 3.2 \times 2.5$ e.c.f. $7.8 - 8.0 \text{ m/s}$ e.c.f.	C1 A1	
(d)	idea	of acceleration	B1	[11
(a)		masses chosen with ratio 2:1 or 3:1 or 3:2 sen masses in correct holes to balance	M1 A1	
(b)	NOT	does not rotate/is balanced/in equilibrium/no movement spin the disc NOT anything to do with calculating moments when disturbed, returns to original position	B1	
(c)	acce	nent of one mass correct (ignore units) ept mass × distance calculated al answers	B1 B1	
(d)		ect addition of masses/weights, including 200 g mass correctly converted to N	B1 B1	[7]
(a)	(i)	hdg or $70 \times 1050 \times 10$ 735 000 Pa or 7.35×10^5 Pa accept N/m² for Pa	C1 A1	
	(ii)	$8.35 \times 10^5 \text{Pa OR his } \textbf{(a)(i)} + 1.0 \times 10^5 \text{accept N/m}^2 \text{for Pa}$	B1	
(b)		sure \times area or P = F/A or $6.5 \times 10^5 \times 2.5$ 5×10^6 N	C1 A1	
(c)		ause density is less accept new calculation of pressure pecause salt water is denser	В1	[6]

Second variant Mark Scheme

	Page 4				· A	er
			IGCSE – October/November 2008	0625	200	
4	(a)	typica	cal random path drawn, at least 3 abrupt changes of direct	ion	B1	ambric
	(b)	air m just a (allov	B1 B1			
	(c)		lom movements smaller OR slower movement less energy OR movement decreases		B1	[4]
5	(a)	(i)	funnel no longer giving heat to ice OR ice at M.P./consta OR heater reached max temp	int temp	B1	
		(ii)	inside of large pieces could be well below freezing point OR smaller air gaps if pieces smaller OR better contact between heater and ice OR to ensure heat from heater only goes to the ice OR larger surface area Ignore ice melts faster)) any 1))	B1	
	(b)	mass	s of beaker NOT mass of ice NOT mass of water s of beaker + water ly \(\square + \time = 0 \) for extras other than power & time)		B1 B1	
	(c)	(i)	ackets unit	C1 C1 A1		
		(ii)	heat lost/gained OR impurities in water		B1	[8]
6	(a)	(i)	light of one colour/frequency/wavelength		B1	
		(ii)	n = sinr/sini OR n = sini/sinr in any form		C1	
			1.33 = $\sin r / \sin 40$ OR $\sin r = 1.33 \times \sin 40$ Any value between $58.68^{\circ} - 60^{\circ}$ inclusive		C1 A1	
		(iii)		B1		
	(b)	(i)	reflected (at B) or T.I.R. NOT deflects/refracts		M1	
	. ,	`,	angle of incidence bigger than critical angle or 50° is bigger than 48.8°/C.A.		A1	
		(ii)	ray correct, by eye, with no refracted part ignore any	arrows	B1	[8]

	Page 5		ge 5 Mark Scheme Syllabus		er
			IGCSE – October/November 2008	0625	No.
7	(a)	same v (ignore	ttempt at arcs of circles, at least 3 wavelength as incoming waves, by eye shape ignore distance to first wave) of curvature of arcs at centre of gap, by eye	E E E	Papa er
	(b)		wavelength or 20/2.5 or $v = f\lambda$ r 8 s ⁻¹ or 8 waves/second		C1 .1
	(c)	his (b)	or "the same"	Е	31 [6]
8	(a)		es a.c. to d.c. OR rectifies a/c OR allows current to flow or events current flowing backward		31
	(b)		2×12 or $2\times12\times60\times60$ or amps \times seconds or 86 400 C or 86 000 C		31 31
	(c)	OR W/	J/C OR energy converted/work done per unit charge/could A OR volts/p.d. when no current in circuit energy are delivered/needed for every coulomb of charge	C	:1
			W is the power to drive a current of 1 A		.1
	(d)	(i) s	eries connection shown, any recognisable symbols	Е	31
			otal power = 16 W OR 8/6 .33 A accept fraction c.a.o.		C1 N1
	(any power \times any time or 16 \times 60 \times 60 or IVt or 8 \times 60 \times 60 57 600 J or 0.016 kWh or 28 800 J or 0.008 kWh		c1 .1 [10]
9	(a)	or heat or char	water to higher level storage) t water) any one ge accumulators/batteries) charge capacitor NOT generator	E	31
	(b)		energy/power/heat loss OR to reduce current allow thinner cables OR more efficient NOTHING ELSE	E	31
	(c)	I^2R		Е	31
	(d)		$0 = 32000/1100 \text{ OR N}_1/\text{N}_2 = \text{V}_1/\text{V}_2 \text{ in any arrangement}$ or 34 900 or 34 909 or 34 910 or 35 000		c1 .1
	(e)		ower = output power or $V_1I_1 = V_2I_2$ t = power/voltage in any form, words, symbols or numbers	s C	:1 :1 :1 [8]

Second variant Mark Scheme

								The .	
	Pa	ige 6			Mark Scheme		Syllabus	.0	er
				IGCSE – C	October/November 2	2008	0625	Z	8
10	(a)	(i)	LD	R correctly identif	ied			В1	a Cambrid
		(ii)	lar	mp correctly identif	fied			B1	1
		(iii)	tra	insistor correctly id	lentified			B1	
	(b)	resi: LDF	stan R get	anything that is in to ce of LDR become is larger share of the or switches/turns la	es high ne voltage OR voltag	e across LD	R gets bigger	M1 A1 A1	[6]
11	(a)	A B C D 4 cc	Y X sc		deflection plates tal deflection plates nt/phosphor OR tube	NOT glas	s	B2	
	(b)	(b) A; idea of releasing electron B; move the electron beam		•		on		B1 B1	
	(c)	(i)	у-;	olates/y-input or B	NO e.c.f.			B1	
		(ii)	x-p	olates/x-input or C	NO e.c.f.			B1	[6]