

Cambridge IGCSE™

PHYSICS

Paper 3 Core Theory MARK SCHEME Maximum Mark: 80 0625/33 October/November 2023

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2023 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question ٠
- the specific skills defined in the mark scheme or in the generic level descriptors for the question .
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond ٠ the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do ٠
- marks are not deducted for errors •
- marks are not deducted for omissions .
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the • question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 <u>'List rule' guidance</u>

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards **n**.
- Incorrect responses should not be awarded credit but will still count towards *n*.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 <u>Calculation specific guidance</u>

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 <u>Guidance for chemical equations</u>

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

0625/33

M marks

Cambridge IGCSE – Mark Scheme **PUBLISHED**

are method marks upon which further marks depend. For an M mark to be scored, the point to which it refers must be seen

NOTES ABOUT MARK SCHEME SYMBOLS AND OTHER MATTERS

- in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent marks can be scored. are independent marks, which do not depend on other marks. For a B mark to score the point to which it refers must be seen B marks specifically in the candidate's answers. A marks In general A marks are awarded for final answers to numerical questions. If a final numerical answer, eligible for A marks, is correct, with the correct unit and an acceptable number of significant figures, all the marks for that question are normally awarded. It is very occasionally possible to arrive at a correct answer by an entirely wrong approach. In these rare circumstances, do not award the A marks, but award C marks on their merits. However, correct numerical answers with no working shown gain all the marks available. C marks are compensatory marks in general applicable to numerical questions. These can be scored even if the point to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. For example, if an equation carries a C mark and the candidate does not write down the actual equation but does correct substitution or working which shows that they knew the equation, then the C mark is scored. A C mark is not awarded if a candidate makes two points which contradict each other. Points which are wrong but irrelevant are ignored. Brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given. Underlining indicates that this must be seen in the answer offered, or something very similar. OR / or indicates alternative answers, any one of which is satisfactory for scoring the marks. means "each error or omission". e.e.o.o. means "or words to that effect". o.w.t.t.e. indicates that something which is not correct or irrelevant is to be disregarded and does not cause a right plus wrong penalty. Ignore Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit. However, Spelling
 - Spelling Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit. However, beware of and do not allow ambiguities: e.g. spelling which suggests confusion between reflection / refraction / diffraction or thermistor / transistor / transformer.

0625/33	Cambridge IGCSE – Mark Scheme PUBLISHED	October/November 2023
NOT	indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correc candidate i.e. right plus wrong penalty applies.	t alternative offered by the
e.c.f.	means "error carried forward". This is mainly applicable to numerical questions, but may occasio numerical questions if specified in the mark scheme. This indicates that if a candidate has made an earlier mistake and has carried an incorrect value stages of working, marks indicated by e.c.f. may be awarded, provided the subsequent working i	nally be applied in non- forward to subsequent s correct.
Sig. Figs.	Answers are normally acceptable to any number of significant figures ≥ 2. Any exceptions to this in the mark scheme.	general rule will be specified
Arithmetic errors	Deduct only one mark if the only error in arriving at a final answer is clearly an arithmetic one. Re as an arithmetic one.	egard a power-of-ten error
Transcription	Deduct only one mark if the only error in arriving at a final answer is because given or previously been misread but used correctly.	calculated data has clearly
Fractions	Only accept these where specified in the mark scheme	
Crossed out work	Work which has been crossed out and not replaced but can easily be read should be marked out.	as if it had not been crossed
Use of NR	(# key on the keyboard) Use this if the answer space for a question is completely blank or contain figures or symbols.	ns no readable words,

Question	Answer	Marks
1(a)(i)	18 (m / s)	A1
1(a)(ii)	12 (m / s)	A2
	any indication on graph or in working of vertical / horizontal line from 65.0 s	(C1)
1(b)	(speed of bus) decreasing OR slows (down) OR decelerates	B1
	(then speed is) zero OR stops / stationary	B1
1(c)	90 (m)	A3
	½ × 10 × 18	(C2)
	(distance =) area under graph OR $\frac{1}{2} b \times h$ OR speed × time	(C1)
1(d)	line starts from (40, 14)	M1
	line ends at (45, 6)	A1

Question	Answer	Marks
2(a)(i)	gravitational potential	B1
2(a)(ii)	(work done =) force \times distance OR (W =) $F \times d$	B1
	140 × 3.2 OR 448	B1
2(b)(i)	6(.0) (s)	A3
	450 / 75	(C2)
	(time =) work done / power OR (Δ)E / power	(C1)
2(b)(ii)	any one from:	B1
	no gaseous / SO ₂ emissions / air pollution does not contribute to global warming / CO ₂ renewable (source of energy)	

Question	Answer	Marks
3(a)	1.8 (N)	A2
	(weight =) mass × gravitational field strength in any form OR $m \times g$ OR $m \times 9.8$ OR 0.18 × 9.8	(C1)
3(b)	2900 (cm ³)	A4
	2700/0.92	(C3)
	(volume =) mass / density OR $V = m / \rho$	(C1)
	conversion of 2.7 kg to 2700 g	(C1)
3(c)	P on <u>top</u> liquid surface	B1
	M on <u>bottom</u> of bowl	B1

Question	Answer	Marks
4(a)(i)	reduces heat transfer (to handle) OR wood is an insulator	B1
4(a)(ii)	poor / worst emitter (of heat)	B1
	(of) infrared / radiation	B1
4(a)(iii)	allows heat transfer (to water) OR (good) conductor (of heat)	B1
4(b)	any four from:	B4
	conduction (through metal of heater) air particles gain kinetic energy / KE air particles move further apart hot air becomes less dense hot / less dense air rises OR cold / denser air falls idea of convection current	

Question	Answer	Marks
5(a)(i)	ultraviolet in LH box	B1
	microwaves in RH box	B1
5(a)(ii)	any two from:	B2
	transverse do not need a medium OR travel through a vacuum (all have) same speed OR travel at 3×10^8 m / s (in a vacuum)	
5(b)(i)	electric grills / remote controllers (for televisions) / intruder alarms / thermal imaging / optical fibres / thermometers / treatment of damaged muscles	B1
5(b)(ii)	(skin) burns	B1

Question	Answer	Marks
6(a)(i)	normal correctly drawn	B1
6(a)(ii)	incident (ray) reflected (ray)	B2
	refracted (ray)	
6(b)	Fig. 6.2. – emerging rays converge	B1
	Fig. 6.3. – emerging rays diverge	B1
6(c)	all 7 colours named	M1
	greatest frequency violet AND in correct order (VIBGYOR)	A1

Question	Answer	Marks
7(a)	100 (Ω)	B1
7(b)	0.24 (A) 24 / 100	B1
	(current =) voltage / resistance	B1
	Need to see zone (a)	B1
7(c)	12 (V)	B1
7(d)	3(.0) (W) OR 2.9 (W)	A3
	0.25 × 12	(C2)
	(power =) current × voltage OR (P =) $V \times I$	(C1)
7(e)	(two) resistors in parallel	B1

Question	Answer	Marks
8(a)	7200	A3
	(<i>N</i> s =) 500 × 360 / 25 OR 360 × 20	(C2)
	Vp/Vs = Np/Ns	(C1)
8(b)	any two from:	B2
	smaller current (in cables) more efficient less power / heating losses thinner / cheaper cables / pylons further apart owtte less voltage drop OR transfer energy over longer distance	

Question	Answer	Marks
9(a)	(current repeatedly) changes direction	B1
9(b)(i)	any three from: magnetic effect of current coil becomes an electromagnet attracted to magnet repelled by magnet	B3
9(b)(ii)	any number(s) between 20 and 20 000	B1
	Hz / kHz	B1

Question	Answer	Marks
10(a)(i)	3	B1
10(a)(ii)	7	B1
10(a)(iii)	lose electron(s)	B1
10(b)	24 (days)	A2
	3 half lives	(C1)

Question	Answer	Marks
11(a)(i)	gravitational (attraction)	B1
11(a)(ii)	<u>365 (¼) days</u>	B1
11(a)(iii)	24 hours	B1
11(a)(iv)	helium	B1
	hydrogen	B1
11(b)(i)	infrared OR ultraviolet	B1
11(b)(ii)	500 (s)	A3
	$1.5 imes 10^{11} / 3.0 imes 10^{8}$	(C2)
	(time =) distance / speed	(C1)