CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

www.PapaCambridge.com MARK SCHEME for the October/November 2014 series

0443 PHYSICS (US)

0443/23

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

Page 2	Mark Scheme	Syl
	Cambridge IGCSE – October/November 2014	044

NOTES ABOUT MARK SCHEME SYMBOLS AND OTHER MATTERS

B marks

B marks are independent marks, which do not depend on other marks. For a B mark be scored, the point to which it refers must be seen specifically in the candidate's answer.

M marks

M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.

C marks

C marks are compensatory marks in general applicable to numerical questions. These can be scored even if the point to which they refer are not written down by the candidate. provided subsequent working gives evidence that they must have known it. For example, if an equation carries a C mark and the candidate does not write down the actual equation but does correct substitution or working which shows he knew the equation, then the C mark is scored. A C mark is not awarded if a candidate makes two points which contradict each other. Points which are wrong but irrelevant are ignored.

A marks

A marks are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored. A marks are commonly awarded for final answers to numerical questions. If a final numerical answer, eligible for A marks, is correct, with the correct unit and an acceptable number of significant figures, all the marks for that question are normally awarded. It is very occasionally possible to arrive at a correct answer by an entirely wrong approach. In these rare circumstances, do not award the A mark, but award C marks on their merits. An A mark following an M mark is a dependent mark.

Brackets () Brackets around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets, e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

Underlining Underlining indicates that this must be seen in the answer offered, or something very similar.

OR / or This indicates alternative answers, any one of which is satisfactory for scoring the marks.

e.e.o.o. This means "each error or omission".

This means "or words to that effect". o.w.t.t.e.

This indicates that something which is not correct or irrelevant is to be disregarded and Ignore does not cause a right plus wrong penalty.

Spelling

Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit. However, do not allow ambiguities, e.g. spelling which suggests confusion between reflection / refraction / diffraction or thermistor / transistor / transformer.

Not / NOT

This indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate, i.e. right plus wrong penalty applies.

Page 3	Mark Scheme	Syl Sper
	Cambridge IGCSE – October/November 2014	044

ecf

meaning "error carried forward" is mainly applicable to numerical questions, but particular circumstances be applied in non-numerical questions. This indicates the candidate has made an earlier mistake and has carried an incorrect value forward to subsequent stages of working, marks indicated by ecf may be awarded, provided the subsequent working is correct, bearing in mind the earlier mistake. This prevents a candidate from being penalised more than once for a particular mistake, but **only** applies to marks annotated ecf.

Sig. figs. Answers are normally acceptable to any number of significant figures ≥ 2. Any exceptions to this general rule will be specified in the mark scheme.

Arithmetic errors

Deduct one mark if the **only** error in arriving at a final answer is clearly an arithmetic one. Regard a power-of-ten error as an arithmetic error.

Transcription errors

Deduct one mark if the only error in arriving at a final answer is because previously calculated data has clearly been misread but used correctly.

Fractions Allow fractions only where specified in the mark scheme.

Р	age 4	Mark Scheme	Sy. Oper
Ė	uge -	Cambridge IGCSE – October/November 2014	044
1	(a)	rule alongside spring	Sylvar oer 044 Odd Odd Oer Odd Oer Odd Oer
		set zero at one end and read scale at other end OR take scale reading at each end and subtract	Take
		extra valid detail, e.g. rule close to and parallel with spring, use of marke square, eye level with reading etc.	er/set- B1
	(b)	3 OR 3.0 (cm)	B1
	(c)	0.8 (N) ignore negative sign up(wards), accept arrow upwards	B1 B1
			[Total: 6]
2	(a)	5000 (g)	B1

C1 C1 A1

[Total: 4]

B1 + B1

[Total: 5]

B1

B1

В1

(b) density = mass/volume in any form **OR** (volume =) mass/density 5000/7.81 **OR** 5/7.81 **OR** 0.64, ecf from (a) 640 (cm³), accept 6.4×10^{-4} if clearly stated in m³

(b) energy lost/wasted/transferred (to surroundings) OR inefficiency

suitable cause for energy lost e.g. friction, heat, sound, moving parts

(a) force (exerted), distance (moved), either order

3

time (taken)

Dogo	-	Mark Cahama	C. P. D. WOLL
Page :	o	Mark Scheme Cambridge IGCSE – October/November 2014	Oda de loer
		Cambridge 1903L - October/November 2014	136
(a)	(i)	temperature (of solid) rising OR (solid) expanding	PH.
		NOT any indication of melting/turning into liquid,	Orio
		accept particles gain k.e./vibrate more	Sylvar day per 044 Option of the control of the con
	(ii)	melting owtte	в1
	(",	metang owne	DI
	(iii)		
		accept liquid particles gain k.e./move faster/more	B1
(b)	ice	e needs (thermal) energy/heat to melt/overcome intermolecular forces	M1
` ,		, , ,	
	tak	kes this energy from drink	B1
(c)	(i)	(temperature) increases/gets hotter	M1
		steam transfers thermal energy/heat/supplies energy (to water), ac steam loses (latent) heat (as it condenses)	cept A1
		steam loses (laterit) fleat (as it condenses)	AI
	(ii)	increases	M1
		ata ana ana da mana (tama a inta anata 200 man mada anata banana limpid	
		steam condenses/turns into water OR gas molecules become liquid molecules	A1
		molecules	Al
			[Total: 9]
(a)	ec	ho OR sound reflected (from rock face)	B1
(u)	CO	no ore sound remotica (nom rock lace)	Di
(b)	•	eed = distance/time in any form OR (distance =) speed × time	C1
		$0 \times 1.8 \text{ OR } 330 \times 0.9 \text{ OR } 594$	C1
	29	7 (m) accept 2 or 3 sig. figs.	A1
(c)	0.9	9(s)	B1
(d)	an	y two from:	
(-)		ound is) longitudinal/light is transverse	
	•	ound) travels more slowly/light travels faster	
		bund) has lower frequency/longer wavelength accept reverse for light	
		bund) cannot travel through a vacuum/light can travel in a vacuum bund is a) mechanical/pressure wave OR is not electromagnetic/light	is
	•	ectromagnetic	B2
			[Total: 7]

Page 5

5

D:	age	6	Mark Scheme Sy.	ner
	age		Cambridge IGCSE – October/November 2014 044	da los
6	(a)	(i)	rub rod with cloth	Carry
		(ii)	Mark Scheme Cambridge IGCSE – October/November 2014 rub rod with cloth any suitable test, e.g. picks up/attracts paper, hair, stream of water etc. OR using electroscope OR attracts/repels an object known to be charged	Bi
	(b)	frict lady disc	two from: tion/rubbing (between clothing and seat) y becomes charged charged when touches handle, accept charge travels through/to/from lady m/to handle)/charge is earthed	B2
		`		[Total: 4]
7	(a)	(i)	a line between F_2 or F_1 and $C \pm 3 \text{mm}$ a line between F_2 or F_1 and $C \pm 1 \text{mm}$	C1 A1
		(ii)	refraction either at centre line OR at both surfaces, parallel after lens OR reaches tip of image	B1 B1
	(b)	bot	tom box ticked: at I	B1
	(c)	(i)	closer to F ₁ /C/lens/F ₂ NOT closer to object	B1
		(ii)	smaller/reduced/diminished	B1
				[Total: 7]
8	(a)	(i)	<u>variable</u> resistor	B1
		(ii)	adjust/change/vary/control the current/voltage, ignore vary resistance	B1
	(b)	(i)	top box ticked: charge	B1
		(ii)	A or amp(s) or ampere(s), condone a, ignore I, NOT ammeter	B1
	(c)	(R : 20 (=) $R_1 + R_2$ OR 8 + 12 Ω	C1 A1
	(d)	(i)	R ₁ and R ₂ clearly shown in parallel (between X and Y) rest of circuit including R ₁ and R ₂ correct note: short circuit across resistors loses both marks	M1 A1
		(ii)	parallel	B1

[Total: 9]

Pa	age 7	Mark Scheme	Sylvar day per 044
		Cambridge IGCSE – October/November 2014	044
9	(a)	(i) core	Sylva Part per 044
		(ii) iron NOT steel, accept ferrite	13
	(b)	$V_1/V_2 = N_1/N_2$ in any form correct substitution 250	C1 C1 A1
	(c)	reduced brightness/dimmer fewer (than 250) turns lower voltage, accept smaller/lower current	M1 A1 A1
	(d)	lamp would blow/burn out accept blow up/glow extremely	B1
			[Total: 9]
10	(a)	electrons	B1
	(b)	glows or equivalent e.g. (spot of) light/fluorescence	B1
	(c)	(i) H ₁ and H ₂ both, either order	B1
		(ii) A and C both, either order	B1
	(iii) Y ₁ and Y ₂ both, either order	B1
		(i) Y ₂ OR top both (ii) Y ₁ OR bottom	B1
			[Total: 6]

			mm.			
P	age 8	8	Mark Scheme Sy.	per		
			Cambridge IGCSE – October/November 2014 044	OSC		
11	(a)	(i)	В	DaCambridg		
		(ii)	A both correct	3		
		(iii)	C S Sour correct			
	(b)	3		B1		
	(c)	² ₁ (a	any attempt at a symbol)	B1		
		$\frac{3}{1}$ (8	³ (any attempt at a symbol)			
				[Total: 5]		
12	(a)	all	5 points plotted ± ½ small square -1 e.e.o.o.	B2		
			smooth best-fit single line curve through most of the points, not joining points dot to dot			
	(b)	(i)	half/50%/0.5/1/2	B1		
		(ii)	indication of correct use of graph	B1		
			idea of halving, e.g. 175 or mark at 175 on graph, NOT halving number of days, i.e. 7	C1		
			3.4 – 4.0, accept nearest integer from candidate's graph	A1		
		(iii)	1. candidate's (ii) OR integer either side of candidate's (ii)2. half-life not affected by sample size/starting point	M1		
			accept idea that half-life does not change.			
				[Total: 9]		
				[Total. 5]		