UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

COMBINED SCIENCE

0653/03

Paper 3

October/November 2005

1 hour 15 minutes

Candidates answer on the Question Paper. No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a soft pencil for any diagrams, graphs, tables or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

The number of marks is given in brackets [] at the end of each question or part question. A copy of the Periodic Table is printed on page 20.

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

For Exam	niner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

[1]

1 A student was asked to prepare some copper sulphate crystals.

The diagrams, P, Q and R, in Fig. 1.1 show three important steps in the method the stude used.




Fig. 1.1

(a) (i) Complete the table, using the letters P, Q and R, to show the order in which these processes should be carried out to produce copper sulphate crystals.

first	
second	
third	

[1]

(iii) Explain why the process shown in step P in Fig. 1.1 needs to be included in the method.

[1]

(iv) Complete the symbolic equation below for the reaction between copper carbonate and dilute sulphuric acid.

www.PapaCambridge.com (b) The student then carried out electrolysis on the solution of copper sulphate that made.

Fig. 1.2 shows a simplified diagram of the apparatus she used.





Fig. 1.2

(i)	Describe what is observed at the positive electrode (anode) in this process.
	[1]
(ii)	Copper ions have the symbol Cu ²⁺ . Describe and explain what happens to these ions during electrolysis.
	[3]

www.PapaCambridge.com 2 (a) Fig. 2.1 shows a radioactive source emitting beta radiation. This radiation is dire sheets of paper, aluminium and lead.



(i)	Describe how you would compare the effectiveness of the sheets of material in absorbing the beta radiation.
	[3]
(ii)	Alpha, beta and gamma radiations are passed between two electrically charged plates as shown in Fig. 2.2.
	alpha radiation ———
	beta radiation ——>—
	gamma radiation ——>
	+ + + + + + + + + + + + + + + + + + +
	Complete the diagram to show the path of each type of radiation as it passes between the charged plates.
	Explain your answer.

www.PatraCambridge.com (b) Alpha radiation is described as ionising radiation. (i) Explain the meaning of the term ionising radiation. (ii) Explain why it is more dangerous to swallow a substance that emits alpha radiation than one that emits gamma radiation. [2] (c) Electricity can be generated by nuclear fission. Describe what happens to an atom during nuclear fission.

3 (a) A small child has to learn how to balance herself when riding a bicycle.



Once she has learned, the many small movements needed to stay balanced become reflex actions.

(i)	What is meant by the term reflex action?	
		[2]
(ii)	Give one advantage of reflex actions compared to voluntary actions.	
		[1]

(b) Some professional cyclists who have taken part in international competition have carried out a procedure called blood doping. Anyone who is found to have done this is now disqualified.

Blood doping involves taking about one litre of blood from the person's body. Some of the liquid is removed from it and then it is stored for a month or two at a low temperature. Meanwhile, the body makes more blood to replace the blood that was removed.

A day before the competition, the saved blood is transfused back into the person's body.

Table 3.1

Table 3.1 shows how this affects	7 the person's blood and at Table 3.1	oility to exercise.	For Examiner's Use
	before the saved blood was transfused	after the saved blood was transfused	G.COM
concentration of haemoglobin in the blood/g per cm ³	13.8	17.6	
length of time the person could run on a treadmill at top speed/seconds	793	918	

(i)	Suggest why the blood which has been removed is stored at a low temperature.
	[2]
(ii)	Using the information in Table 3.1, and your own knowledge, explain how blood doping affects the concentration of haemoglobin in the blood.
	[2]
(iii)	Using the information in Table 3.1, and your own knowledge, suggest how blood doping can help a cyclist to win a race.
	[3]

⁶⁵₃₀ Zn

16 8

(a) Complete the table which refers to one atom of each element.

element	number of protons	number of neutrons	number of electrons
zinc			
oxygen			

[2]

(b) When zinc is burned in oxygen, zinc oxide is formed.

The formula of zinc oxide is ZnO. If the symbol and charge of an oxide ion is O^{2-} , deduce the charge of a zinc ion.

	<u></u> [2]
Explain your answer.	

(c) A small piece of zinc was added to three solutions of metal salts.

The results are shown in Fig. 4.1.




Fig. 4.1

Grey crystals appeared in tube A and a brown solid appeared in tube C. There was no reaction in tube **B**.

(i)	Name the type of reaction occurring in tubes A and C .	
		[1]
(ii)	Explain the observations in tubes B and C .	
		[3]
iii)	What are the grey crystals which appeared in tube A ?	
		[1]

5 (a) A student set up the circuit shown in Fig. 5.1.




Fig. 5.1

The student noticed that neither lamp ${\bf A}$ nor lamp ${\bf B}$ lit up. She found nothing wrong with lamp ${\bf A}$, but the filament in lamp ${\bf B}$ was broken.

(i)	Explain why lamp A did not light up.
	[1]
(ii)	She replaced lamp B with a new lamp C . The resistance of each lamp was 4 ohms when lit.
	Calculate the combined resistance of both lamps in the working circuit.
	[1]

[2]

[2]

(iii) She then made the circuit shown in Fig. 5.2 using lamps A and C.Calculate the combined resistance of both lamps in this circuit.




Fig. 5.2

Show your working and state the formula that you use.
formula used

working

(b)	Elec	ctricity is distributed for use at home using alternating current.
	(i)	Explain the meaning of the term alternating current.
		[1]
	(ii)	Explain why alternating current is used rather than direct current.

6 (a) Fig. 6.1 shows a section through a leaf.




Fig. 6.1

(1)	On Fig. 6.1 draw a line to show how carbon dioxide enters the leaf and travels cell X .	to [1]
(ii)	Describe and explain one way in which cell X is adapted for photosynthesis.	

(b) The leaves of tomato plants are sometimes eaten by insect pests. One value tomato plants contains a substance which makes its leaves taste unpleasant, so insects do not eat them.

The allele which causes tomato plants to contain this substance is a dominant allele, A.

www.PapaCambridge.com Draw a genetic diagram to show the offspring which could result from a heterozygous parent with this substance, and a parent which does not have it.

(c) Fig. 6.2 shows some of the ways in which the tomato plants and insects both contribute to the carbon cycle.





Fig. 6.2

On Fig. 6.2 draw and label two more arrows to show how carbon dioxide is returned to the air. [2]

7 Petroleum (crude oil) is obtained from the Earth's crust, and is the raw material for liq used in cars. Petroleum is a mixture of compounds. Most of these compounds hydrocarbons.



(a) Name the process used at an oil refinery to separate petroleum into useful materials, such as gasoline and diesel for use as fuel for cars.

[1]

(b) When liquid hydrocarbon fuel is oxidised in a car's engine, waste gases are produced. In modern cars, the waste gases pass through a catalytic converter. In the converter, chemical reactions take place which reduce the amount of poisonous gases entering the air.

Fig. 7.1 shows a simplified diagram of a catalytic converter.




Fig. 7.1

(i)	Suggest why the alloy used to make the narrow tubes contains transition metals.
	[1]
(ii)	The higher the temperature inside the converter the greater the amount of poisonous gases which it removes.
	Suggest a reason for this.
	[1]

www.PapaCambridge.com (c) (i) The symbolic equation for one of the reactions which occurs in the conv shown below. The equation is not balanced. Balance the equation.

NO + CO
$$\longrightarrow$$
 N₂ + CO₂

(ii)	Explain how the compound whose formula is CO is formed in the car's engine.
	[2]
(iii)	Explain why the reaction shown in part (c)(i) is an example of a redox reaction.

(iv) Draw a diagram to show how the outer electrons are arranged in a molecule of carbon dioxide.

8 (a) Fig. 8.1 is a graph showing the speed of a caterpillar measured over 300 second





	Fig. 8.1	
(i)	How can you tell that the caterpillar is moving at a constant speed between A ar B ?	nd
		1]
(ii)	Between which times is the caterpillar accelerating? Explain your answer.	
		1]
(iii)	How far did the caterpillar travel in 300 seconds? Show your working.	
		[2]

[2]

(b) The student looks at the caterpillar using a magnifying glass as shown in Fig. 8.2



(ii) Complete the ray diagram to show how the eye sees an enlarged image of the

caterpillar.

(iii) This image is called a virtual image.

Explain the meaning of the term virtual image.

(a) Fig. 9.1 shows the male reproductive system.




		Fig. 9.1	
	(i)	Name the parts labelled A and C .	
		A	
		c	[2]
	(ii)	State the functions of parts B and D .	
		В	
			[2]
(b)	Son	ne organisms are able to reproduce both asexually and sexually.	
	(i)	Describe the differences between asexual reproduction and sexual reproduction.	
			[2]
(ii) Explain one advantage to an organism of reproducing asexually.			
			[2]

19

BLANK PAGE

www.PapaCambridge.com

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

20

DATA SHEET
The Periodic Table of the Elements

								Gro	Group								
_	=											=	≥	>	>	=	0
							1 Hydrogen										4 He Helium
7 Li Lithium	Beryllium											11 Boron	12 Carbon	14 N itrogen 7	16 Oxygen	19 F luorine	20 Ne Neon 10
23 Na Sodium	24 Mg Magnesium 12											27 A1 Aluminium	28 Si Silicon	31 P Phosphorus 15	32 S Sulphur	35.5 C 1 Chlorine	40 Ar Argon
39 K Potassium 19	40 Ca Calcium	Scandium	48 T Titanium	51 Vanadium 23	Chromium 24	Manganese	56 Fe Iron	59 Co Cobalt	Nickel 28	64 Cu Copper	65 Zn Zinc	70 Ga Gallium 31	73 Ge Germanium 32	75 AS Arsenic 33	79 Selenium 34	80 Br Bromine	84 Kr Krypton 36
85 Rb Rubidium 37	Strontium	89 ×	91 Zr Zirconium 40	93 Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver	112 Cd Cadmium 48	115 In Indium	Sn Tin	122 Sb Antimony 51		127 I lodine	131 X xenon xenon 54
133 Caesium 55	137 Ba Barium 56	139 La Lanthanum *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium	195 Pt Platinum 78	197 Au Gold	201 Hg Mercury 80	204 T 1 Thallium	207 Pb Lead	209 Bi Bismuth	Po Polonium 84	At Astatine 85	Radon 86
Fr Francium 87	226 Ra Radium 88	Ac Actinium															
*58-71 L	*58-71 Lanthanoid series 90-103 Actinoid series	series əries		140 Ce Cerium 58	Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	152 Eu Europium 63	Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	73 Yb Ytterbium 70	Lu Lutetium 71

90-103 Actinoid series	a = relative atomic mass
90-103 Actinoid series	æ
90-10	

a = relative atomic mass	X = atomic symbol	b = proton (atomic) number	
m	×	p	
	Key		

	-	1	my.	
			2.	Q.
175	Γn	Lutetium 71	Lr Lawrenciu	GC GIA
173	Υb	Ytterbium 70	Nobelium	DapaCambridge.com
169	E	Thulium 69	Mendelevium 101	OH)
167	ш	Erbium 68	Fm Fermium 100	1
	웃	37	ES Einsteinium 99	(r.t.p.).
162	٥	Dysprosium 66	Cf Calfornium 98	pressure
	Д		BK Berkelium 97	tture and
157	рg	Gadolinium 64	Carrium 96	r tempera
152	Eu	Europium 63	Am Americium 95	יז at room
150	Sm	Samarium 62	Pu Plutonium	s is 24 dn
	Pm	Promethium 61	Neptunium 93	of any ga
144	PZ	Neodymium 60	238 U Uranium 92	ane mole
141	Ą	Praseodymium 59	Pa Protactinium 91	The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).
140	පී	Cerium 58	232 Th Thorium	The vc

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).