

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Midde Con

*	
9	
ū	
0	
ū	
_	
6	
4	
_	
% 9	
v	

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

**COMBINED SCIENCE** 

0653/03

Paper 3 (Extended)

May/June 2007

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use		
1		
2		
3		
4		
5		
6		
7		
8		
9		
Total		

This document consists of 16 printed pages.



1 Fig. 1.1 shows a vertical section through a human heart.





Fig. 1.1

(a)	On the diagram, use label lines to label these parts of the heart.	[3]
	bicuspid valve pulmonary artery septum	
(b)	Explain why the wall of the left ventricle is thicker than the wall of the right ventricle.	
		[2]
(c)	Describe two differences between the structure of the aorta and the pulmonary vein.	ı
	1	
	2.	
		[2]
(d)	The heart muscle is supplied with blood through the coronary arteries.  Explain why a blockage in these arteries can cause a heart attack.	
		•••••
		[2]

(a) Fig. 2.1 shows a simple circuit containing two identical lamps. 



	42	
	3 3 MAY D	
(a)	Fig. 2.1 shows a simple circuit containing two identical lamps.	6
(a)	Fig. 2.1 shows a simple circuit containing two identical famps. $ \begin{array}{c c} 6V \\ \hline A_1 \\ \hline A_2 \\ \hline V_2 \end{array} $	For iner's
	Fig. 2.1	
	Ammeter A <sub>1</sub> reads 0.15 A.	
	Write down the readings on	
	ammeter <b>A</b> <sub>2</sub> ,	
	ammeter <b>A</b> <sub>3</sub> ,	
	voltmeter V <sub>1</sub> ,	
	voltmeter <b>V</b> <sub>2</sub> .	[2]
(b)	<ul> <li>(i) The electrical output from a power station is at 25 000 V. The voltage is stepped to 400 000 V by a transformer. The number of turns on the primary coil is 20 000.</li> <li>Calculate the number of turns on the secondary coil.</li> <li>State the formula that you use and show your working.</li> <li>formula used</li> <li>working</li> </ul>	up
	(ii) Explain why transformers require an a.c. input.	[3]
		[2]

Fig. 3.1 shows a car in motion. The energy which is needed to make the car move from burning a mixture of air and fuel in the engine.



		Fig. 3.1
(a)	Air	is a mixture of gases.
		scribe <b>one</b> difference between a <b>mixture</b> of two gases and a <b>compound</b> formed n two gases.
	•••••	[1]
(b)	bur	soline, a mixture of hydrocarbons, is a fuel used in car engines. When gasoline is nt most of it undergoes complete combustion, but a small amount is incompletely abusted.
	(i)	Name <b>one</b> gaseous substance and <b>one</b> solid substance which are formed as the result of incomplete combustion.
		gaseous substance
		solid substance [2]
	(ii)	Two chemical tests could be carried out on the mixture of exhaust gases to show that much of the gasoline fuel was undergoing <b>complete</b> combustion.
		Describe these chemical tests.
		1
		2.
		[4]

www.PapaCambridge.com (c) The car battery contains sulphuric acid. (i) State the chemical formula of an alkali which would neutralise sulphuric acid produce the salt, potassium sulphate. (ii) Write a balanced equation involving ions which shows what happens when any acid is neutralised by any alkali.

[2]

www.PapaCambridge.com In Mexico, some areas of tropical rainforest have been cleared for growing cacao Beans from cacao trees are used for making chocolate. The beans are seeds, and develop from fertilised flowers.

Bats are flying mammals that feed on insects, fruit or nectar. Many different bat species live in tropical rainforests.

Table 4.1 shows information about the numbers of plants and bats found in an undisturbed tropical rainforest and in a cacao plantation.

Table 4.1

habitat	number of different species of plants	number of different species of bats	number of bat species found <b>only</b> in that habitat
in undisturbed rainforest	93	27	14
in cacao plantation	77	21	1

(a)	Explain how the data in Table 4.1 show that the rainforest has a higher species diversity than the cacao plantation.
	[2]
(b)	Using the data in Table 4.1, suggest <b>one</b> reason, other than species diversity, why leaving some areas of tropical rainforests undisturbed is important for the conservation of bats.
	[1]
(c)	Using the information provided, suggest how bats could help to increase the yield of beans from a cacao plantation.
	ioi

[2]

(d) Farmers allow other plants to grow underneath the cacao trees.

Why.	
7	
Farmers allow other plants to grow underneath the cacao trees.	For siner's
Explain how this could help to reduce soil erosion.	Oride
	COM

(e) Cacao trees are also grown in Africa. A fungus causes a disease called black pod, which can destroy up to 80% of the crop.

Farmers have found that the pesticides they have been using are no longer effective against this fungus. They have tried biological control instead, using a different fungus that attacks the black pod fungus.

Fig. 4.1 shows the percentage of pods affected by black pod when no treatment was given and when the trees were treated with the biological control fungus.




Fig. 4.1

(i) Describe the effect of the biological control fungus on black pod disease.

(-)	
	[2
(ii)	Suggest reasons for the changes in the number of diseased pods over the three week period when the biological control fungus was used.
	[2

[2]

5 (a) A car is being driven along the road.

Fig. 5.1 shows the speed-time graph for the journey.




Fig. 5.1


(i)	Which section of the graph, <b>A</b> , <b>B</b> , or <b>C</b> , represents a constant speed?	
	Explain your answer.	
		•••••
		[1]
(ii)	Calculate the acceleration of the car during the first 20 seconds.	
	Show your working.	


	2	
(iii)	The car and driver have a total mass of 1400 kg.	Cal
	Calculate the force that produced the acceleration over the first 20 seconds.	
	State the formula that you use and show your working.	Ì
	formula used	
	working	
		[2]
(iv)	Calculate the total distance travelled over 60 seconds.	
	Show your working.	
		.01
		[2]

Question 5 is continued on page 10, overleaf.

iner's

(b) The car travels over a long bridge. The bridge is made in sections, with gaps be each section. The gaps are filled with rubber.






[1]
[1]
ns nine wires, connected in parallel, each
re or less than 10 ohms?
]

## 6 (a) Fig. 6.1 shows a metal reacting in cold water.

www.PapaCambridge.com A gas is produced very quickly during the reaction, and when this gas is tested it burn with a squeaky pop.



Suggest the name of a metal which would react like the one shown in Fig. 6.1.


name of metal explanation

(b) A student carried out an experiment into the rusting of steel nails. She used 31.0 g of new nails in her experiment.

After some days the nails had become rusty and the student re-weighed them.

Her result is shown in Fig. 6.2.

Explain your answer.



(i)	State the type of chemical reaction which takes place when steel rusts.	<b>741</b>
(ii)	Explain the increase in mass which the student found in her experiment.	[1]
		 [2]

www.PapaCambridge.com All metabolic reactions in animals and plants are catalysed by enzymes. Enzyme 7 plants usually have a lower optimum temperature than enzymes from humans.

Fig. 7.1 shows the rate of activity of a human enzyme at different temperatures.




Fig. 7.1

נין	Of Fig. 7.1, Sketch a curve to show the rate of activity of a plant enzyme.	(a)
	) Explain the reasons for the shape of the curve for the human enzyme.	(b)
[4]		
ower optimum	Suggest why it is advantageous to a plant to have enzymes that have a lot temperature than human enzymes.	(c)
[4]		

Gamma	radiation and visible light are two regions of the electromagnetic spectrum.
(a) (i)	radiation and visible light are two regions of the electromagnetic spectrum.  Name another region of the electromagnetic spectrum that is used for cooking food.  [1]
	[1] COM
(ii)	All electromagnetic waves travel at the same speed in a vacuum.
	State this speed.
	[1]
(iii)	State <b>one</b> way in which the waves in different regions of the electromagnetic spectrum differ from each other.
	[1]
<b>(b)</b> Alp	ha, beta and gamma are three types of radiation emitted during radioactive decay.
(i)	State the meaning of the term radioactive decay.
	[1]
(ii)	Name a suitable detector for these three types of radiation.
	[1]
(iii)	State clearly what happens to each of the types of radiation when they pass between metal plates that have opposite electrical charges.
	alpha
	beta
	gamma
	[3]
(iv)	Describe how these types of radiation can be dangerous to the human body.
	[2]

www.PapaCambridge.com The apparatus in Fig. 9.1 can be used to break down the compound lead bromide 9 elements.




Fig. 9.1

(a)	(i)	Name the non-metallic element which is produced in this process.	
			[1]
	(ii)	Explain why the lead bromide shown in Fig. 9.1 has to be heated strongly in order the process to work.	der
			[2]
(b)	Lea	ad bromide has the chemical formula PbBr <sub>2</sub> . Bromide ions are Br <sup>-</sup> .	
	(i)	Deduce the charge on lead ions in lead bromide.	
		Show how you obtained your answer.	
			[2]

		<b>20</b> -
	(ii)	Deduce the total number of electrons in one bromide ion.
		Explain how you obtained your answer.
		number of electrons
		explanation
		[2]
(c)		process similar to that in Fig. 9.1 is used in the chemical industry to produce the portant element chlorine.
	(i)	Complete the bonding diagram below to show how the outer electrons are arranged in a chlorine molecule.
		Cl Cl
		[2]
	(ii)	Chlorine reacts with the element silicon to form silicon chloride. In silicon chloride molecules, one silicon atom is bonded to four chlorine atoms.
		Deduce a balanced symbolic equation for the reaction between silicon and chlorine.

[2]

The Periodic Table of the Elements DATA SHEET

								]	
	0	4 <b>He</b> Helium	19	40 <b>Ar</b> Argon	36	131 <b>Xe</b> Xenon 54	Rn Radon 86		175 <b>Lu</b> Lutetium
	\		19 <b>T</b> Fluorine	35.5 <b>C1</b> Chlorine	80 <b>Br</b> Bromine 35	127 I lodine	At Astatine 85		173 <b>Yb</b> Ytterbium
	N		16 Oxygen 8	32 Sulphur	79 <b>Se</b> Selenium	128 <b>Te</b> Tellurium			169 <b>Tm</b> Thulium
	>		14 <b>N</b> itrogen 7	31 <b>P</b> Phosphorus	75 <b>AS</b> Arsenic 33	122 <b>Sb</b> Antimony 51			167 <b>Er</b> Erbium
	<u>&gt;</u>		12 Carbon	28 <b>Si</b> Silicon	73 <b>Ge</b> Germanium	30 Sn Tin 50	207 <b>Pb</b> Lead		165 <b>Ho</b>
	≡		11 Boron 5	27 <b>A1</b> Aluminium 13	70 <b>Ga</b> Gallium 31	115 <b>In</b> Indium	204 <b>T 1</b> Thallium		162 <b>Dy</b> Dysprosium
						Cd Cadmium 48	201 <b>Hg</b> Mercury		159 <b>Tb</b> Terbium
					64 <b>Cu</b> Copper	108 <b>Ag</b> Silver 47	62		157 <b>Gd</b> Gadolinium
Group					59 Nickel	106 Pd Palladium 46	195 <b>Pt</b> Platinum 78		152 <b>Eu</b> Europium
Gr					7	103 <b>Rh</b> Rhodium 45	192 <b>Ir</b> Iridium		Sm Samarium
		1 Hydrogen			56 <b>Fe</b> Iron	Ruthenium 44	190 <b>OS</b> Osmium 76		<b>Pm</b> Promethium
					Mn Manganese 25	Tc Technetium 43	186 <b>Re</b> Rhenium 75		144 <b>Nd</b> Neodymium
					Chromium	96 <b>Mo</b> Molybdenum 42	184 <b>W</b> Tungsten 74		141 <b>Pr</b> Praseodymium
					51 V Vanadium 23	Niobium 41	181 <b>Ta</b> Tantalum		140 <b>Ce</b>
					48 Trtanium	2r Zrzonium 40	178 <b>Hf</b> Hafnium		1
					Scandium 21	89 <b>≺</b> Yttrium	139 <b>La</b> Lanthanum 57 *	227 <b>AC</b> Actinium 89	l series eries
	=		Beryllium	Mg Magnesium	40 <b>Ca</b> Calcium	Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium 88	*58-71 Lanthanoid series 190-103 Actinoid series
	_		7 <b>Li</b> Lithium	23 <b>Na</b> Sodium	39 Potassium 19	Rubidium	Caesium 55	<b>Fr</b> Francium 87	*58-71 L <sub>4</sub>

- A															
ioid series id series	140 <b>Ce</b> Cerium	Pr Praseodymium 59	Neodymium 60	Pm Promethium 61	Sm Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	162 <b>Dy</b> Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	175 <b>Lu</b> Lutetium 71	
a = relative atomic mass  X = atomic symbol b = proton (atomic) number	232 <b>Th</b> Thorium	Pa Protactinium 91	238 <b>U</b> Uranium 92	Np Neptunium 93	<b>Pu</b> Plutonium	Am Americium 95	Cm Curium 96	<b>BK</b> Berkelium 97	C4 Californium 98	<b>ES</b> Einsteinium 99	Fm Fermium	Md Mendelevium 101	Nobelium	Lr Lawrencium 103	mn
	The v	The volume of one mole of any gas is 24 dm $^3$ at room temperature and pressure (r.t.p.).	one mole	of any ga	s is 24 dr	n³ at roor	n tempera	ature and	pressure	(r.t.p.).				15	Daba
														ambri	
												1	de con		de.com

Key

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.