UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

www.papacambridge.com MARK SCHEME for the October/November 2007 question paper

0653 COMBINED SCIENCE

0653/05

Paper 5 (Practical Test), maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2007 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2		2	Mark Scheme				Syllabus A	
			IGCSE -	- October/No	ovember 200)7	0653	NaC.
(a)	(i)	with	r drawings; ONE visible differenc raisin B); ONE		raisins (raisi	n A should l	be larger in s	size and
	(ii)		n A has become er has entered th					[2
(b)	(i)	i) first row of table below completed correctly; -1 for each incorrect to zero						[2
	(ii)	seco	ond row of table I	e below completed correctly; -1 for each incorrect to zero				zero [2
		1	test on urine	sample D	sample E	sample F	sample G	
			Benedicts test	blue	blue	red	blue	
			protein test	blue	blue	blue	lilac	
(a)		(kidr ting th	betes) sample F ; ney failure) samp ne value of resist	ole G ; ance/m	d - 1	1-4	est	[2 [Total: 10
(a)	stat	(kidr ting th ould b	ney failure) samp	ole G ; ance/m	d also candio	dates should		[Total: 10
	stat shc oth	(kidr ting th ould b er	ney failure) samp ne value of resist	ole G ; ance/m	d also candio	dates should		[Total: 10 ne value as eac
(b)	stat shc oth	(kidr ting th ould b er 2)5 va	ney failure) samp ne value of resist e the same as s	ole G ; ance/m upervisor an	d also candio	dates should		[Total: 10 ne value as eacl [1
(b)	stat shc oth & (c	(kidr ting th buld b er ()5 va R is	ney failure) samp ne value of resist e the same as s lues of y and <i>I</i>	ole G ; ance/m upervisor an ted			have the sam	[Total: 10 ne value as eacl [1
(b)	stat shc oth & (c	(kidr ting th ould b er 2)5 va R is curre	ney failure) samp ne value of resist e the same as s lues of y and <i>I</i> correctly calcula	ole G ; ance/m upervisor an ted ith increasing			have the sam	[Total: 10 ne value as eacl [1 [2
(b)	stat shc oth & (c (i)	(kidr ting th buld b er ()5 va R is curre <i>IR</i> is	ney failure) samp ne value of resist e the same as s lues of y and <i>I</i> correctly calcula ent decreases wi	ole G ; ance/m upervisor an ted ith increasing			have the sam	[Total: 10 ne value as eacl [1 [2
(b) (d)	stat shc oth & (c (i)	(kidr ting th buld b er (kidr buld b er (kidr buld b er (kidr buld b er (kidr buld b er (kidr (kidr (kidr) buld b er (kidr) (kidr) buld b er (kidr) (kidr) buld b er (kidr) (kidr) (kidr) buld b er (kidr) (k	ney failure) samp ne value of resist e the same as s lues of y and <i>I</i> correctly calcula ent decreases wi s calculated corre	ole G ; ance/m upervisor an ted ith increasing			have the sam	[Total: 10 ne value as eacl [1 [2
(b) (d)	stat shc oth & (c (i) (ii)	(kidr ting th ould b er)5 va R is curre <i>IR</i> is 2 dp	ney failure) samp ne value of resist e the same as s lues of y and <i>I</i> correctly calcula ent decreases wi s calculated corre	ole G ; ance/m upervisor an ted ith increasing ectly	g x (but <i>I</i> sho		have the sam	[Total: 10 ne value as eacl [1 [2
(b) (d)	stat shc oth & (c (i) (ii) Gra	(kidr ting th ould b er)5 va R is curre IR is 2 dp aph sens plott	ney failure) samp ne value of resist e the same as s lues of y and <i>I</i> correctly calcula ent decreases wi s calculated corre o used sible scale used a ing correct (allow	ole G ; ance/m upervisor an ith increasing ectly and axes lab	g x (but <i>I</i> sho		have the sam	[Total: 10 ne value as eacl [1 [2
(b) (d)	stat shc oth & (c (i) (ii) Gra S P C	(kidr ting th buld b er 5 va R is curre IR is 2 dp sens plott smo	ney failure) samp ne value of resist e the same as s lues of y and <i>I</i> correctly calcula ent decreases wi s calculated corre o used	ole G ; ance/m upervisor an ith increasing ectly and axes lab	g x (but <i>I</i> sho		have the sam	[Total: 10 ne value as eacl [1 [2

Page 3	Mark Scheme	Syllabus Syllabus
	IGCSE – October/November 2007	0653 23
Y is pink Z is pink all three X is an a Y is an a Z is an a	need to be correct to score the mark cid Ikali	Syllabus 0653 Bhacamb
acid is hy	ectly described TWO marks acidifying not neces ydrochloric ONE be for sulphate showing negative therefore must ust be evidence that the candidate actually pe	be chloride
	colour disappears/colourless but not clear colour disappears/colourless but not clear	
	vescence	
(d) Z could b	be sodium carbonate	
		[Total: 1