

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.


Answer **all** questions. A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use						

This document consists of 20 printed pages.





1

- (b) During photosynthesis, glucose is produced in the leaves of a plant. Some of the glucose is changed to a different sugar and transported to the roots, where it is converted into starch and stored.
 - (i) The diagram represents a glucose molecule. Complete the diagram to show part of a starch molecule.



[1]

(ii) If the outer parts of a plant stem are damaged, this can prevent sugars being transported to the roots.

Explain why this happens, and why it can kill the plant.

[2]

www.papaCambridge.com (c) Fig. 1.1 shows one of the ways in which a plant called Bryophyllum reprodu grows new plantlets from its leaves.




Fig. 1.1

- (i) Name the type of reproduction that is taking place.
- (ii) Explain why reproducing in this way, rather than by producing seeds, might be an advantage to the plant.

......[1]

..... [3]

(d) Describe one other function of plant leaves, apart from photosynthesis and reproduction.

..... [2]

www.papacambridge.com 4 2 (a) A student wrote down some properties of alpha, beta and gamma radiations. Draw a line from each property to the correct radiation. contains negatively charged particles passes through several centimetres of lead has no mass beta is deflected towards a negatively charged plate is not affected by an electric field gamma is the most ionising in air [3] (b) Cobalt-60 is a radioactive isotope of cobalt. Explain what is meant by the word isotope. [2] (c) Gamma radiation can be used to sterilise surgical instruments. What property of gamma radiation makes it suitable for this purpose? [1] (d) A scientist investigated the activity of a radioactive isotope. She measured a count rate of 8000 per second. 20 minutes later the count rate was 2000 per second. (i) Calculate the half-life of the isotope. [1]

- 5 (ii) Predict how long after the start of the experiment the scientist could experiment rate of 250 per second. Show your working.
- (e) In an experiment, a radiation detector was set up and used to measure background radiation. The background radiation in the laboratory was found to be 40 counts per minute.
 - (i) What is background radiation?

[1]

(ii) A radioactive source was placed near the detector and a reading of 1200 counts per minute was recorded. What was the count rate of the radioactive source?

counts per minute [1]

.....

[2]

Kerosene is a mixture of hydrocarbons used as a fuel for aircraft and for light
Kerosene is obtained from petroleum (crude oil) and is a liquid which boils in the range 150°C - 200°C.
(a) (i) Name one other type of liquid fuel which is obtained from petroleum.
[1]
(ii) State the important difference between the various compounds in petroleum which enables them to be separated by fractional distillation.
[1]
(b) A typical molecule in kerosene has the formula C₁₃H₂₈.

Complete the balanced equation below for the complete combustion of $C_{13}H_{28}$.

 $C_{13}H_{28} + \dots \longrightarrow 13CO_2 + 14H_2O$

[2]

(c) Fig. 3.1 shows a dot-and-cross diagram of a molecule of carbon dioxide.





Fig. 3.1

Describe in detail what is shown by the shaded area, A.

[2]

4 Fig. 4.1 shows the quantity of nitrogen oxides and sulphur dioxide that was emitted atmosphere by a large industrial company between 2001 and 2005.





(a) Describe the change in emissions of nitrogen oxides between 2001 and 2005.

[2]


(b) Suggest two ways in which the changes in sulphur dioxide emissions may have been brought about.

[2]

(c) Explain why reducing the quantities of nitrogen oxides and sulphur dioxide that are emitted to the air would be beneficial to the environment.

[3]

- 5 A man is playing golf.
 - (a) As the golfer moves around the course in a golf cart, his movement is measured. measurements are plotted on the graph in Fig. 5.1.





Describe what is happening between


A - B..... $\mathbf{B} - \mathbf{C}$ [2] (b) Calculate the total distance covered.

Show your working.

[3]


Fig. 6.1 shows apparatus which can be used to reduce copper oxide to copper. 6


Copper oxide is a black powder and during the reaction metallic copper forms inside the reaction tube.






(a) (i) Select from the list of substances below to complete the word equation for the reaction in Fig. 6.1.





	42	
	11 2.02	
(i)	11 Write the name of the salt dissolved in solution P in Fig. 6.2.	For iner's
	[1]	Sec.
(ii)	Explain why zinc is able to react with the salt in solution P .	SIM
	[1]	
(iii)	Explain, in terms of the transfer of electrons, which substance is oxidised when zinc reacts in solution ${f P}$.	
	[2]	



www.papaCambridge.com (c) Oxygen is transported around the body in red blood cells. Fig. 7.2 is a diagra group of red blood cells.




Fig. 7.2


Choose three features of red blood cells and for each of them explain how this adapts them for their function.

..... [3]

(d) Explain why body cells need a constant supply of oxygen.

..... [2]

		472
		14 ⁴⁴ . D
(a)		14 ar travels 2 kilometres, at a steady speed, in 100 seconds. The total force car forward is 1000 N. Calculate the work done by the total driving force over this distance. State the formula that you use and show your working.
	(i)	Calculate the work done by the total driving force over this distance.
		State the formula that you use and show your working.
		formula
		working
		101
	(ii)	[2] Calculate the useful power output of the engine during this time.
	(")	State the formula that you use and show your working.
		formula
		Iomula
		working
		Norming
		[2]
(b)	Ар	oliceman is using a radar gun to measure the speed of a car.
		e radar gun emits microwaves which hit the moving car and bounce back to a eiver in the radar gun.
	Аc	omputer in the radar gun calculates the speed of the car.
		radar gun
		microwaves from gun
		microwaves to gun



(c) The headlamps on the car are connected in parallel as shown in Fig. 8.1.




Fig. 8.1

[3]

Each headlamp has a resistance of 4 ohms.

Calculate the combined resistance of the two headlamps.

State the formula that you use and show your working.

formula

working

www.papaCambridge.com (d) Fig. 8.2 shows a spring. The spring is 10 cm long. A 50 g mass is hung on the and the length of the spring increases to 13 cm.




Fig. 8.2

The 50 g mass is replaced by an object of unknown mass. The new length of the spring is 22 cm.


Calculate the value of the unknown mass.

Show your working.

[2]

9 The Periodic Table shows all of the chemical elements arranged into groups and per

Fig. 9.1 shows part of the Periodic Table. The letters in this table are not the norm chemical symbols of the elements.





- (a) Complete the statements below using letters, chosen from A to H, which refer to elements in Fig. 9.1. Letters may be used once, more than once or not at all.
 - The three elements shown as letters _____, ____, and _____ •

have the same number of electrons in the outer shells of their atoms.

- The element shown as letter ______is a very reactive non-metal. [2] •
- (b) A student used the apparatus shown in Fig. 9.2 to investigate the decomposition of the compound hydrogen peroxide, H₂O₂.

The balanced equation for the decomposition of hydrogen peroxide is shown below.

 $2H_2O_2 \rightarrow 2H_2O + O_2$




Fig. 9.2

The student measured the decrease in mass of the conical flask and its contents occurred during the reaction.

www.papaCambridge.com Table 9.1 shows the measurements the student made in a series of trials using different masses of manganese dioxide.

The initial concentration and volume of the hydrogen peroxide solution in each trial were the same.

trial	mass of m dioxid	•	time for reaction to	decrease in mass			
ulai	start	end	finish / seconds	during trial /g			
1	0	0	too long to measure	0			
2	0.5	0.5	540	1.6			
3	1.0	1.0	270	1.6			
4	2.0	2.0	135	1.6			

Table	9.1
-------	-----

(i) Explain why the mass of the flask and contents decreased in trials 2 to 4.

[1]

(ii) What effect does the mass of manganese dioxide have on the rate of decomposition of hydrogen peroxide?

..... [1]

(iii) Use the information in Table 9.1 to explain the role of manganese dioxide in this reaction.

..... [3]

0 II/		4 7	Helium 2	19 20	FNe	e 10	35.5 40	18		Br Kr	35 Bouillie 36	127 131 O	e 54		At RN Astatine Radon 85				YD LU Ytterbium Lutetium 70		Nobelium Lawrencium	Papa on on
	>			16	0	Oxygen 8	32	5		Selenium	34	128 Te	Tellurium 52		Polonium 84			169	^{Thulium}		Mendelevium	2
	>			14	z	Nitrogen 7	33	Phosphorus 15	75	As	33 33	122 Sh	Antimony 51	209	Bismuth 83			167	Erbium 68		Fermium Fermium	2
	≥			12	ပ	Carbon 6	58 58	Silicon 14	73	Ge	32 32	119 S D	50 Tin	207	PD Lead 82			165	Holmium 67		Einsteinium	(r.t.p.).
	≡			1	Ш	Boron 5	27	AL Aluminium 13	20	Ga	31 31	115 In	Indium 49	204	TL Thallium 81			162	Dysprosium 66		Californium Californium	The volume of one mole of any gas is 24 dm ³ at room temperature and pressure (r.t.p.).
									65	ZnZ	30 200	112 Dd	Cadmium 48	201	Mercury 80			159	Terbium 65		BK Berkelium	ature and
									64	Cu	29	108 A CI	Silver 47	197	Au Gold 79			157	Gd Gadolinium 64		Curiu Curiu	n temper
dno									59	Nickel	28 28	106 Pd	Palladium 46	195	Platinum 78			152	Eu Europium 63		Americium Ge	⊔‴ m³ at roor
Group	_			-					59	°	27	103 Rh	Rhodium 45	192	Lr Iridium 77			150	Samarium 62		Plutonium	as is 24 dr
	_	- 1	Hydrogen 1						56	Fe	1011 26	101 R	Ruthenium 44	190	OS Osmium 76				Promethium 61		Neptunium Neptunium	of any ge
									55	Mn	25	Ē	Technetium 43	186	Rhenium 75			144	Neodymium 60	238	Uranium 00	one mole
									52	C	24	96 96	Molybdenum 42	184	Tungsten 74			141	Praseodymium 59		Protactinium	olume of
									51	V aniperev	variadium 23	⁹³	Niobium 41	181	Tantalum 73			140	Cerium 58	232	Thorium	The v
									48	Ë H	22	91 7	Zirconium 40	178	Hafnium			7		nic mass	bol ic) number	
									45	Scardium	21	® >	Yttrium 39	139	La Lanthanum 57 *	227 AC	Actinium 89 †	series	eries	a = relative atomic mass	 X = atomic symbol b = proton (atomic) number 	
	=			6	Be	Beryllium 4	24	Magnesium 12	40	Ca	20	88 Z	Strontium 38	137	Barium 56	226 Ra	Radium 88	*58-71 Lanthanoid series	†90-103 Actinoid series	ອ ຊີ ຊີ		
	-			7	:-	Lithium 3	23	Sodium 11	39		19	85 Rh	Rubidium 37	133	CS Caesium 55	Fr	Francium 87	58-71 La	90-103 /		key	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of