UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

## www.papacambridge.com MARK SCHEME for the May/June 2009 question paper

## for the guidance of teachers

## **0653 COMBINED SCIENCE**

0653/05

Paper 5 (Practical Test), maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

		•	444	
	Page 2	Mark Scheme: Teachers' version	Syllabus 7.0	er
		IGCSE – May/June 2009	0653	
1	<ul> <li>(a) readings reasonable (clearly in mm) and entered correctly in column for tissue A; readings reasonable and entered correctly in column for tissue B; value for 5 mins in A must not be greater than 80 mm</li> <li>(b) points plotted accurately for tissue A; allow one error smooth curve drawn through points; points plotted accurately for tissue B; allow one error smooth curve drawn through points;</li> </ul>		blumn for tissue A ; B ;	ambridge.com
				[4]
	(c) (i) live fas	er/tissue <b>C</b> ; test <b>rate</b> of production of oxygen ;		[2]
	(ii) ani the	mals liver has many chemical reactions/produce more herefore it is removed more rapidly/it is removed before p	nydrogen peroxide ; oison build up ;	[2]
			[Т	otal: 10]
2	<b>(a)</b> red, bro	own or similar ; allow black if recognizes some brown pa	rticles	[1]
	<b>(b) (i)</b> bla	ck residue ; if <b>(a)</b> is black then allow black or no change		[1]
	<b>(ii)</b> dis gre tur	solves ; een solution ; ns blue ;		[3]
	<b>(c) (i)</b> rec filtr	l brown ; rate is blue ;		[2]
	(ii) bla col	ck/brown solid ; our fades to colourless or lighter blue, allow fizzing ;		[2]
	(d) copper (do not allow $2^+$ oxidation state) do not allow any copper compound ;		r compound ;	[1]
			Т	otal: 10]
3	(a) (b) (i) (ii	) Table		
	5 sets for <b>h</b> and <b>V</b> ; <b>h</b> clearly in mm 1 <sup>st</sup> value of <b>h</b> is between 20–40 mm ; last value of <b>h</b> is between 100–140 mm			[3]
	(c) 100 – V	is correct; assumes <b>V</b> is correct		[1]
	(d) plotting line ;	; allow one error		[2]

