UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

www.papacambridge.com MARK SCHEME for the May/June 2011 question paper

for the guidance of teachers

0653 COMBINED SCIENCE

0653/61

Paper 6 (Alternative to Practical), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

IGCSE – May/June 2011 (a) (i) 93, 86, 31, 27 ;; (all 4 correct = 2 marks, 3 correct = 1 mark) (ii) yes, similar repeats OR no, repeats too different ; (iii) 1 mark for a correct mean formula (e.g. 93 + 86/2) ; 89.5 ; 29 ; (iv) inhaled air longer time (than exhaled) ; inhaled has more oxygen ; (v) (B cloudy (A not)) higher CO ₂ ; from respiration ; (a) (i) 0.2, 0.3, 0.4 (all 3 = 1 mark) ; (ii) 50, 68 (both required) ; (iii) labelled axes and sensible scales ; correct points ; straight line through origin ; (iv) proportional / linear ; (due to) straight line (graph) ; (v) from graph (42 mm)+/- 1 ; clear indication on graph ;	Syllabus 0653 (2) [2] [Total: 10]
 (all 4 correct = 2 marks, 3 correct = 1 mark) (ii) yes, similar repeats OR no, repeats too different; (iii) 1 mark for a correct mean formula (e.g. 93 + 86/2); 89.5; 29; (iv) inhaled air longer time (than exhaled); inhaled has more oxygen; (v) (B cloudy (A not)) higher CO₂; from respiration; (a) (i) 0.2, 0.3, 0.4 (all 3 = 1 mark); (ii) 50, 68 (both required); (iii) labelled axes and sensible scales; correct points; straight line through origin; (iv) proportional / linear; (due to) straight line (graph); (v) from graph (42 mm)+/- 1; clear indication on graph; 	[3] [2]
 (iii) 1 mark for a correct mean formula (e.g. 93 + 86/2); 89.5; 29; (iv) inhaled air longer time (than exhaled); inhaled has more oxygen; (v) (B cloudy (A not)) higher CO₂; from respiration; (a) (i) 0.2, 0.3, 0.4 (all 3 = 1 mark); (ii) 50, 68 (both required); (iii) labelled axes and sensible scales; correct points; straight line through origin; (iv) proportional / linear; (due to) straight line (graph); (v) from graph (42 mm)+/- 1; clear indication on graph; 	[3] [2]
 89.5 ; 29 ; (iv) inhaled air longer time (than exhaled) ; inhaled has more oxygen ; (v) (B cloudy (A not)) higher CO₂; from respiration ; (a) (i) 0.2, 0.3, 0.4 (all 3 = 1 mark) ; (ii) 50, 68 (both required) ; (iii) 50, 68 (both required) ; (iii) labelled axes and sensible scales ; correct points ; straight line through origin ; (iv) proportional / linear ; (due to) straight line (graph) ; (v) from graph (42 mm)+/- 1 ; clear indication on graph ; 	[3] [2]
 (iv) inhaled air longer time (than exhaled); inhaled has more oxygen; (v) (B cloudy (A not)) higher CO₂; from respiration; (a) (i) 0.2, 0.3, 0.4 (all 3 = 1 mark); (ii) 50, 68 (both required); (iii) labelled axes and sensible scales; correct points; straight line through origin; (iv) proportional / linear; (due to) straight line (graph); (v) from graph (42 mm)+/- 1; clear indication on graph; 	[2]
 inhaled has more oxygen; (v) (B cloudy (A not)) higher CO₂; from respiration; (a) (i) 0.2, 0.3, 0.4 (all 3 = 1 mark); (ii) 50, 68 (both required); (iii) labelled axes and sensible scales; correct points; straight line through origin; (iv) proportional / linear; (due to) straight line (graph); (v) from graph (42 mm)+/- 1; <u>clear</u> indication on graph; 	[2]
 higher CO₂; from respiration; (a) (i) 0.2, 0.3, 0.4 (all 3 = 1 mark); (ii) 50, 68 (both required); (iii) labelled axes and sensible scales; correct points; straight line through origin; (iv) proportional / linear; (due to) straight line (graph); (v) from graph (42 mm)+/- 1; <u>clear</u> indication on graph; 	
 from respiration ; (i) 0.2, 0.3, 0.4 (all 3 = 1 mark) ; (ii) 50, 68 (both required) ; (iii) labelled axes and sensible scales ; correct points ; straight line through origin ; (iv) proportional / linear ; (due to) straight line (graph) ; (v) from graph (42 mm)+/- 1 ; <u>clear</u> indication on graph ; 	
 (ii) 50, 68 (both required); (iii) labelled axes and sensible scales; correct points; straight line through origin; (iv) proportional / linear; (due to) straight line (graph); (v) from graph (42 mm)+/- 1; clear indication on graph; 	[Total: 10]
 (ii) 50, 68 (both required); (iii) labelled axes and sensible scales; correct points; straight line through origin; (iv) proportional / linear; (due to) straight line (graph); (v) from graph (42 mm)+/- 1; clear indication on graph; 	
 (iii) labelled axes and sensible scales ; correct points ; straight line through origin ; (iv) proportional / linear ; (due to) straight line (graph) ; (v) from graph (42 mm)+/- 1 ; <u>clear</u> indication on graph ; 	[1]
 correct points ; straight line through origin ; (iv) proportional / linear ; (due to) straight line (graph) ; (v) from graph (42 mm)+/- 1 ; <u>clear</u> indication on graph ; 	[1]
 (due to) straight line (graph) ; (v) from graph (42 mm)+/- 1 ; clear indication on graph ; 	[3]
<u>clear</u> indication on graph ;	[2]
(h)	[2]

[Total: 10]

Pa	ige 3	5	Mark Scheme: Teachers' version	Syllabus Syllabus	
			IGCSE – May/June 2011	0653	
(a)	(i)		np) (red) litmus ; s blue ;	Syllabus 0653 Babacan	bric
	(ii)	amn	nonium (ion) ;		
(b)	(i)	iron ³	³⁺ / iron(III) / Fe ³⁺ (not iron ²⁺ etc.) ;		[1]
	(ii)	white	dified) silver nitrate (solution) ; e ppt. if positive / C <i>l</i> present ; hange if negative ;		[3]
	(iii)	sulfa	ate (ion) ;		[1]
((iv)	to re	emove / dissolve any carbonate (ions present) ;		[1]
(c)	iron	n(III) a	ammonium sulfate (allow ecf but must be 2 cations	and 1 anion) ;	[1]
				[Total:	10]
(a)	(i)	at te at te	mperature 10 °C volume = 25 cm ³ ; mperature 40 °C volume = 61 cm ³ ;		[2]

```
at temperature 40 °C volume = 61 \text{ cm}^3;
```

(ii)

	-	
temperature	increase in volume of	rate of increase in
/°C	douah	volume cm ³ / min
	dough (v-25) / cm ³	(v-25)/30
	(120)/ 011	(120)/00
10	0	0
20	6	0.2(0)
	•	0.2(0)
30	22	0.73
40	36	1.2(0)
50	29	0.97
60	0	0
	-	-

column 2 correctly completed ;;

(iii) column 3 correctly completed ;;

(b) 40 °C ; (ecf)

(c) incubator / oven / water bath set ;

(d)	20 to 30 °C	(increasing ra	ate of	read	ction) enzy	me gaining	g (kinetic) e	energ	у;	
	40 to 60 °C	(decreasing	rate	of	reaction)	because	enzymes	are	becoming	
	denatured /	destroyed ;								

[2]

[2]

[1]

[2]

[1]

	Page 4	Mark Scheme: Teachers' version	Syllabus Syllabus
		IGCSE – May/June 2011	0653
((+/- 0.1) ; (+/- 0.1) ;	Syllabus 0653 2000 21
	(ii) 1.5 ; 4.8 ;	(ecf)	[2]
(b) 31.3 ; 42.8 ;		[2]
(4.4 = 11.3 ; 1.5 = 20.9 ; 4.8 = 8.9 ; (answers = 1 mark each) (ecf)	[3]
(d) A = lead	B = gold C = copper ; (ecf)	[1]
			[Total: 10]
(a) (i) 73 ; 39 ;		[2]
		ast 5 points correctly plotted for each oxide ;; elled curves / lines ;; (allow 1 mark if lines not label	lled) [4]
	(iii) MnO	₂ (no mark), more gas given off / gas given off faste	er / graph steeper ; [1]
(b) spatula m stopclock	neasures inaccurate / delay in putting stopper back ir ;	n / delay in starting [1]
(use agair	wash catalyst ; n/compare mass before and after ;	
	(note `use	e again', 'on its own' = no marks)	[2]
			[Total: 10]