UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

www.papacambridge.com MARK SCHEME for the May/June 2012 question paper

for the guidance of teachers

0653 COMBINED SCIENCE

0653/52

Paper 5 (Practical Test), maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2			Mark Scheme: Teachers' version Syllabus				IS S	x	
	•		IG	CSE – May/J	une 2012		0653	No.	
(a)	 tube A – no change ; tube B – time given in any format ; (not greater than 600 seconds) times given in seconds ; 							ambride	
(b) fatt <u>y</u> pH	y acids ne reduced to	utralise the c less than	alkali/fatty a 8/solution be	acids react with ecomes acidic	n sodiu ;	um carbonate ;		[2]
(c)	 (c) boiled lipase gave no result ; enzymes denature when heated ; (allow reverse argument for both marks) 							[2]	
(d	(d) judging the end point/lack of repeats/measuring errors/any other valid suggestion ;								[1]
(e)) tube tube (do	e C: purple e C: protei not award	e / lilac ; in present ; d this mark	if the colour	in tube C is inc	correct	t)	[To	[2] otal: 10]
(a)) (i)	mass of superviso	piece of p or;	pipe, M , in g	rams to <u>1 de</u>	<u>cimal</u>	point and wit	hin 20% of	[1]
	(ii)	all 3 valu	es of <i>I</i> , d _e a	and d_i AND d	l _e greater than	d _i AN	ID in cm ;		[1]
	(iii)	correct si correct ca	ubstitution ; alculation to	o 2 or more s	ignificant figur	es ;			[2]
	(iv)	correct ca	alculation to	o 2 or more s	ignificant figur	es ;			[1]
	(v)	correct ca	alculation to	o 2 or more s	ignificant figur	es ;			[1]
(b) (i)	volume o	f water and	l metal weigh	ıt ;				[1]
	(ii)	volume o (this mus	of water and t be greate	l metal weigh r than volume	it and pipe ; e in (b) (i))				[1]
	(iii)	volume o	f the piece	of pipe ;					[1]
	(iv)	density w	vithin 0.5 of	answer in (a)(v) ;				

[Total: 10]

Page 3	Mark Scheme: Teachers' version	Syllabus Syllabus
	IGCSE – May/June 2012	0653
(a) (i)	time 0 = start temperature recorded to nearest half a de	egree ;
(ii)	all readings entered to nearest half a degree ; maximum temperature achieved no more than 1 minu time ;	ute beyond supervisor's [2
(iii)	solid A darker grey/black/brown/pink/red ; solution B paler blue/grey/colourless ;	[2
(b) (i)	<i>points:</i> at least 5 correctly plotted to within ½ square wi <i>line</i> : smooth curve will include one maximum ;	thin the first 3 minutes ; [2
(ii)	maximum temp rise from graph , $\Delta T = max - start$ in °	C ; [1
(iii)	25 × 4.2 × ans (b)(ii) ; correctly worked out to 2 or more significant figures ;	[2
		[Total: 10