

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions. A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [ ] at the end of each question or part question.

1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 22 printed pages and 2 blank pages.



(a) Complete Table 1.1 by choosing one of the words from the list to match 1 statement.


			2	mm	1.80
t.	Table 1.1 b	y choosing one	of the words fro	om the list to ma	For iner's
	ammeter	ampere	circuit	electron	inge.
	ohm	volt	voltmeter	watt	50m
		<b>T</b> - 1-1 -			

## Table 1.1

statement	word
a complete loop of conductors	
a particle with a negative electrical charge	
an instrument that measures potential difference	
the unit of power	

[2]

(b) Fig. 1.1 shows two circuits, **A** and **B**. All the lamps and both cells are the same.






(i) One lamp is unscrewed from circuit A.

State what happens to the other lamp.

Explain your answer.


..... ..... [1]



[3]




**BLANK PAGE** 



(c) In Florida, USA, some people collect earthworms by vibrating the soil.

A wooden post is pushed into the ground, and then a heavy object is pulled across the top of the post to make it vibrate. The vibrations travel through the soil.

www.papaCambridge.com Earthworms respond to the vibrations by crawling out of their burrows onto the soil surface, where they can be caught.



A student investigated the effect of different frequencies of vibrations on the numbers of earthworms that emerged from the soil. Fig. 2.2 shows his results.




Fig. 2.2

	T
	803
(i)	7 Describe the effect of different frequencies of vibrations on the number earthworms emerging.
	[2]
(ii)	Moles are predators that live underground and eat earthworms. When moles burrow through the ground, they produce vibrations of around 500 Hz.
	Suggest how the response of earthworms helps them to survive.
	[2]

(a) Fig. 3.1 shows how a digital pH meter is used to measure the pH of some liquids 3




Fig. 3.1

(i) Complete Table 3.1 by suggesting suitable pH values for the different liquids.

Table 3	3.1
---------	-----

liquid	рН
water	
sodium hydroxide solution	
dilute sulfuric acid	

[2]

(ii) Suggest one advantage of using a digital pH meter rather than a piece of litmus paper to assess the acidity of an aqueous solution.

..... .....[1]

8

(iii) Dilute acids are aqueous solutions that contain dissolved ions.

Table 3.2

		12	
		9	
Dilute acids are aqueous solutions that contain dissolved ions.			
9 Dilute acids are aqueous solutions that contain dissolved ions. Table 3.2 shows the names of the ions in two common acids. Table 3.2			
Table 3.2			
	name of dilute acid	names of dissolved ions	
	hydrochloric acid	hydrogen ions and chloride ions	
	sulfuric acid	hydrogen ions and sulfate ions	

A student is given an unlabelled beaker which is known to contain either dilute hydrochloric acid or dilute sulfuric acid.

Describe a chemical test that a student could use to find out whether or not the beaker contains hydrochloric acid.

..... ..... [2] (b) Fig. 3.2 shows three experiments that a teacher set up to compare the reactive magnesium, copper and an unknown metal G.

www.papaCambridge.com In each experiment she heated a mixture of one metal and the oxide of a different metal. In each case there was an exothermic chemical reaction.





Fig. 3.2

(i) Write a word chemical equation for the reaction between magnesium and copper oxide.

......[1] (ii) Use the information in Fig. 3.2 to predict whether or not copper would react with the oxide of metal G. Explain your answer. prediction ..... explanation ..... 

**4** (a) An athlete of mass 60 kg jumps 1.3 metres vertically.



Calculate the work done by the athlete to achieve this height.

State the formula that you use and show your working. The gravitational field strength of the Earth is  $10 \,\text{N/kg}$ .

formula used

working

[3]

www.papacambridge.com

- (b) Using your answer to (a), state the gain in potential energy of the athlete when he jumps 1.3 metres.
  - .....[1]
- (c) The work done in jumping vertically was completed in 0.5 s.

Calculate the power developed.

State the formula that you use and show your working.

formula used

working

.....[2]

Fig. 5.1 shows apparatus that can be used to measure the rate of respiration of germ 5 seeds.




Fig. 5.1

The soda lime absorbs carbon dioxide from the air inside the apparatus.

- (a) As the seeds respire, they use oxygen. This reduces the volume of gas inside the apparatus. The faster they respire, the faster the red liquid moves towards the left.
  - (i) Write the balanced equation for aerobic respiration.

[2] (ii) Use the equation to explain why the liquid would not move if there was no soda lime in the apparatus. ..... [2] (b) An experiment was carried out to investigate the effect of temperature on the respiration of the germinating seeds.

www.papaCambridge.com Four sets of the apparatus shown in Fig. 5.1 were set up and labelled A, B, C and D. Each set of apparatus contained either germinating or dead seeds.

The distance moved by the red liquid in five minutes was measured for each set.

The results are shown in Table 5.1.

set	contents	temperature/°C	distance moved by red liquid in 5 minutes/mm
Α	germinating seeds	0	3
В	germinating seeds	10	6
С	germinating seeds	20	12
D	dead seeds	20	0

Table 5.1

(i) Explain why it was important to include set **D** in the experiment.

..... [1] (ii) With reference to Table 5.1, describe the effect of temperature on the rate of respiration of germinating seeds. [2] (iii) Predict and explain the results you would expect if the apparatus was set up with germinating seeds at a temperature of 60 °C. predicted results ..... explanation ..... [2]

- www.papaCambridge.com Some types of firework are made by filling a cardboard tube with firework mixture. Finisture is made from several solid substances which have been powdered and material solid sol 6 together.
  - Fig. 6.1 shows a typical firework.




Fig. 6.1

When the paper fuse is lit, exothermic chemical reactions occur inside the firework.

(a) Explain, in terms of rate of reaction, why firework mixture is a powder.

[	[2]

- (b) Some firework mixtures contain aluminium which is oxidised to produce the compound, aluminium oxide.
- www.papaCambridge.com (i) The electron configuration of an aluminium atom is 2,8,3 and of an oxygen atom is 2,6.

Explain how aluminium and oxygen atoms become strongly bonded when they react to form aluminium oxide. You may draw some diagrams to help your explanation.

..... ......[4]

(ii) A student suggested the symbolic equation below for the formation of aluminium oxide.

 $2Al + 3O_2 \longrightarrow Al_2O_3$ 

State and explain whether or not this equation is balanced.

..... [2]

	16 M. D.	
(c)	The firework mixture contained in the firework in Fig. 6.1 contains the conpotassium perchlorate, $KCIO_4$ .	For iner's
	When potassium perchlorate is heated, a colourless gas is given off which re-lights a glowing splint.	Idge.co
	Suggest why the firework mixture needs to contain potassium perchlorate.	317
		٦
	[2]	

4

(a) On the grid below, draw a wave with an amplitude of 2 cm and a wavelength of 4 7 On your diagram, clearly label the amplitude and the wavelength.

17	of 2 cm and a wavelength of 4
On the grid below, draw a wave with an amplitude	of 2 cm and a wavelength of 4
On your diagram, clearly label the amplitude and th	ie wavelength.
	······
	····· · · · · · · · · · · · · · · · ·
+ + + + + + + + + + + + + + + + + + +	+++++++++++++++++++++++++++++++++++++++

[3]

(b) (i) Two sound waves, A and B, have the same frequency. A has a greater amplitude than **B**.

What difference would you hear?

......[1]

(ii) Two sound waves, X and Y, have the same amplitude. X has a greater frequency than Y.

What difference would you hear?

[1]

www.papacambridge.com (iii) The speed of sound was calculated for sound passing through a solid, a gas and a vacuum.

The values recorded were

0m/s	330m/s
1500m/s	5000m/s.

Write the values in the correct boxes in Table 7.1.


	speed of sound m/s
vacuum	
solid	
liquid	
gas	

[2]

(iv) Sound travels through the air by a series of compressions and rarefactions.

Explain what is meant by compressions and rarefactions. You may use a diagram to help your explanation.

..... [2]




[2]

www.papaCambridge.com 20 Fig. 8.1 shows the male reproductive system. R С Fig. 8.1 (a) (i) State the functions of parts A, B and C. Α \_\_\_\_\_ Β C [3] (ii) On Fig. 8.1, use a label line and the letter S to indicate where male gametes are made. [1] (b) Describe two ways in which human male gametes differ from human female gametes. 1 2 [2] (c) HIV is the virus that causes AIDS. HIV can be passed from one person to another during sexual intercourse. Outline how HIV affects the immune system of a person with HIV/AIDS. [2]

8

9 (a) (i) Methane and ethane are hydrocarbons found in fossil fuels.

www.papaCambridge.com Complete the structures of molecules of methane and ethane that have been started below.




(ii) Methane and ethane are found in refinery gas, which is an important product obtained from petroleum (crude oil).

State one use for refinery gas.

[1]

(b) Draw three straight lines to connect each process or reaction in the left hand column with its meaning in the right hand column.




[2]

[2]

(c) Decane is a colourless liquid compound which has the chemical formula,  $C_{10}H_{22}$ .

www.papaCambridge.com Fig. 9.1 shows apparatus that a teacher used to show what happens when decan vapour is passed over a hot catalyst.





When the teacher started to pass the decane vapour through the apparatus, the solution of bromine rapidly changed colour from orange to colourless.

(i) Suggest and explain why the bromine solution changed from orange to colourless.

..... ..... [3] ..... (ii) Suggest why the catalyst was heated.

[1] 



**BLANK PAGE** 

0		4 <b>T</b>	Heium	19 20	_	Fluorine Neon 10	35.5 40	18		Bromine Krypton 36	<b>24</b>		54	At Rn Astatine 86				Viterbium Lutetium	-	elium Lawrencium	papa Ca.	T
	II>	-				6		17		36	3	1	23	86				T Viter	Ž	vium Nobe 102		
	$\geq$	-		16	0	Oxygen 8	33	9	62	Selenium 34	128	Ĕ	52	Polonium 84			169	69		Me 101		
	>	-		14	z	Nitrogen 7	<b>۵</b> 3	Phosphorus 15	75	AS Arsenic 33	122		51 209	Bismuth 83			167	Erbium 68	E	10		
	≥	_		12	ပ	Carbon 6	<b>N</b> 58	Silicon 14	73	Germanium 32			50	Pb Lead			165	Holmium 67	Es	99 99	e (r.t.p.).	
	≡			1	۵	Boron 5	27 <b>A 1</b>	Aluminium 13	70	Gallium 31	115	<b>n</b> Indium	49 204	TT Thailium 81			162	Dysprosium 66	ŭ	Californium 98	pressure	
									65	<b>Zi</b> nc 30	112		48 201	Mercury 80			159	Terbium 65	Ř	Berkelium 97	ature and	
									64	Copper Copper	108		47 197	Au Gold 79			157	Gadolinium 64	E C	Curium 96	tempera	
dn									59	Nickel	106		46 195	Platinum 78			152	Europium 63	Am	Americium 95	յ <sup>3</sup> at room	
Group									59	Cobalt	103		45 192	-	-		150	Samarium 62	Pu	-	is 24 dm	
		- I	Hydrogen 1						56		101	Ru	190		-			Promethium 61		Neptunium 93	f any gas	
			<u> </u>	J					55	Manganese		Tc	43 186	F				Neodymium 60	238 U	E	ie mole o	
									25	Chromium 24		Molybdenum	_	Tungsten 7			141	Praseodymium 59 6	Ба	Ę	The volume of one mole of any gas is 24 dm $^3$ at room temperature and pressure (r.t.p.).	
									51	Ε		<b>Nb</b> iobium	41 44	E			140	Cerium 58 58	<sup>232</sup>		The vol	
									48	İtanium	91	Zr rconium	178	Hf tathium			L	<u>م</u>	mass		I	
									45	SC candium	68	Yttrium	139 40	La thanum * 72	227 Ac	Actinium 89 †	iries	Se	a = relative atomic mass X = atomic symbol	b = proton (atomic) number		
	=	-		თ	Be	Beryllium	24 MC	Magnesium 2	40	alcium 2	88	Sr Trontium	137	Baarium Barium	226 Ra	Radium	*58-71 Lanthanoid series	†90-103 Actinoid series	a = rel: X = ato	p = prc		
		-		7		Lithium Be	23 Na	-	39		85	Е	133	26	Ŀ	Francium R	71 Lanth	-103 Acti	<i>ه</i> ×	٩		
						3		- °		Pod 61		Ľ,	37	22 °C		Era 87	*58	†90	Kev			

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of