

Candidates answer on the Question Paper.

No Additional Materials are required.

## READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units. A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 21 printed pages and 3 blank pages.



1 (a) Fig. 1.1 shows an experiment to compare how three metals react with dilute acid.




Fig. 1.1

In two of the test-tubes, bubbles of hydrogen gas are produced.

(i) Complete the balanced symbol equation for the reaction between magnesium and hydrochloric acid.

		+	$\rightarrow$	MgCl <sub>2</sub>	+	[2]
(ii)	List the three	metals <b>X</b> , copper and	magnesium, i	n order of rea	activity.	
	most reactive					
	least reactive					[1]


3 (b) Fig. 1.2 shows an experiment in which the metal X is placed in solutions of contraction of metal X metal

test-tube A

test-tube B

- Fig. 1.2
- (i) Describe how the appearance of the contents of test-tube **A** would change after one hour.
- (ii) Explain why you would not expect a chemical change in the contents of test-tube **B**. [1] (c) Copper can be extracted from copper oxide by heating it with carbon. The process involves the reduction of copper oxide. (i) State what is meant by the term reduction. [1] ..... (ii) Aluminium is extracted by the process of electrolysis of molten aluminium oxide. Aluminium metal is deposited at the cathode of the electrolytic cell. Explain why metals are always deposited at the cathode, rather than the anode, during electrolysis. [2] .....

www.papacambridge.com 2 Fig. 2.1 shows a food web of the organisms in a woodland containing oak trees.






(a) State the term used to describe these organisms, the woodland, and the interactions between them.

[1] ..... (b) The animals in the food web are consumers. Define the term consumer. [1] ..... (c) The food web is a network of interconnected food chains. One food chain in Fig. 2.1, with three trophic levels, is shown. oak tree rabbit hawk Write down a food chain from Fig. 2.1 which has four trophic levels.

[2]

(d)	5 Describe <b>two</b> ways in which energy can be lost between trophic levels of a food
	1 2[2]
(e)	The oak trees in the wood are cut down. Describe and explain how the levels of carbon dioxide and oxygen change in the atmosphere in and around the woodland.

•••••
[3]



working

resistance = \_\_\_\_\_ unit \_\_\_\_\_ [3]

- 7 (b) The torch is left switched on for a long time, until the batteries run down. The torch becomes warm. Identify the energy transfers that have occurred during this time. [2]
- (c) The torch emits a narrow beam of light when switched on. Fig. 3.2 shows the torch shining at a plane mirror on the far side of a room.




Fig. 3.2

- (i) On Fig. 3.2, construct an accurate ray diagram to show how a ray of light from the torch is reflected onto the wall. [2]
- (ii) The torch goes out suddenly.

Explain why an observer cannot detect any delay in the spot of light disappearing from the wall.

[1]

(a) Petroleum (crude oil) is a mixture of different hydrocarbons. 4

www.papaCambridge.com Fig. 4.1 shows the industrial apparatus used to separate petroleum into useful product




Fig. 4.1

Petroleum is vaporised and passed up a tower. Useful products from petroleum condense at different positions in the tower.

(i) State the name of the process used to separate the petroleum mixture into useful products.

[1] .....

(ii) Describe how the boiling point range of a particular product affects the position in the tower where it condenses.

......[1]

(iii) Describe and explain the relationship between the boiling point of a hydrocarbon and the size of its molecules.

[2] .....

	9	
(b)	When hydrocarbons burn they produce carbon dioxide and water.	
	Explain, in terms of the effect on the environment, why an increased level of carbon in the atmosphere is of concern to many people.	Age con
		· •
	[2	2]
		-

- (c) Two of the hydrocarbons in refinery gas are methane and ethane.
  - (i) Complete the diagram of one molecule of ethane.

(ii) In the process of cracking, large hydrocarbon molecules are broken down into smaller ones.

H | C

Explain briefly why some of the smaller molecules produced by cracking are more reactive than methane and ethane.

[2]

[2]

- 5 (a) A boy uses headphones to listen to the radio.
- www.papaCambridge.com (i) State the useful energy transformation that occurs in the headphones when he them.

.....

(ii) The radio emits sounds with frequencies between 100 Hz and 10000 Hz.

Explain why the boy is able to hear all the sounds emitted through the headphones. The boy has normal hearing.

\_\_\_\_\_ [1] .....

(b) A boy is swimming in a swimming pool.

His mass is 50 kg. He dives into the water from a height of 2 metres above the water surface, then swims one length of the 25 metre long pool at a constant speed of 0.5 m/s.


(i) Calculate the potential energy lost by the boy as he dives and hits the water surface. (gravitational field strength, g = 10 N/kg)

State the formula you use and show your working.

formula

working

[2] J



J [2]

(c) A boy switches on a television set using a remote control.

Fig. 5.1 shows some of the parts of the electromagnetic spectrum.

In the correct blank box on Fig. 5.1, write the name of the part of the spectrum used by the remote control.


X-rays visible light microwaves	
---------------------------------	--


Fig. 5.1

[2]



**BLANK PAGE** 





13

Fig. 6.1

(i) From Fig. 6.1, name a diploid cell.

		[1]
	(ii)	Cell division of the zygote produces a ball of cells.
		Describe in detail where in the female reproductive system this ball of cells is positioned for the next stage of development.
		[2]
(b)		w mothers have to decide whether to breast-feed their baby or to bottle-feed their baby n formula milk.
	Des	scribe
	(i)	one advantage of breast-feeding,
		[1]
	(ii)	one advantage of bottle-feeding.
		[1]

www.papaCambridge.com (c) Table 6.1 summarises some of the nutrients contained in a sample of 100 g of bit

nutrient	mass in 100g sample of milk
protein	1.2g
fat	3.8g
carbohydrate	7.6 g
vitamin C	0.0039 g
calcium	0.033 g

Table 6.1

(i) Most of the mass of milk is water.

Use the information in Table 6.1 to calculate the approximate mass of water in the sample of milk.

You may ignore the two nutrients which have a mass much smaller than the other three nutrients in Table 6.1.

Show your working.


mass of water = \_\_\_\_\_g [2] (ii) Energy is released from milk by respiration.

1 g of fat releases 37 kJ of energy. 1 g of carbohydrate releases 16 kJ of energy.

www.papacambridge.com Use the information in Table 6.1 to calculate whether more energy is released from fat or the carbohydrate in the 100g sample of milk.

Show your working and state your answer.

..... [3]



Draw a diagram showing the arrangement of the outer electrons in the atoms of a chlorine molecule,  $Cl_2$ .

[2]


(b) Chlorine is one of the halogens that are found in Group VII of the Periodic Table.

Table 7.1 shows properties of some of the elements in Group VII.

period	halogen	colour	physical state at room temperature
2	fluorine		
3	chlorine	yellow-green	gas
4	bromine	dark red-brown	liquid
5	iodine	blue-black	solid

Table 7.1	
-----------	--

Use the information in Table 7.1 to predict the colour and physical state of fluorine and complete Table 7.1. [1]



(d) Table 7.2 shows some elements in Group 0 of the Periodic Table.

Table <sup>*</sup>	7.2
--------------------	-----

Group 0	
helium	
neon	
argon	
krypton	
xenon	

(i) State a use for **one** named element in Group 0.

name	
use	 •••••
	[1]

(ii) Describe how the electronic structure of the atoms of the elements of Group 0 affects their chemical properties.

[2]

Fig. 8.1 shows a simple type of air conditioner called a 'swamp cooler' that is used 8 dry desert places.




Fig. 8.1

Hot, dry air is blown by a fan over the surface of water in a metal container. The hot dry air causes some of the water to evaporate. The air coming out of the swamp cooler is cool and damp.

(a) (i) Describe the changes to the arrangement of the molecules of water during evaporation.

[2] .....

(ii) Explain, referring to the movement of molecules in water and air, why the hot dry air is cooled.


[2]

(b) In hot countries, houses are often painted white.

Explain why this helps to keep a house cooler.

[2] .....

		19 hours of the second se	
(c)	The	e fan in the swamp cooler is noisy. A girl standing in the same room can hear	
	De	scribe how the sound	mbridge
	(i)	is produced by the fan,	3e.c.
	(ii)	travels from the fan to the girl's ear.	
			[1]





(a) Explain why this is described as a *double circulation*.

(b) (i) Complete the sentence using words or phrases from the list.

You may use each word or phrase once, more than once, or not at all.

	aorta	body	left	lungs	
	pulmonary ar	tery	pulmonary vein	n right	
	Blood leaves the			ventricle of the h	eart to go through
	blood vessel <b>P</b> , which is	the		,, ta	aking blood to the
	lungs.				[2]
(ii)	Blood in vessel <b>P</b> has a	different pr	essure from blood	in vessel <b>Q</b> .	
	Describe this difference	and explai	n why it is necessa	iry.	
					[2]

		Mary .
		21
(c)	The	e composition of blood changes as it flows through the tissues of the small interesting the second second second
	Sta	te Olige
	(i)	one substance that leaves the blood as it flows through the tissues of the smintestine,
	(ii)	two substances that enter the blood as it flows through the tissues of the small intestine.
		[2]



**BLANK PAGE** 



**BLANK PAGE** 

_	9 Beryllium 24 Mg Magnesium	A0 Calcium Strontium	137 Barium 226 Radium	ctinoid series a = relativ x = atom b = protor
	Hand Berling Hand Hand Hand Hand Hand Hand Hand Hand	38 Str. 6 Ca		Actin antha
	7 Lithium 23 Sodium	dium <b>b</b>	133 Cs Caesium Francium	° 03,
	<sup>3</sup> <sup>3</sup> <sup>3</sup> <sup>3</sup>	39 Rotassium 19 85 Rb Rb Rb 37	11, 55 55 55 87 Fran <b>T</b>	*58-7 190-1 Key

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

	0	, Helium	20 Neon Neon	10 40 18 Argon	84 Krypton 36	131 <b>Xe</b> Xenon 54	Radon 86		175 Lu Lutetium 71	Lr Lawencium 103	DabaCambrida
	</td <td></td> <td>Fluorine</td> <td>9 35.5 <b>C1</b> 17 Chlorine</td> <td>80 Bromine 35</td> <td>127 <b>T</b> Iodine</td> <td>At Astatine 85</td> <td></td> <td>173 <b>Yb</b> <sup>Ytterbium</sup> 70</td> <td>Nobelium 102</td> <td>192</td>		Fluorine	9 35.5 <b>C1</b> 17 Chlorine	80 Bromine 35	127 <b>T</b> Iodine	At Astatine 85		173 <b>Yb</b> <sup>Ytterbium</sup> 70	Nobelium 102	192
	⋝		16 Oxygen		79 Selenium 34	128 <b>Te</b> Tellurium 52	Po Polonium 84		169 <b>Tm</b> Thulium 69	Mendelevium 101	
	>		Nitrogen	7 31 Phosphorus	75 <b>AS</b> Arsenic 33	122 <b>Sb</b> Antimony 51	209 <b>Bi</b> Bismuth		167 <b>Er</b> Erbium 68	Fermium 100	
	≥		12 Carbon	6 28 Silcon	73 <b>Ge</b> Germanium 32	119 <b>Sn</b> 50	207 Pb Lead 82		165 <b>HOI</b> HOIMium 67	Einsteinium 99	(r.t.p.).
	≡		2 <b>D</b> 3	5 27 <b>A1</b> Auminium 13	70 <b>Ga</b> Galiium 31	115 <b>Ind</b> 1ndium 49	204 <b>T 1</b> Thallium		162 Dy Dysprosium 66	Californium 98	pressure
					65 <b>Zn</b> 30	112 <b>Cd</b> Cadmium 48	201 <b>Hg</b> <sup>Mercury</sup> 80		159 <b>Tb</b> <sup>Terbium</sup> 65	BK Berkelium 97	ature and
					64 Cu Copper	108 <b>Ag</b> Silver	197 <b>Au</b> Gold 79		157 <b>Gd</b> Gadolinium 64	C Curium 96	m temper
Group					59 Nickel 28	106 Pd Palladium 46	195 <b>Pt</b> Platinum 78		152 <b>Eu</b> 63	Americium 95	m³ at roor
G			-		59 <b>Co</b> 27	103 Rhodium 45	192 <b>Tr</b> Iridium 77		150 <b>Sm</b> Samarium 62	Plutonium 94	as is 24 dı
		Hydrogen			56 Iron 26	101 <b>Ru</b> Ruthenium 44	190 <b>OS</b> Osmium 76		Promethium 61	Neptunium 93	of any ga
					55 Manganese 25	Tc Technetium 43	186 <b>Re</b> Rhenium 75		144 Neodymium 60	238 Uranium 92	one mole
					52 Chromium 24	96 <b>Mo</b> Molybdenum 42	184 <b>V</b> 74 74		141 <b>Pr</b> Praseodymium 59	Protactinium 91	The volume of one mole of any gas is 24 dm <sup>3</sup> at room temperature and pressure (r.t.p.).
					51 Vanadium 23	93 <b>Nabi</b> um 41	181 <b>Ta</b> Tantalum 73		140 <b>Cer</b> 58	232 Thorium 90	The v
					48 Titanium 22	91 <b>Zr</b> Zirconium 40	178 Hafnium 72	+	1	umic mass nbol mic) number	
-			[		45 Scandium 21	89 Yttrium 39	139 Lanthanum 57	227 Actinium 89	d series series	a = relative atomic mass X = atomic symbol b = proton (atomic) number	
	=		9 Beryllium	24 Magnesium 12	40 <b>Ca</b> lcium 20	88 <b>Sr</b> Strontium 38	137 <b>Ba</b> <sup>Barium</sup> 56	226 <b>Rad</b> Radium 88	*58-71 Lanthanoid series 190-103 Actinoid series	αΧ	
	-		Lithium	3 23 Sodium	39 A Potassium 19	85 <b>Rb</b> Rubidium 37	133 <b>CS</b> Caesium 55	<b>Fr</b> Francium 87	58-71 L 90-103	ه Key	