



Cambridge IGCSE™

COMBINED SCIENCE

0653/42

Paper 4 Theory (Extended)

October/November 2022

MARK SCHEME

Maximum Mark: 80

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2022 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

This document consists of **12** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
- 5 'List rule' guidance

For questions that require *n* responses (e.g. State **two** reasons ...):
 - The response should be read as continuous prose, even when numbered answer spaces are provided.
 - Any response marked *ignore* in the mark scheme should not count towards *n*.
 - Incorrect responses should not be awarded credit but will still count towards *n*.
 - Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
 - Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark scheme abbreviations

;	separates marking points
/	separates alternative responses for the same marking point
ecf	error carried forward
AVP	any valid point
ORA	or reverse argument
AW	alternative wording
<u>underline</u>	actual word given must be used by candidate (grammatical variants accepted)
()	the word / phrase in brackets is not required but sets the context

Question	Answer	Marks								
1(a)(i)	<table border="1" data-bbox="344 233 1010 528"> <thead> <tr> <th data-bbox="344 233 591 331">letter in Fig. 1.1</th> <th data-bbox="591 233 1010 331">name of part</th> </tr> </thead> <tbody> <tr> <td data-bbox="344 331 591 395">(B)</td> <td data-bbox="591 331 1010 395">(left) ventricle ;</td> </tr> <tr> <td data-bbox="344 395 591 459">D ;</td> <td data-bbox="591 395 1010 459">(septum)</td> </tr> <tr> <td data-bbox="344 459 591 528">(F)</td> <td data-bbox="591 459 1010 528">valve ;</td> </tr> </tbody> </table>	letter in Fig. 1.1	name of part	(B)	(left) ventricle ;	D ;	(septum)	(F)	valve ;	3
letter in Fig. 1.1	name of part									
(B)	(left) ventricle ;									
D ;	(septum)									
(F)	valve ;									
1(a)(ii)	arrow(s) showing correct direction ;	1								
1(a)(iii)	separates oxygenated and deoxygenated blood ; allows for different levels of blood pressure / AW ;	2								
1(b)(i)	20–29 / 80+ ;	1								
1(b)(ii)	$18 \times 100 \div 54$ / $18 + 36 / 54$; 33(%) ;	2								

Question	Answer	Marks
2(a)(i)	O ₂ ; C ; 2Fe ;	3
2(a)(ii)	hematite ;	1
2(a)(iii)	(nitrogen) comes from the air (which enters the furnace) ;	1
2(a)(iv)	sulfur dioxide ;	1
2(b)(i)	<u>mixture</u> of a metal with (an)other element(s) ;	1
2(b)(ii)	<i>any two from:</i> (stainless steel / ORA) is strong(er) ; is (more) malleable ; does not, corrode / rust (as easily) ; AVP ;	2

Question	Answer	Marks
3(a)(i)	S ;	1
3(b)(i)	$341 \times 3600 \div 1000 (= 1228 \text{ km / h}) ;$	1
3(b)(ii)	evidence of, $\text{acceleration} = \text{change in speed} \div \text{time} / 341 \div 20.0 ;$ 17.1 ; $\text{m / s}^2 ;$	3
3(b)(iii)	evidence of, $KE = \frac{1}{2} m v^2 / \frac{1}{2} \times 10600 \times 341 \times 341 ;$ $6.16 \times 10^8 \text{ (J)} ;$	2
3(b)(iv)	evidence of, $P = \Delta E \div t / 6.16 \times 10^8 \div 20.0 ;$ $3.08 \times 10^7 \text{ (W)} ;$	2

Question	Answer	Marks
4(a)(i)	cortex ; (spongy / palisade) mesophyll ;	2
4(a)(ii)	large surface area ; increases rate of absorption (of water) ;	2
4(b)	at higher humidity there is more water vapour in the air ; diffusion / concentration gradient, decreases (as humidity increases) ; less evaporation / less diffusion ;	3
4(c)	<i>any two from:</i> (pollen from) <ul style="list-style-type: none"> • insect-pollinated flowers is, sticky / covered in spikes ; • insect-pollinated flowers is produced in smaller quantities ; • wind-pollinated flowers is lighter ; 	2

Question	Answer			Marks																
5(a)	<table border="1" data-bbox="338 229 1339 619"> <thead> <tr> <th></th> <th>true for ethane only</th> <th>true for ethene only</th> <th>true for both ethane and ethene</th> </tr> </thead> <tbody> <tr> <td>is a hydrocarbon</td> <td></td> <td></td> <td>✓</td> </tr> <tr> <td>is a saturated compound</td> <td>✓</td> <td></td> <td></td> </tr> <tr> <td>changes the colour of aqueous bromine</td> <td></td> <td>✓</td> <td></td> </tr> </tbody> </table> <p>one correct ; all three correct ;</p>				true for ethane only	true for ethene only	true for both ethane and ethene	is a hydrocarbon			✓	is a saturated compound	✓			changes the colour of aqueous bromine		✓		2
	true for ethane only	true for ethene only	true for both ethane and ethene																	
is a hydrocarbon			✓																	
is a saturated compound	✓																			
changes the colour of aqueous bromine		✓																		
5(b)	4 ; double bond / two bonds each, containing two electrons ;			2																
5(c)(i)	blue (to) pink ; water (vapour) is made ;			2																
5(c)(ii)	limewater turns milky ; because carbon dioxide is made ;			2																
5(d)	idea that, many (ethene) molecules join ; correct reference to, <u>monomer</u> / (addition) <u>polymerisation</u> ;			2																

Question	Answer	Marks
6(a)(i)	evidence of, $\frac{1}{R_T} = \frac{1}{R_1} + \frac{1}{R_2}$; $\frac{72 \times 36}{72 + 36}$ / $\frac{2592}{108}$ / $\frac{72}{3}$ / $\frac{1}{72} + \frac{1}{36}$ (= 24 Ω) ;	2
6(a)(ii)	evidence of, $R = V \div I$ / $240 \div 24$; 10 (A) ;	2
6(b)	(total resistance increases so) current decreases ; current decreases so thermal energy output decreases ; evidence of, $P = VI$ / $E = VI t$;	3
6(c)	resistance is inversely proportional to cross-sectional area ; wire in element 2 has greater cross-sectional area ;	2

Question	Answer	Marks
7(a)	Both types of digestion always form soluble molecules. <input type="checkbox"/> Both types of digestion take place in the mouth. <input checked="" type="checkbox"/> ; Both types of digestion use enzymes. <input type="checkbox"/> Only chemical digestion takes place in the stomach. <input type="checkbox"/> Only mechanical digestion involves no chemical change. <input checked="" type="checkbox"/> ;	2
7(b)(i)	lipase / amylase ;	1
7(b)(ii)	<i>substrate</i> protein AND <i>product</i> amino acid ;	1
7(c)(i)	(protease) denatures / changes shape ; reference to <u>active site</u> ; will not, fit / bind with substrate (into active site) ;	3
7(c)(ii)	(protease) does not work / denatures, at low pH / in acid conditions ; gastric juice, contains hydrochloric acid / has a low pH ;	2

Question	Answer	Marks
8(a)(i)	<i>any two from:</i> solid does not conduct / only liquid conducts / only conducts in molten state ; energy required to overcome forces (between ions) ; ions in a solid cannot move / ions in a liquid can move ;	2
8(a)(ii)	<i>temperature</i> any temperature greater than 373 °C AND <i>explanation</i> lead bromide must be, molten / a liquid / above the melting point of lead bromide ;	1
8(a)(iii)	<i>lead forms as a</i> liquid AND <i>explanation</i> lead has a lower melting point than lead bromide / idea that if lead bromide is liquid, it is above the melting point of lead / melting point of lead is below the temperature of the electrolysis / AW ;	1
8(b)	cathode gain atoms two correct ; all three correct ;	2
8(c)	orange / brown ;	1

Question	Answer	Marks							
9(a)(i)	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%; text-align: center; padding: 5px;">gamma radiation</td> <td style="width: 15%; text-align: center; padding: 5px;">X-rays ;</td> <td style="width: 15%;"></td> <td style="width: 15%; text-align: center; padding: 5px;">visible light</td> <td style="width: 15%;"></td> <td style="width: 15%; text-align: center; padding: 5px;">microwaves ;</td> <td style="width: 15%;"></td> </tr> </table>	gamma radiation	X-rays ;		visible light		microwaves ;		2
gamma radiation	X-rays ;		visible light		microwaves ;				
9(a)(ii)	evidence of, $v = f\lambda / 3 \times 10^8 \div 2.48 \times 10^9$; 0.1(21) (m);	2							
9(a)(iii)	(X-rays) damage cells / cause cancer ;	1							
9(b)(i)	<i>any two from:</i> evaporation (from surface of liquid) ; convection (by heating air above the surface) ; conduction (through cups) ; radiation (from outside of cup) ;	2							
9(b)(ii)	(cup B / ORA) has greater surface area ; so increased (rate of) evaporation ;	2							