

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

593115980

COMBINED SCIENCE

0653/33

Paper 3 Theory (Core)

October/November 2022

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 (a) Fig. 1.1 is a diagram of the alimentary canal and associated organs.




Fig. 1.1

(i)	State the letter in Fig. 1.1 that identifies the liver.	[1]
(ii)	State the letter in Fig. 1.1 that identifies the pancreas.	[1]
(iii)	On Fig. 1.1, draw a label line and the letter S to show the position of	one salivary gland. [1]
(iv)	State the function of salivary glands.	
		[1]

(i)	ch is a larg	State the name of the smaller molecules that starch is made from.					
				[1]			
ii)		Some starch is mixed with an orange indicator solution, and the indicator solution turns blue-black in colour.					
	State the r	name of this indicate	or solution.				
				[1]			
ii)	An enzym solution ar		n starch molecules is added	to the mixture of indicator			
	When the again.	enzyme has broke	n down all the starch molecule	es, the mixture turns orange			
	Table 1.1	shows the time take	n for the mixture to turn orange	e at different temperatures.			
			Table 1.1				
		temperature /°C	time taken for mixture to turn orange /s				
		I I					
		25	547				
		25 30	547 279				
		30	279				

[Total: 8]

2 (a) A beaker contains a mixture of sodium chloride dissolved in water and iron filings, as shown in Fig. 2.1.




Fig. 2.1

		Ğ
	(i)	Identify the solute and the solvent in this mixture.
		solute
		solvent
	(ii)	[2] Identify one compound in the mixture.
		[1]
	(iii)	State one method of removing the iron filings from the mixture.
		[1]
(b)		en a dilute solution of sodium chloride dissolved in water is heated, evaporation occurs the solution becomes more concentrated.
	Stat	e what is meant by more concentrated.
	Use	ideas about particles in your answer.
		[1]
(c)		te the products at the anode and at the cathode when concentrated aqueous sodium bride is electrolysed using inert electrodes.
	ano	de
	cath	node
		[2]

(d) An atom of iron is represented as shown.

56		\sim
26	Г	C

Deduce the number of electrons, protons and neutrons in this atom.

electrons	
protons	
neutrons	

[2]

[Total: 9]

- 3 In 1997, the Thrust Supersonic Car set a world land speed record.
 - (a) Fig. 3.1 shows forces R, S, V and T acting on the moving car.




Fig. 3.1

(i)	State the name of force S .		[1	ľ
-----	------------------------------------	--	----	---

(ii) The car moves at a constant speed in a straight line along a horizontal track.

Force $T = 223000 \,\text{N}$.

State the magnitude of force **V**.

(b) (i) The world land speed record set was 1228 km/h.

Show that the record speed of the car in metres per second is 341 m/s.

[2]

(ii) The car moves a distance of 1609 m at the record speed of 341 m/s.

Calculate the time taken to travel this distance.

time =s [2]

(c)	There is chemical potential energy stored in the fuel of the car. Combustion of the fuel allows the car to accelerate.
	Some of this chemical potential energy is transferred to kinetic energy of the moving car.
	Suggest two other forms of energy to which the chemical potential energy is transferred.
	1
	2

(d) Fig. 3.2 is a speed–time graph for the motion of the car.




Fig. 3.2

Draw **one** straight line from each time period to the matching motion of the car.

time period	motion of the car
0–20 s	constant speed
20-40 s	deceleration
40–100 s	increasing speed

[2]

[2]

[Total: 10]

BLANK PAGE

4 (a) Fig. 4.1 is a photograph of an insect-pollinated flower.



			Fig. 4.1			
	Stat	te the functions of the	parts labelled X and Y	in Fig. 4.1.		
	X					
	Υ					
(b)	See	eds need a suitable ten	nperature to germinate).		[2]
	Stat	te two other environme	ental conditions neede	d for germination.		
	1					
	2					
(c)	Plar	nts transport water from	m their roots to their le	aves.		[2]
	Wat	er enters the root thro	ugh root hair cells.			
	(i)	Water then passes in	to cells inside the root			
		Circle the correct nar	ne of these cells inside	the root.		
		cortex	mesophyll	phloem	xylem	[1]
	(ii)	Water travels up the	stem and evaporates f	rom the surface of cell	s in the leaf.	ניי
		Circle the correct nar	ne of these cells in the	leaf.		
		cortex	mesophyll	phloem	xylem	[1]
						_

(d) Nutrients from the soil also enter plants through their roots.

The pH of the soil affects the availability of nutrients.

Fig. 4.2 provides data on the effect of soil pH on the availability of six nutrients. The bars show the range of soil pH for which the availability of each nutrient is **maximum**.




Fig. 4.2

The availability of calcium is maximum in soils with a pH between 7.0 and 8.0.

(i) Identify the nutrient in Fig. 4.2 that has maximum availability in a soil of pH 5.5.

(ii)	Use Fig. 4.2 to identify the range of soil pH for which the availability of nitrate ions maximum.	is
	Place a tick (✓) in one box to show the correct answer.	
	pH4.0–6.0	
	pH5.0–7.0	
	pH6.0–8.0	
	pH7.0–9.0	11
		1]
(iii)	Plants grown in soils with a pH of 5.0 may have yellow leaves.	
	Complete the sentences to explain why:	
	Plants need magnesium ions to make	
	Soils with a pH of 5.0 do not have availability of magnesium ions.	m
		2]
	[Total: 10	0]

5 (a) A student investigates the reaction of magnesium with dilute hydrochloric acid, as shown in Fig. 5.1.





Fig. 5.1

Magnesium chloride and a gas are produced.

(i) Complete the word equation for this reaction.



(ii) Suggest **one** change that can be made to increase the rate of this reaction.

 [1]

(iii) Suggest **one** metal that reacts with dilute hydrochloric acid with a lower rate of reaction than magnesium.

.....[1]

(iv) Magnesium reacts with a different dilute acid to make magnesium sulfate.

State the name of this acid.

.....

	(v)	Describe a c	hemical test for	chloride ions and	state the positi	ve result.	
		test					
		result					[2]
(b)	The	combustion	of magnesium ir	n air forms magne	esium oxide, Mg	O.	
		gnesium oxide CO ₃ , as show		with carbon dioxic	le in the air to fo	orm magnesium ca	arbonate,
	n	nagnesium	combustion in air	magnesium oxide	reaction with CO ₂	magnesium carbonate	
				Fig. 5.2			
	(i)	Explain why	the combustion	of magnesium is	described as ox	kidation.	
							[1]
	(ii)	The combus	tion of other sub	ostances produce	s carbon dioxide	Э.	
		State the nar	me of one subst	tance that produc	es carbon dioxid	de during combust	ion.
							[1]
	(iii)	Carbon dioxi	de is a greenho	ouse gas.			
		State the nar	me of one other	greenhouse gas			
							[1]
						[Total: 10]

6 (a) Fig. 6.1 shows an electric heater with two heating elements connected in series to a 240 V supply.




Fig. 6.1

Fig. 6.2 shows the circuit diagram for the heater with two ammeters added into the circuit.




Fig. 6.2

(i) The plug to the heater has a fuse.

Draw the circuit symbol for a fuse.

(ii) Ammeters are used to measure current.

State the name of the unit of current. [1]

(iii)	Ammeter 1 shows a reading of 5	.4A.		
	Circle the reading that is shown of	on ammeter 2.		
	Give a reason for your answer.			
	2.7A	5.4A	10.8A	
	reason			
				 [1]
(iv)	Heating element 1 has a resistar	nce of 30Ω .		
	Heating element 2 has a resistan	nce of 15 Ω .		
	Calculate the combined resistance	ce of the two heating eler	nents.	
		resistance =	S	2 [1]

(b) Fig. 6.3 shows the circuit diagram for a different electric heater.




Fig. 6.3

Heating element 1 is switched ON.

Heating element 2 is switched OFF.

The variable resistor is set to zero resistance.

(i)	State whether switch 1 and switch 2 are OPEN or CLOSED.	
	switch 1	
	switch 2	[1]
(ii)	The resistance of the variable resistor is increased from zero.	
	State the effect this has on the current in heating element 1.	
	Explain your answer.	
	current	
	explanation	
		 [1]
		[,]

(iii)	Heating element 2 is now also switched ON.
	The variable resistor is not changed.
	Explain why the current from the source increases.
	[1]
(iv)	The two heating elements are connected in parallel with the 240 V supply.
	Suggest one advantage of connecting the heating elements in parallel in the circuit.
	[1]
	[Total: 8]

(a) The boxes on the left show some of the characteristics of living organisms.

7

haracteristic	definition					
excretion	ability to detect and respond to changes in the environment					
growth	permanent increase in size					
sensitivity	removal from organisms of toxic materials and substances in excess of requirements					
Respiration and movement	are two more characteristics of living organisms.					
Explain why respiration is needed for movement.						

(c) Fig. 7.1 shows cells from an organ in the human body.




Fig. 7.1

	(1)	Identify the structure labelled Q on Fig. 7.1.	
			[1]
	(ii)	The organ produces a hormone.	
		Describe how hormones are transported around the body.	
			[1]
d)	(i)	Complete this sentence about diffusion.	
		Diffusion is the net movement of particles down a	
		gradient as a result of their movement.	[2]
	(ii)	Water diffuses through partially permeable membranes.	[-]
		State the name of this type of diffusion.	
			[1]
		[Total	: 9]

8 Part of the Periodic Table of Elements is shown in Fig. 8.1.

								Gro	oup								
I	Ш											III	IV	V	VI	VII	VIII
		1					H hydrogen										He helium
Li lithium	Be beryllium											B	C	N nitrogen	O oxygen	F	Ne neon
Na sodium	Mg magnesium											A <i>l</i> aluminium	Si silicon	P	S sulfur	C1 chlorine	Ar argon
K potassium	Ca calcium	Sc scandium	Ti titanium	V vanadium	Cr chromium	Mn manganese	Fe	Co cobalt	Ni nickel	Cu	Zn zinc	Ga gallium	Ge germanium	As arsenic	Se selenium	Br bromine	Kr krypton

Fig. 8.1

(a)	Stat	te the trend in the character of the elements across the Periodic Table from left to right.	
			[1]
(b)	Eler	ment X conducts electricity and has a high density.	
	Eler	ment Y is soft and conducts electricity.	
	Use	Fig. 8.1 to suggest the names of element X and element Y .	
	X	Υ	[2]
(c)	Iron	rusts when it reacts with oxygen and one other substance.	
	(i)	State the percentage of oxygen in clean air%	[1]
	(ii)	Identify the other substance required for the rusting of iron.	[1]
(d)	Arg	on is a monoatomic, unreactive Group VIII gas.	
	(i)	State what is meant by monoatomic.	
			[1]
	(ii)	Explain why argon is unreactive.	
		Use ideas about electronic structure in your answer.	
			[1]

[Total: 7]

9 Fig. 9.1 shows a ship at sea.




Fig. 9.1

(a) The ship uses radio waves to communicate with other ships.

Radio waves are one region of the electromagnetic spectrum.

(i) Fig. 9.2 shows an incomplete electromagnetic spectrum.

On Fig. 9.2, write radio waves in the correct place.

	•	— increasin	g frequency	
gamma radiation			infrared	

Fig. 9.2

[1]

(ii) Complete the sentences about frequency.

The frequency of a wave is the of waves passing a point in space per second.

The unit of frequency is

[2]

(b) Fig. 9.3 shows solar panels on the boat.




Fig. 9.3

The solar panels generate electricity using light from the Sun.

Energy from the Sun makes the solar panels hot to touch.

(i)	State the method of energy tra	nsfer from the Sun through sp	ace.
			[1]
(ii)	The solar panels are fixed to m	netal supports underneath.	
	The Sun does not shine direct become hot to touch.	etly onto the metal supports, t	out the metal supports also
	State the main method of energy	gy transfer from the solar pane	els to the metal supports.
			[1]
(iii)	Solar panels are a source of re	newable energy.	
	Select from the list two other s	ources of renewable energy.	
	coal	geothermal	hydroelectric
	nuclear	petroleum	tidal
	1 2		
	۷		

[2]

(iv) Fig. 9.4 shows three rays of light entering a thin converging lens.

Point **F** is the principal focus of the lens.




Fig. 9.4

On Fig. 9.4, complete the ray diagram to show how the three rays are focused. [2]

[Total: 9]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	=	2 He	helium 4	10	Ne	neon 20	18	Αľ	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	Ru	radon			
	=>			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	¥	astatine -			
	5			80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ро	polonium	116		livermorium -
	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ξ	bismuth 209			
	≥			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	S	tin 119	82	Ъ	lead 207	114	lΉ	flerovium -
	≡			2	М	boron 11	13	Αſ	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	<i>1</i> L	thallium 204			
										30	Zu	zinc 65	48	ပ	cadmium 112	80	Hg	mercury 201	112	C	copernicium
										29	Cn	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium -
Group										28	z	nickel 59	46	Pd	palladium 106	78	풉	platinum 195	110	Ds	darmstadtium -
J.Ö										27	රි	cobalt 59	45	뫈	rhodium 103	77	Г	iridium 192	109	M	meitnerium -
		- エ	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium –
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
					pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Та	tantalum 181	105	Op	dubnium –
					atc	rek				22	j=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿏	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	S	strontium 88	99	Ba	barium 137	88	Ra	radium -
	_			က	:=	lithium 7	£	Na	sodium 23	19	¥	potassium 39	37	&	rubidium 85	55	S	caesium 133	87	Ē	francium -

71	ŋ	lutetium	175	103	۲	lawrencium	ı
70	Υp	ytterbium	173	102	8	nobelium	ı
69	Tm	thulium	169	101	Md	mendelevium	ı
89	щ	erbium	167	100	Fm	ferminm	ı
29	웃	holmium	165	66	Es	einsteinium	ı
99	ò	dysprosium	163	86	ర	californium	I
65	Д	terbium	159	97	Ř	berkelium	I
64	Вd	gadolinium	157	96	Cm	curium	ı
63	En	europium	152	92	Am	americium	ı
62	Sm	samarium	150	94	Pu	plutonium	ı
61	Pm	promethium	ı	93	d d	neptunium	ı
09	ρN	neodymium	144	92	\supset	uranium	238
59	Ā	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	드	thorium	232
22	Га	lanthanum	139	68	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).