	Candidate Number Name		. Pab	
UNIVERS	SITY OF CAMBRIDGE INTER	NATIONAL EXAMIN	NATIONS tion	Cambrid
CO-ORDINA	TED SCIENCES		0654/03	96
Paper 3		N <i>A</i>	av/ luna 2005	
		1010		
Candidates ans No Additional M	wer on the Question Paper. laterials are required.		2 hours	
READ THESE INSTRU	JCTIONS FIRST ber, candidate number and name or	n all the work you hand in	1.	
Vrite in dark blue or bla You may use a soft per Yoo not use staples, pap Answer <b>all</b> questions. The number of marks is A copy of the Periodic T	s given in brackets [ ] at the end of a Table is printed on a page 24.	ne Question Paper. or rough working. tion fluid. each question or part qu	estion.	
Vrite in dark blue or bla You may use a soft per Yoo not use staples, pap Answer <b>all</b> questions. The number of marks is A copy of the Periodic T	s given in brackets [ ] at the end of a Table is printed on page 24.	ne Question Paper. or rough working. tion fluid. each question or part qu	estion.	
Vrite in dark blue or bla You may use a soft per Do not use staples, pap Answer <b>all</b> questions. The number of marks is A copy of the Periodic T	s given in brackets [ ] at the end of a Table is printed on page 24.	e Question Paper. or rough working. tion fluid. each question or part qu	estion. For Examine	r's Use
Vrite in dark blue or bla You may use a soft per Yo not use staples, pap Answer <b>all</b> questions. The number of marks is A copy of the Periodic T	s given in brackets [ ] at the end of a Table is printed on page 24.	e Question Paper. or rough working. tion fluid. each question or part qu	estion. For Examine 1 2	r's Use
Vrite in dark blue or bla You may use a soft per Yo not use staples, pap Answer <b>all</b> questions. The number of marks is A copy of the Periodic T	ack per in the spaces provided on a ncil for any diagrams, graphs, tables per clips, highlighters, glue or correct s given in brackets [ ] at the end of Table is printed on page 24.	e Question Paper. or rough working. tion fluid. each question or part qu	estion. For Examine 1 2 3	r's Use
Vrite in dark blue or bla You may use a soft per Yoo not use staples, pap Answer <b>all</b> questions. The number of marks is A copy of the Periodic T	s given in brackets [ ] at the end of a Table is printed on page 24.	e Question Paper. or rough working. tion fluid. each question or part qu	estion. For Examine 1 2 3 4	r's Use
Vrite in dark blue or bla You may use a soft per Yo not use staples, pap Answer <b>all</b> questions. The number of marks is A copy of the Periodic T	ncil for any diagrams, graphs, tables per clips, highlighters, glue or correct s given in brackets [ ] at the end of Table is printed on page 24.	e Question Paper. or rough working. tion fluid. each question or part qu	estion. For Examine 1 2 3 4 5	r's Use
Vrite in dark blue or bla You may use a soft per You not use staples, pap Answer <b>all</b> questions. The number of marks is A copy of the Periodic T A copy of the Periodic T f you have been given	n a label, look at the	e Question Paper. or rough working. tion fluid. each question or part qu	For Examine 1 2 3 4 5 6	r's Use
Vrite in dark blue or bla You may use a soft per Yoo not use staples, pap Answer <b>all</b> questions. The number of marks is A copy of the Periodic T Copy of the Periodic T f you have been given letails. If any details nissing, please fill in vo	n a label, look at the sare incorrect or our of a label of the sare incorrect or our of the sare incorrect or our correct of the sare incorrect or our correct or our correct or our correct details in	e Question Paper. or rough working. tion fluid. each question or part qu	estion. For Examine 1 2 3 4 5 6 7	r's Use
Vrite in dark blue or bla You may use a soft per Yoo not use staples, pap Answer <b>all</b> questions. The number of marks is A copy of the Periodic T Copy of the Periodic T f you have been given letails. If any details nissing, please fill in yo he space given at the s	h a label, look at the sare incorrect or our correct or our correct or our correct or our correct of this page.	e Question Paper. or rough working. tion fluid. each question or part qu	For Examine 1 2 3 4 5 6 7 8	r's Use
Vrite in dark blue or bla You may use a soft per You not use staples, pap Answer <b>all</b> questions. The number of marks is A copy of the Periodic T A copy of the Periodic	h a label, look at the s are incorrect or our correct details in top of this page.	e Question Paper. or rough working. tion fluid. each question or part qu	estion. For Examine 1 2 3 4 5 6 7 8 9	r's Use

- 1 Electricity is a useful form of energy.
  - (a) Use the information given to help you answer the questions below.

## Wind power

Wind can be used as an energy source to produce electrical energy. One wind turbine is able to generate 2 megawatts (MW) of power.

## Nuclear power

A nuclear power station uses enriched uranium as a fuel. Radioactive waste materials are produced. A typical nuclear power station can generate 1500 MW.

## Electricity demand

Typical demand for electric power in an industrial country is about 50 000 MW.

State one advantage and one disadvantage (apart from cost) of using each energy source to generate electricity in an industrial country.

	using wind power	using nuclear power
advantage		
disadvantage		

[4]

www.papaCambridge.com



Fig. 2.7	4 1 shows a villus from the human alimentary canal. blood capillary lacteal	Cannoninge.
	Fig. 2.1	
		[1]
(b) Th De 1.	ne villi help absorption of digested food, such as glucose, to take place quickly. escribe two ways by which the structure of a villus helps this to happen.	
(b) Th De 1.  2.	ne villi help absorption of digested food, such as glucose, to take place quickly. escribe two ways by which the structure of a villus helps this to happen.	[1]
(b) Th De 1.  2. (c) Aff ins (i)	he villi help absorption of digested food, such as glucose, to take place quickly. escribe two ways by which the structure of a villus helps this to happen.	[1]  [2] s to
(b) Th De 1.  2. (c) Aff ins (i)	he villi help absorption of digested food, such as glucose, to take place quickly. escribe two ways by which the structure of a villus helps this to happen. ter it has been absorbed, digested food is taken to the liver. The liver responds sulin, secreted by the pancreas, by removing excess glucose from the blood. Name the blood vessel which carries this digested food to the liver.	[1] [2] s to
(b) Th De 1.  2.  (i) (ii)	ter it has been absorbed, digested food is taken to the liver. The liver responds sulin, secreted by the pancreas, by removing excess glucose from the blood. Name the blood vessel which carries this digested food to the liver.	[1] [2] s to [1] oes
(b) Th De 1.  2.  (i) (ii)	he villi help absorption of digested food, such as glucose, to take place quickly. escribe two ways by which the structure of a villus helps this to happen. ter it has been absorbed, digested food is taken to the liver. The liver responds sulin, secreted by the pancreas, by removing excess glucose from the blood. Name the blood vessel which carries this digested food to the liver. Suggest why it is useful for the digested food to be taken to the liver before it ge on to other parts of the body.	[1] [2] s to [1] oes

www.papacambridge.com 5 (d) Glucose is carried to all parts of the body in the blood. (i) Describe how body cells can obtain energy from glucose when they are w supplied with oxygen. [3] (ii) Describe how body cells can obtain energy from glucose when they are short of oxygen. ..... [2] ..... (iii) With reference to the effect of cigarette smoke on the body, suggest why the muscles of a smoker are unlikely to be able to work as hard as the muscles of a non-smoker. ..... [2] .....

For Examiner's Use
 Fig. 3.1 shows apparatus which can be used to investigate what happens when chloride solution is electrolysed.



Fig. 3.1

+

(a) Complete the labelling of the diagram using words from the following list.

		anode	cathode	current	electrolyte	ion	~1
						Ľ	2]
(b)	(i)	An atom of hydr	ogen has a nucleo	on number of 1.			
		State the type present in the new	of particle not pr ucleus of atoms of	esent in the nucl fall other element	eus of this atom, t s.	out which	is
						[	1]
	(ii)	One atom of hyd	drogen joins with o	one atom of chlori	ne to form a molecul	le.	

Draw a diagram of this molecule showing how the outer electrons in each atom are arranged.

www.papaCambridge.com (c) Chlorine is used to make the unsaturated organic compound chloroethene. The displayed formula of chloroethene is shown below.



(i) Describe briefly a chemical test to show that this molecule is unsaturated.

[2] ..... Chloroethene is converted into poly(chloroethene) which is a thermoplastic material made of polymer molecules.

(ii) Complete the displayed formula of a short section of a poly(chloroethene) molecule.

[1]

(iii) Bakelite is an example of a thermoset material.

Describe and explain briefly the main difference in behaviour between bakelite and poly(chloroethene) when these materials are heated.

..... [3]

www.papaCambridge.com (a) Fig. 4.1 shows an astronaut. He is wearing a space suit designed to protect h 4 from electromagnetic radiation from the Sun.



Fig. 4.1

Explain how electromagnetic radiation can harm the human body.

[2]

(b) Four astronauts are standing on four different planets. One of these planets is Earth, which has a gravitational field strength of 10N/kg.

Table 4.2 shows the mass and weight of each astronaut as they stand on the four planets.

Table 4.2			
astronaut	mass/kg	weight / N	
Α	70	140	
В	60	600	
С	50	1000	
D	80	160	

(i) Which astronaut is on Earth? Explain your answer.

..... [1] (ii) Which two astronauts are standing on planets with the same gravitational field strength? [1] ..... (iii) Which astronaut would weigh the least on Earth? Explain your answer. [1] .....

		NYYY
		9
(c)	(i)	Astronauts on the Moon are unable to talk directly to each other, but make radio signals as the Moon has no atmosphere.
		Explain why sound waves need a medium such as air to travel through.
		[2]
	(ii)	If an explosion occurred beneath the surface of the Moon, an astronaut would be able to sense this, although he would not hear any sound.
		Explain how the astronaut would be able to sense this explosion.
		[1]
(d)	A ra The	adio signal sent from Earth to an astronaut on the Moon travels 400 000 kilometres. speed of radio waves is 300 000 km/s.
	(i)	Calculate how long it will take the radio signal to travel from Earth to the astronaut on the Moon.
		Show your working and state the formula that you use.
		formula used
		working
		[2]
	(ii)	If the wavelength of the radio waves used is 2 m, calculate the frequency of the radio waves.
		Show your working and state the formula that you use.
		formula used
		working
		[5]
		[0]

- 5 Sheep, like most mammals, have skin covered by hair. The hair of sheep is called we
- www.papacambridge.com (a) For thousands of years, people have kept sheep to provide wool. Wool is made of protein, keratin, which forms fibres. These fibres have natural elasticity, which makes wool an excellent material for weaving cloth.

Fig. 5.1 shows how the length of wool fibres from a Merino sheep changes as force is applied to them.





(i) Describe the relationship between the force applied and the increase in the length of the wool fibres up to a force of 60 N.

[2]

(ii) What happens to the wool fibres as forces above 60 N are applied?

[1]

(b) Wool helps sheep to maintain their body temperature in cold conditions. With reto methods of heat transfer, suggest how wool reduces heat loss from a sheep's to the air.



(c) The wool from different Merino sheep varies in the diameter of its fibres. An investigation was carried out in Australia to find out whether this variation is caused mainly by the environment, mainly by genes or by both of these factors.

Two groups of sheep were used. Group A came from a family in which the wool was especially fine (thin). Group **B** came from a family in which the wool was especially thick. Ten sheep from each flock were kept for eighteen months in a hot, dry area. Another ten sheep from each flock were kept for the same length of time in a cooler, wetter area.

After eighteen months, 100 wool fibres were collected from each of the forty sheep and the fibre diameters were measured. The mean diameter of fibres from each group was calculated. The results are shown in Table 5.2.

		Table 5.2		
	hot, dry area		cool, w	et area
	group <b>A</b>	group <b>B</b>	group <b>A</b>	group <b>B</b>
mean diameter of wool fibres / micrometres	18.55	20.72	16.82	19.06

Tabla 5 2

(i) State one variable which should have been controlled in this investigation, and explain why it was necessary to keep this variable constant.

..... 

(ii) Explain how the results in Table 5.2 support the suggestion that the thickness of the wool fibres is affected by a sheep's genes.

..... ......[1]



- Water, H<sub>2</sub>O, and hydrogen peroxide, H<sub>2</sub>O<sub>2</sub>, are colourless, transparent liquids. 6
  - (a) Hydrogen peroxide slowly decomposes according to the equation

hydrogen peroxide water + oxygen

www.papaCambridge.com Manganese dioxide is an insoluble compound which catalyses this reaction. A student adds 1.0 g of manganese dioxide to an aqueous solution of hydrogen peroxide.



(i) Predict the mass of manganese dioxide that is left in the test-tube when all the hydrogen peroxide has decomposed. Explain your answer.

[2] .....

(ii) Write a balanced equation for the decomposition of hydrogen peroxide.

[2] .....

(b) Water that contains permanent hardness cannot be softened by boiling.

www.papacambridge.com Describe briefly how the process of ion-exchange removes permanent hardness frow water. You may draw a diagram if it helps you to answer this question.

..... ..... [3] (c) The amount of hardness in water can be measured by shaking a known volume water with soap solution until a permanent lather is formed.

www.papaCambridge.com A student carried out a series of experiments to investigate hardness in three samples of water, A, B and C. His results are shown in Table 6.1.

sample	volume of soap solution required for lather / cm <sup>3</sup>		
	before boiling	after boiling	
Α	0.5	0.5	
В	13.5	0.5	
C	8.5	3.5	

## Table 6.1

(i) State and explain which sample, A, B or C, was the hardest before boiling.

[2] (ii) Explain the two results for water sample C. [2]

7 (a) A student investigated the relationship between the potential difference across and the current passing through it.



(i) Using data from Fig. 7.1 calculate the resistance of the lamp when the current passing through it was 0.4 A.

Show your working and state the formula that you use.

formula used

working

[3] .....

		man
		17
	(ii)	From Fig. 7.1, the student concluded that the relationship did not correspondence of the land of the relationship between current and potential difference for the land did not correspond to Ohm's law.
		[2]
	(iii)	On Fig. 7.1, draw the line for the results you would expect if a 5 $\Omega$ resistor, which did obey Ohm's law, was used instead of the lamp. [2]
(b)	Wh eleo Exp	en a poly(ethene) rod is rubbed with a cloth, the rod acquires a negative ctrostatic charge. During this process, a very small electric current flows. Iain what is happening.
		[4]



(d) A gardener grows bean plants. She enjoys their brightly coloured flowers and h the beans to eat.

www.papaCambridge.com She is worried that there are too many aphids (greenfly) on the bean plants in her garden. She sprays some of the bean plants with a pesticide to kill the aphids.

She is surprised to find that she actually gets fewer beans from the plants sprayed with pesticide than from the unsprayed plants.

(i) Suggest why spraying with pesticides might reduce the crop of beans that she harvests.

[2] .....

(ii) Suggest and explain one other way by which she could try to control the aphids, without affecting the number of beans she gets from the bean plants.

 [2]

Mixtures of raw materials used to make three types of coloured glass are shown below 9

		44
	20	W.L
es of raw materials used to	make three types of colou	red glass are shown belo
blue glass	violet glass	green glass
white sand	white sand	white sand
potassium carbonate	sodium carbonate	sodium carbonate
borax	potassium nitrate	potassium nitrate
lead oxide	calcium carbonate	calcium carbonate
cobalt oxide	manganese dioxide	iron oxide
	iron oxide	copper oxide

(a) Suggest how the mixture of raw materials required for colourless glass would differ from that shown above for violet glass. Explain your answer.

..... ..... [3] .....

- (b) Iron oxide is an ionic compound having the formula  $Fe_2O_3$ .
  - (i) The formula of an oxide ion is  $O^{2-}$ . Draw a diagram of an oxide ion showing how all of the electrons are arranged.

(ii) Explain, in terms of electronic structure, why oxide ions are less reactive than oxygen atoms.

[2] .....

[1]



[2] .....

(c) A chemist is investigating a mixture of substances to make an improved type of glass. She wants the finished glass sample to contain 14.0 g of calcium oxide. She plans to add calcium carbonate to the mixture before it is melted. Calcium carbonate undergoes thermal decomposition according to the equation

 $CaCO_3 \longrightarrow CaO + CO_2$ 

Calculate the minimum number of moles of calcium carbonate which the chemist should add to the mixture in order to ensure that the final glass contains 14.0 g of calcium oxide.

Show your working.

[3]



**BLANK PAGE** 



**BLANK PAGE** 

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department

DATA SHEET The Periodic Table of the Elements

Lu Lutetium Helium 4 Krypton **K** 92 Neon 20 **Ar** 40 131 Xenon Radon **Yterbium** Fluorine 35.5 **C1** Chlorine Bromine 80 Atatine I  $\equiv$ Mendelevium 101 Selenium Polonium **Te** Tellurium Thulium 16 Oxygen Sulphur **Tm**  $\geq$ α Fermium 100 Phosphorus Sb Antimony **Bi**smuth 14 Nitrogen **AS** Arsenic Erbium **Б** >ŝ Einsteinium Germanium Holmium °2 B Carbon C 12 28 Silicon **S** 119 Pb  $\geq$ Dysprosium **Cf** Californium Aluminium **T1** Gallium Callium Indium Boron 13  $\equiv$ **BK** Berkelium **Cd** Cadmium **Hg** Mercury **Tb** Terbium Zinc Gadolinium Curium Curium Copper Ag **Gd** Au Gold **Am** Americium **Eu** Europium Pd Platinum Nickel Group Putonium 94 Samarium 59 Cobalt Rhodium **Sm** Ir Iridium \$ Neptunium 93 Promethium Hydrogen **Ru**thenium Osmium Рп F**e** Technetium Neodymium Manganese Rhenium Uranium Mn ± **b** Praseodymium 59 Protactinium **Cr** Chromium Molybdenum **V** Tungsten Pa **P**<sup>14</sup> Vanadium **N**iobium **Ta** Tantalum Cerium Thorium **Th** < 21 b = proton (atomic) number Zr Zirconium **Ti** Titanium Hafnium a = relative atomic mass X = atomic symbol Scandium Lanthanum **Actinium** 58-71 Lanthanoid series Yttrium Yttrium **La** 90-103 Actinoid series Mg Magnesium Strontium **Ra**dium Be Beryllium **Ca** Calcium **Ba** Barium = σ 🗙 Potassium Cs Caesium Lithium **Na** Sodium **Rb** Rubidium Francium Ľ e 🖌 Key 

The volume of one mole of any gas is 24 dm $^3$  at room temperature and pressure (r.t.p.).

The volume of and of any and is 24 dm<sup>3</sup> of t