

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions. A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [ ] at the end of each question or part \_ question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 20 printed pages.



(a) Fig. 1.1 is a side view of the thorax during breathing out and breathing in. The 1 and heart are not shown.



breathing out

breathing in



(i) Describe how each of the following have changed between breathing out and breathing in. the intercostal muscles ..... the diaphragm [2] (ii) Explain how the changes you have described help to draw air into the lungs. ..... ..... [3] ..... (b) As air is drawn into the lungs, it flows through the trachea and bronchi. These are lined with a tissue containing goblet cells and ciliated cells. Explain how this tissue helps to prevent infections in the lungs. [2] .....

		3 think parts	
(c)	Des	scribe the effects of smoking on	For
	(i)	the goblet cells and cilia,	bridge.c.
		[2]	10m
	(ii)	the alveoli in the lungs.	
		101	
		[2]	

) (i) Explain why atoms of different ele	ments have different masses
	[1]
(ii) Explain, in terms of electron configuration is unreactive.	guration, why the element with proton number 36
	[1]
(iii) In the modern Periodic Table the in order of their relative atomic ma	elements with proton numbers 18 and 19 are <b>not</b> asses.
Suggest a reason for this.	
	[1]
	[1]
(b) Magnesium reacts with dilute hydrochl	[1] oric acid according to the equation below.
( <b>b)</b> Magnesium reacts with dilute hydrochl Mg + 2HC <i>l</i> -	[1] Foric acid according to the equation below. $\longrightarrow MgCl_2 + H_2$
( <b>b)</b> Magnesium reacts with dilute hydrochl Mg + 2HC <i>l</i> - A student was asked to add 0.96 hydrochloric acid which had a concent	[1] Foric acid according to the equation below. $\longrightarrow MgCl_2 + H_2$ g of magnesium ribbon to 100 cm <sup>3</sup> of dilute ration of 0.5 mol/dm <sup>3</sup> .
<ul> <li>(b) Magnesium reacts with dilute hydrochl</li> <li>Mg + 2HC<i>l</i> -</li> <li>A student was asked to add 0.96 hydrochloric acid which had a concent</li> <li>(i) Calculate the number of moles of</li> </ul>	[1] Foric acid according to the equation below. $\longrightarrow MgCl_2 + H_2$ g of magnesium ribbon to 100 cm <sup>3</sup> of dilute ration of 0.5 mol/dm <sup>3</sup> . magnesium in 0.96 g.
<ul> <li>(b) Magnesium reacts with dilute hydrochl Mg + 2HC<i>l</i> -</li> <li>A student was asked to add 0.96 hydrochloric acid which had a concent</li> <li>(i) Calculate the number of moles of Show your working.</li> </ul>	[1] Noric acid according to the equation below. $\rightarrow MgCl_2 + H_2$ g of magnesium ribbon to 100 cm <sup>3</sup> of dilute ration of 0.5 mol/dm <sup>3</sup> . magnesium in 0.96 g.
<ul> <li>(b) Magnesium reacts with dilute hydrochl Mg + 2HCl -</li> <li>A student was asked to add 0.96 hydrochloric acid which had a concent</li> <li>(i) Calculate the number of moles of Show your working.</li> </ul>	[1] Noric acid according to the equation below. $\rightarrow MgCl_2 + H_2$ g of magnesium ribbon to 100 cm <sup>3</sup> of dilute ration of 0.5 mol/dm <sup>3</sup> . magnesium in 0.96 g.
<ul> <li>(b) Magnesium reacts with dilute hydrochl Mg + 2HCl -</li> <li>A student was asked to add 0.96 hydrochloric acid which had a concent</li> <li>(i) Calculate the number of moles of Show your working.</li> </ul>	[1] Foric acid according to the equation below. $\rightarrow MgCl_2 + H_2$ g of magnesium ribbon to 100 cm <sup>3</sup> of dilute ration of 0.5 mol/dm <sup>3</sup> . magnesium in 0.96 g.
<ul> <li>(b) Magnesium reacts with dilute hydrochl Mg + 2HCl -</li> <li>A student was asked to add 0.96 hydrochloric acid which had a concent</li> <li>(i) Calculate the number of moles of Show your working.</li> </ul>	[1] For ic acid according to the equation below. $\rightarrow MgCl_2 + H_2$ g of magnesium ribbon to 100 cm <sup>3</sup> of dilute ration of 0.5 mol/dm <sup>3</sup> . magnesium in 0.96 g. [1]
<ul> <li>(b) Magnesium reacts with dilute hydrochl Mg + 2HCl -</li> <li>A student was asked to add 0.96 hydrochloric acid which had a concent</li> <li>(i) Calculate the number of moles of Show your working.</li> <li>(ii) Calculate the number of moles of has a concentration of 0.5 mol/dm</li> </ul>	[1] loric acid according to the equation below. $\rightarrow MgCl_2 + H_2$ g of magnesium ribbon to 100 cm <sup>3</sup> of dilute ration of 0.5 mol/dm <sup>3</sup> . magnesium in 0.96 g. [1] f hydrochloric acid in 100 cm <sup>3</sup> of a solution which n <sup>3</sup> .

www.papacambridge.com (iii) Use the balanced equation for this reaction and your results from (i) and predict whether there is enough acid to react with all of the magnesium.

..... [2] .....

(c) Fluorine is a halogen produced by electrolysis of an electrolyte containing fluoride ions, F<sup>-</sup>.

There were many attempts to produce fluorine during the nineteenth century and several scientists were seriously harmed when they succeeded in making fluorine. They attempted to collect fluorine in containers made of gold or platinum and they kept the containers at a very low temperature.

(i) State and explain at which electrode, cathode or anode, fluorine is produced during electrolysis.

[2] (ii) Use your knowledge of the halogen group to suggest why fluorine caused harm to scientists who first produced it. (iii) Suggest why the scientists attempting to produce fluorine used gold or platinum containers at a very low temperature. ..... [2] .....



www.papacambridge.com (b) A pedestrian steps into the path of the moving car. Fig. 3.2 shows a graph of h speed of the car changes from the moment when the driver sees the pedestrian the car stops.

7





(i) After 1.2 s the car slows down.

Calculate the deceleration of the car.

State the formula that you use and show your working.

formula used

working

- [2] .....
- (ii) Calculate the total distance travelled by the car between the driver seeing the pedestrian and the car stopping.

Show your working.

[3] .....

- www.papaCambridge.com An experiment was carried out into the effect of different doses of X-rays on the spen produced by male fruit flies. Fig. 4.1 shows the results. percentage of sperms with mutations X-ray dosage/rads Fig. 4.1 (a) State what is meant by a *mutation*. [1]
  - (b) (i) Using Fig. 4.1, describe the effect of increasing the X-ray dosage on the percentage of mutated sperms.

[2]

(ii) Explain this effect.

[2]

www.papaCambridge.com 9 (c) Fruit flies have four pairs of chromosomes in their cells. Some of the mutations in the experiment above involved the loss of one chromosome If a fruit fly sperm that had lost one chromosome fertilised a normal egg, how many chromosomes would there be in the zygote? [1] ..... (d) Explain why a mutation that occurs in a gamete-forming cell is more likely to be harmful than one that occurs elsewhere in a fruit fly's body. \_\_\_\_\_ [2] ..... (e) Insects can be serious pests, for example by carrying disease or eating crops. Pesticides can be used to kill them, but many people are concerned about the harm that pesticides do and are trying other methods of controlling insect populations. One new method that is being tested is to expose a large number of male insects of a harmful species to X-rays and then release them into the wild. (i) Explain why people are concerned about the use of pesticides. ..... [2] ..... (ii) Suggest how the new method might reduce the population of the harmful insects. ..... [2] .....

- www.papaCambridge.com 10 (a) Glucose and starch are carbohydrates. 5 (i) The chemical formula of glucose is  $C_6H_{12}O_6$ . State the total number of atoms which are combined in one molecule of glucose. (ii) Explain why it is not possible to write a simple chemical formula for starch. [2] ..... (b) Fig. 5.1 shows an experiment which was set up to investigate the action of a partially permeable membrane. A tube made from a partially permeable membrane was filled with iodine solution and placed into a beaker containing a mixture of glucose, starch and water. mixture of glucose, iodine solution starch and water tube made from partially permeable membrane Fig. 5.1
  - (i) Explain the following observations which were made some time later.

The solution **inside** the tube gave a positive result with Benedict's solution.

The solution **outside** the tube became blue-black in colour. [4] (ii) Predict and explain whether the solution inside the tube became blue-b colour.

www.papaCambridge.com ..... .....

(c) Plastics are materials made mainly from polymer molecules. Fig. 5.2 shows part of a polymer molecule. Molecules of this polymer are formed by addition polymerisation of an unsaturated monomer.



## Fig. 5.2

(i) Draw the displayed formula of one of the monomer molecules which have joined to form this polymer.

[2]

(ii) Two different plastics, A and B, were heated. Plastic A melted easily but plastic B did not melt even when heated to a very high temperature.

Explain these observations. You may draw some simple diagrams to help your answer.

..... ..... [3] .....

**6** Fig. 6.1 shows a circuit containing four ammeters,  $A_1$ ,  $A_2$ ,  $A_3$  and  $A_4$ .



Fig. 6.1

Table 6.1 shows the readings on each ammeter.

Table	6.1
-------	-----

ammeter	reading on ammeter / amps
<b>A</b> <sub>1</sub>	
<b>A</b> <sub>2</sub>	0.2
<b>A</b> <sub>3</sub>	0.3
<b>A</b> <sub>4</sub>	0.5

(a) What is the reading on ammeter  $A_1$ ?

[1]

(b) Calculate the combined resistance of the two resistors in the circuit in Fig. 6.1.

State the formula that you use and show your working.

formula used

working

[3]

www.papacambridge.com

www.papaCambridge.com (c) Fig. 6.2 shows a magnet and coil of wire connected to a sensitive ammeter.



Fig. 6.2

(i) When the magnet is moved into the coil, the needle on the ammeter shows a deflection to the left.

Explain why a reading on the ammeter is produced.

..... [2]

(ii) Explain how this effect is used in a dynamo to produce an output voltage. You may use a diagram to help with your answer.

,	
	[4]
	[7]





www.papacambridge.com

Describe and explain how water from the soil is transported up to the leaves at the top of the tree.

		[3]

- 8 In many countries supplies of clean water for drinking are obtained from river water.
  - (a) State two processes that are used to convert river water into water which is safe humans to drink.
- www.PapaCambridge.com 1. ..... 2. [2]
  - (b) A sample of safe drinking water still contained dissolved calcium sulphate, CaSO<sub>4</sub>. which helped to make the water hard.
    - (i) State the formula of the particle present in this water which causes hardness.

[1] .....

(ii) A student carried out an experiment to find out if boiling would remove the hardness from this sample of water.

The results of his experiment are shown in Table 8.1.

le 8.1
le 8.1

water sample	volume of water tested / cm <sup>3</sup>	volume of soap solution needed for lather / cm <sup>3</sup>			
distilled water	25.0	0.2			
hard water control (unboiled)	25.0	8.0			
hard water boiled for 5 minutes	25.0	3.0			
hard water boiled for 10 minutes	25.0	3.0			

What conclusions could the student draw from these results?

[2] .....

- (c) Some types of salt used to flavour food are mixtures of sodium chloride and poly chloride. Sodium chloride and potassium chloride are both ionic compounds.
- www.papaCambridge.com (i) Potassium chloride can be formed by reacting potassium directly with chlorine. Fig. 8.1 shows the electron arrangements in a potassium atom and a chlorine atom.



Fig. 8.1

In the space below, draw diagrams similar to those in Fig. 8.1 which show the electron arrangements of the two particles when combined in potassium chloride.

[2]

(ii) Explain briefly why potassium chloride is a solid with a high melting point at room temperature.

..... [2] .....

		Mary Mary	
		18	
Ар	olice	car uses a siren and a blue light to alert people.	C.an
(a)	(i)	Explain why sound needs a medium, such as air, to travel through.	
			[2]
	(ii)	How will the sound of the siren change if the amplitude of the sound waves emitter is increased?	эd
			[1]
	(iii)	Suggest a suitable frequency for the sound emitted by the siren to alert people.	
		I	[1]
(b)	The the	police communicate using radio waves. Both blue light and radio waves are part electromagnetic spectrum.	of
	(i)	State <b>one</b> property which all electromagnetic waves have in common.	
			[1]
	(ii)	State <b>one</b> difference between blue light waves and radio waves.	
			[1]
	(iii)	The radio waves used have a frequency of 10 000 000 Hz and a wavelength 30 m.	of
		Calculate the speed of these waves.	
		State the formula that you use and show your working.	
		formula used	
		working	
		working	
		I	[2]

- (c) As the police car drives along the temperature of the air in the tyres increases.
  - (i) Use the ideas of the kinetic theory to explain why this will result in an increase tyre pressure.

www.papaCambridge.com ..... [2] 

(ii) The original temperature of the air in the tyres was 10 °C and the final temperature was 30°C.

Calculate the final pressure of the air in the tyres if the original pressure was  $200\ 000\ \text{N/m}^2$ .

State the formula that you use and show your working.

formula used

working

[3] .....

											2	20						mm	Dab																
		0	+ <b>H</b>	Helium 2	20	Ne	Neon 10	40	Ar Argon 18	84	Krypton 36	131 <b>Xe</b>	Xenon 54	Radon B6		175	Lutetium 71	Lr Lawrencium 103	3	ann	-														
		١١٨			19	L	Fluorine 9	35.5	Chlorine 17	80	Bromine 35	127 I	lodine 53	At Astatine 85		173 VL	Ytterbium 70	Nobelium 102			99e.	CON													
		١٨			16	0	Oxygen 8	32	Sulphur 16	62	Selenium 34	128 <b>Te</b>	Tellurium 52	Polonium 84		169	Thulium 69	Mendelevium 101				1													
		>	>															14	z	Nitrogen 7	5	Phosphorus 15	75	Assenic 33	122 <b>Sb</b>	Antimony 51	209 <b>Bi</b> Bismuth 83		167	Erbium 68	Fermium 100				
		$\geq$			12	ပ	Carbon 6	58	Silicon	73	Germanium 32	119 <b>Sn</b>	Tin 50	207 <b>Pb</b> Lead 82		165	Holmium 67	Einsteinium 99	(r.t.p.).																
		Ξ			11	۵	Boron 5	27	AL Aluminium 13	20	Gallium 31	115 <b>In</b>	Indium 49	204 <b>T 1</b> Thalium 81		162	Dysprosium 66	Californium 98	pressure																
ents										65	Zinc 30	112 Cd	Cadmium 48	201 <b>Hg</b> <sup>Mercury</sup> 80		159	Terbium 65	BK Berkelium 97	ature and																
T ne Elemo											64	Copper 29	108 <b>Ag</b>	Silver 47	197 <b>Au</b> Gold 79		157	Gadolinium 64	Curium Curium	n temper															
A SHEE <sup>-</sup> able of th	dno												28	Nickel 28	<sup>106</sup>	Palladium 46	195 <b>Pt</b> Platinum 78		152	Europium 63	Americium 95	m³ at roo													
DAT riodic Ta	Gr									59	Cobalt 27	103 <b>Rh</b>	Rhodium 45	192 Ir <sup>Iridium</sup>		150	Samarium 62	Putonium 94	as is 24 d																
The Pe			- <b>I</b>	Hydrogen 1						56	Fe Iron 26	101 <b>Ru</b>	Ruthenium 44	190 <b>OS</b> Osmium 76			Promethium 61	Neptunium 93	of any ga																
										55	Mn Manganese 25	Lc	Technetium 43	186 <b>Re</b> Rhenium 75		144	Neodymium 60	238 Uranium 92	one mole																
																			25	Chromium 24	% N	Molybdenum 42	184 <b>V</b> Tungsten 74		141	Praseodymium 59 Pratectinium 91	Pa Protactinium 91	olume of							
																	51	Vanadium 23	S <b>N</b>	Niobium 41	181 <b>Ta</b> <sup>Tantalum</sup> 73		140	Cerium 58	232 Thorium 90	The v									
										48	22 Titanium	<b>7</b> 9	Zirconium 40	178 Hf Hafnium 72		٦		nic mass Ibol nic) number																	
										45	Scandium 21	® ≻	Yttrium 39	139 Lanthanum 57 *	227 Actinium 89 ↑	l series	series	<ul><li>= relative ator</li><li>= atomic sym</li><li>= proton (aton</li></ul>																	
		=			6	Be	Beryllium 4	24	Magnesium 12	40	Calcium 20	<u>ه</u> ۳	Strontium 38	137 <b>Ba</b> Barium 56	226 <b>Rad</b> 88	anthanoid	Actinoid s	ت × ۳ ۲																	
		_			7	:	Lithium 3	23	Sodium 11	39	Potassium 19	<sup>85</sup> <b>Rb</b>	Rubidium 37	133 <b>CS</b> Caesium 55	<b>Fr</b> Francium 87	*58-71 Li	†90-103 .	۵ Key																	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of