

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions. A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use									
1									
2									
3									
4									
5									
6									
7									
8									
9									
Total									
	•								

This document consists of 24 printed pages.



www.papaCambridge.com 1 Fig. 1.1 shows a transverse section through a leaf. The contents of the cells are not



Fig. 1.1

(a) In the space below, make a large, labelled diagram of cell A, to show its structure and contents.

(b) State two functions of xylem tissue in a leaf. 1. 2. [2]

[3]

(c) A farmer grows spinach in a glasshouse.

He decided to use artificial lighting to increase the yield of the crop. He tried out for different wavelengths of light.

www.papaCambridge.com He measured the volume of carbon dioxide taken up per square metre of leaves per second. He also measured the mass of the spinach leaves that were produced.

Table 1.1 shows his results.

wavelength of light / nm	units of carbon dioxide taken up per m ² of leaf per second	mass of leaves produced / kg per m ²			
660	6.5	7.8			
670	8.3	8.2			
680	10.1	8.8			
690	9.1	8.3			

Table 1.1

(i) State two variables that should have been kept constant during this experiment. [2] (ii) Which wavelength of light gave the highest yield? [1] (iii) Explain why the pattern for the units of carbon dioxide taken up is similar to the pattern for the mass of leaves produced. (iv) Explain why plants are able to use some wavelengths of light more than other wavelengths. [2]

- Starch, cellulose and proteins are compounds found in plants. 2
- www.papaCambridge.com (a) (i) State the chemical symbols of the three elements which are combined together in starch.

4

.....

(ii) Plants contain proteins which are compounds containing nitrogen atoms. These atoms have been obtained from gaseous nitrogen in the air by nitrogen fixation.

Explain the meaning of the term nitrogen fixation.

..... [2]

(b) Ammonium sulphate is a fertiliser which is produced in a reaction between sulphuric acid and ammonia solution. The balanced equation for this reaction is shown below.

 $2 \text{ NH}_3 + \text{H}_2\text{SO}_4 \rightarrow (\text{NH}_4)_2\text{SO}_4$

In an attempt to produce a solution containing only ammonium sulphate, a student used the following method.

- 50.0 cm³ of a solution containing 2.0 mol/dm³ of ammonia were placed into a glass 1 beaker.
- 50.0 cm³ of a solution containing 2.0 mol/dm³ of sulphuric acid were added to the 2 ammonia solution.
- (i) Calculate the number of moles of ammonia which the student used. (There are 1000 cm^3 in 1 dm^3 .)

Show your working.

[2]

(ii) Explain whether or not the student had calculated the correct amount of sulphuric acid to use.

Show your working.

[3]



www.papaCambridge.com 3 The circuit in Fig. 3.1 was set up and the current measured by meters M₁, M₂, M₃, M₅.



Fig. 3.1

(a) (i) The readings on M_1 and M_2 are shown in Table 3.1. Complete the table for M_3 , M_4 and M₅.

τ.	le I	-	2	A
Та	bl	е	3.	1

M ₁ = 4A	
M ₂ = 1A	
M ₃ =	
M ₄ =	
M ₅ =	

(ii) Calculate the total resistance of the 2 Ω and 1 Ω resistors in series.

(iii) Calculate the total resistance between Y and Z.

State the formula that you use and show your working.

formula

working

[3]

.....

[1]

[1]



(c) A man walking on a non-conducting floor surface may become positively charged as shown in Fig. 3.2.





Explain in terms of charged particles how he acquired this charge.

[3]

www.papaCambridge.com A doctor may test a person's knee-jerk reflex, to check that the nervous system is 4 properly. When a sharp tap is given just below the kneecap, one of the thigh mus contracts so that the lower leg moves quickly upwards.

Fig. 4.1 shows some of the structures involved in the knee-jerk reflex.





(a) (i) Explain what is meant by a *reflex action*.

..... [2] (ii) Explain the value of reflex actions to an organism. [2]



- www.papaCambridge.com (ii) On Fig. 4.1, draw arrows on the two neurones to show the direction of the nerve impulses as they travel from the receptor to the effector.
- (c) The human skeleton is made of bone and cartilage. Cartilage covers the surfaces of the tibia and femur at the knee joint.
 - (i) Describe the function of cartilage at the knee joint.

difference helps them to carry out their different functions.

.....[2] (ii) State one difference in the properties of bone and cartilage, and explain how this

[2]

- 5 The bodywork of a car is usually made from steel.
 - (a) If part of the bodywork goes very rusty it is usually removed and replaced with plast filler, before being painted.

www.papaCambridge.com A car mechanic can use a magnet to find out if parts of the bodywork of a car have been filled with plastic filler.

He tests three areas of a car by placing a magnet near the surface as shown in Fig. 5.1.



Fig. 5.1

(i) Complete the table.

area	effect on a magnet
normal bodywork	
filled hole	
filled dent	weakly attracted

[1]

(ii) What assumption have you made about the properties of plastic filler?

[1] (iii) Would this method work if the bodywork was made of aluminium? Explain your answer. [1]

(iv) Suggest why the bodywork of some cars is made from aluminium rather than steel.

		124	
		11	
(b)	Afte 45°	er a car has been driven, the tyres are hot. The air in each tyre has a tempera C and the pressure of the air in the tyres is 2.5 N/m ² .	m
	Afte	r a while the temperature of the air in the tyres falls to 25°C.	
	(i)	What is the temperature of the air in the tyres in kelvins when the tyres are at 25° C?	t
]
	(ii)	Calculate the pressure of the air in the tyres at 25 °C, assuming that the volume of the tyre does not change.	F
		State the formula that you use and show your working.	
		formula	
		working	
		101	
	<i>.</i>	[3]	i
	(111)	Explain in terms of particles why the pressure of the air in the tyres increases when the temperature increases.	I
			_
		[2]]
(c)	(i)	The car has a mass of 1000 kg . It is travelling at 12 m/s when it collides with a wall.	
		Calculate the kinetic energy of the car before the collision.	
		State the formula that you use and show your working.	
		formula	
		working	
		[2]]





www.papaCambridge.com (b) A sample of the water flowing into the sea, as shown in Fig. 6.1, was take laboratory for testing.

A student observed a drop of water under a microscope.

Fig. 6.2 shows a labelled diagram of what he saw.



Fig. 6.2

Explain why the water sample looked cloudy and not transparent. You may wish to add some light rays to Fig. 6.2 to help you answer this question.

..... [2]

(c) The element bromine is extracted from concentrated solutions of bromine compounds.

The reaction between chlorine and sodium bromide solution produces bromine.

chlorine + sodium bromide → sodium chloride + bromine

(i) Explain why chlorine but **not** iodine reacts with sodium bromide.

[1]

www.papacambridge.com (ii) In the boxes below, draw diagrams of a chlorine atom and a bromide ion, s only the electrons in the outer shells.



(iii) Describe how the numbers of outer electrons of the particles you have drawn in (ii) change during the reaction of chlorine with sodium bromide.

[2]



..... [2]



(b)	(i)	17 Describe the sites of production and action of lipase in the human aline and action and action of lipase in the human aline and action and action of lipase in the human aline and action action and action	For iner's
	(ii)	[2] Outline the function of lipase.	SE.CON.
(c)	Enz othe	zymes are proteins. Name two kinds of proteins that are found in the human body, er than enzymes, and describe their roles.	
		[3]	

- 8 Heat energy is obtained when hydrocarbon fuels are burned. Natural gas, methane important hydrocarbon fuel. Natural gas is extracted from the Earth's crust.
 - (a) Methane is a fossil fuel formed from the remains of organisms.

www.PapaCambridge.com Describe briefly what has happened to the remains of these organisms that has resulted in the formation of methane.

[2] _____

(b) Biogas is an alternative source of methane made from biodegradable materials. Biogas may be obtained from waste materials stored in landfill sites and from controlled reactions in vessels called digesters. Some information about two sources of biogas is shown in Table 8.1.

	% of substances in	the biogas mixture			
	biogas from a digester	biogas from landfill			
methane	60 – 70	45 – 55			
carbon dioxide	30 – 40	30 – 40			
nitrogen	less than 1	5 – 15			
hydrogen sulphide	0.2	0.03			

Table 8.1

(i) Hydrogen sulphide is made of molecules in which two hydrogen atoms are bonded to one sulphur atom.

Complete the bonding diagram below to show

- the chemical symbols of the elements in a molecule of hydrogen sulphide,
- the arrangement of the outer electrons of each atom.



[2]

www.papacambridge.com 19 (ii) When biogas is burned, any hydrogen sulphide present is oxidised. The symbolic equation below for this reaction is incomplete. State how many molecules of oxygen are required to oxidise two molecules of hydrogen sulphide and explain your answer. $2H_2S$ + $O_2 \rightarrow 2H_2O + 2SO_2$ number of oxygen molecules explanation [2] (iii) Use the data in Table 8.1 and information in (ii) to suggest and explain one advantage and one disadvantage of burning biogas from a digester rather than from landfill. advantage disadvantage [3]

www.papacambridge.com (c) When liquid nitrogen evaporates, nitrogen molecules, N_2 , separate and form n_1 gas.



Explain, in terms of forces of attraction, why molecules of nitrogen rather than individual atoms of nitrogen separate from each other when liquid nitrogen evaporates.

 [2]

		the second	
		21	
(a)	Dol a fr	phins can communicate underwater by emitting pulses of sound waves whice equency of 40 000 Hz.	For iner's
	(i)	The speed of sound waves in water is 1500 m/s.	130
		Calculate the wavelength of these waves.	Com
		State the formula that you use and show your working.	
		formula	
		working	
		[2]
	(ii)	The speed of sound in air is 330 m/s.	
		Suggest in terms of particles why the speed of sound waves in water is so much greater than the speed of sound waves in air.	1

.....

[2]

9



Show your working.

[2]



												24							www.	A Dab												
		0	⁴ He	Helium 2	20	Ne	Neon 10	40	Argon 18	84	Krypton Sc	131	Xe	Xenon 54	Radon B6		175	Lu Lutetium 71	Lawrencium	SO SC STUDIE												
		VII			19	ш	Fluorine 9	35.5	Chlorine 17	80	Bromine Bromine	127	Ι	lodine 53	At Astatine 85		173	Yb Ytterbium 70	Nobelium	201 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CON											
		١٨			16	0	Oxygen 8	32	Sulphur 16	62	Selenium	128	Te	Tellurium 52	PO Polonium 84		169	Tm Thulium 69	Nd Mendelevium	101	12											
		>															14	z	Nitrogen 7	9 G	Phosphorus 15	75	AS Arsenic	122	Sb	Antimony 51	209 Bi Bismuth		167	Erbium 68	Fermium	100
		2			12	ပ	Carbon 6	28 	Silicon	73	Ge Germanium	119	Sn	50 Tin	207 Pb Lead 82		165	Holmium 67	Esinsteinium	⁹⁹ (r.t.p.).												
		II					11	ш	Boron 5	27	Auminium 13	20	Galium Galium	115	In	Indium 49	204 T 1 Thallium 81		162	Dysprosium 66	Cf Californium	pressure										
ents										65	Zinc Zinc	112	Cd	Cadmium 48	201 Hg ^{Mercury} 80		159	Tb Terbium 65	BK Berkelium	ature and												
r ne Eleme												64	Copper	108	Ag	Silver 47	197 Au Gold 79		157	Gd Gadolinium 64	Currium Currium	n tempera										
A SHEET ble of th	dno												59	Nickel Nickel	106	Pd	Palladium 46	195 Pt Platinum 78		152	Europium 63	Am Americium	ls₅ m³ at roor									
DAT/ iodic Ta	Gre											59	Cobait Cobait	103	Rh	Rhodium 45	192 Ir Iridium 77		150	Smarium 62	Plutonium	la4 as is 24 dr										
The Per			- T	Hydrogen 1						56	Fe Iron	101	Ru	Ruthenium 44	190 Os Osmium 76			Promethium 61	Neptunium	of any ga												
												55	Manganese	67	Tc	Technetium 43	186 Re Rhenium 75		144	Neodymium 60	238 Uranium	one mole										
															52	Chromium	96	Mo	Molybdenum 42	184 V Tungsten 74		141	Praseodymium 59	Pa Protactinium	olume of							
																			51	Vanadium	^{2,2}	qN	Niobium 41	181 Ta ^{Tantalum} 73		140	Cerium 58	232 Th orium	The v			
												48	Titanium	91	Zr	Zirconium 40	178 Hafnium 72		-		bol											
										45	Scandium Scandium	89	~	Yttrium 39	139 La Lanthanum 57 *	227 AC Actinium 89	- Corioo	eries	 relative aton atomic sym. 													
		=			6	Be	Beryllium 4	24	Magnesium 12	40	Calcium	88	S	Strontium 38	137 Ba Barium 56	226 Raa 88	bioncdtar	Actinoid s	× 3													
		_			7	:	Lithium 3	23	Sodium 11	39	Potassium	85	Rb	Rubidium 37	133 CS Caesium 55	Fr Francium 87	* 50 71 12	190-103 /	Key													

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of