

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Original Control

*	
7	
у.	
v	
9	
N	
)	
v	
N	
×	
,	

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

## **CO-ORDINATED SCIENCES**

0654/03

Paper 3 (Extended)

October/November 2008

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES

Answer all questions.

A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 25 printed pages and 3 blank pages.



oli provide ti For iner's

**1** Fig. 1.1 shows a blood capillary between alveoli in the lungs. The alveoli provide a exchange surface.





Fig. 1.1

(a)	Describe what happens in the red blood cells as they pass through the capillaries in the lungs.
	[2]
(b)	White blood cells are able to move out of blood capillaries through tiny gaps in their walls. Suggest the function of the white blood cell in the alveolus.
	[1]

		44	
		Describe how air is made to move into the lungs during inhalation.	
(c)	(i)	Describe how air is made to move into the lungs during inhalation.	Can
			Dride
			[3]
	(ii)	Suggest why there are elastic fibres around the alveoli.	
			[1]
d)		plain how the structures shown in Fig. 1.1 make the alveoli an efficient surface eous exchange.	for
	yas	eous exchange.	
			[3]
'e)	Des	scribe how gas exchange takes place in the leaf of a plant.	
,			
			[3]

2 (a) A student is given the apparatus shown in Fig. 2.1.



steel bar

magnet

plastic strip

connecting wire

Fig. 2.1

Describe as fully as you can, how the student would select from the apparatus provided, and use it to produce an electric current.

		[2]
 	 	[၁]

**(b)** Electric power is produced at power stations using generators.

A simple generator is shown in Fig. 2.2.




Fig. 2.2

(i) Explain why a current is induced in the coil when it rotates.

[1]

(ii)	Explain why the current is at a maximum when the coil is horizontal, an minimum when the coil is vertical.	For iner's	5
		[2]	2

www.PapaCambridge.com 3 A student investigates the reaction between magnesium and dilute acid Y. Fig. 3.1 shows the metal being added to the acid contained in a test-tube, and also same tube some time later.




Fig. 3.1

(a)	(i)	Name acid Y.
		[1]
	(ii)	Describe and explain <b>one</b> observation which the student would have made during the reaction.
		[2]
	(iii)	The student noticed that, within a short time, the piece of magnesium completely reacted.
		Predict and explain what would be observed if another small piece of magnesium were added to the solution in the tube shown on the right of Fig. 3.1.
		[2]

(b)	Explain why a metal such as magnesium is a good conductor of electricity. You draw a labelled diagram to help your explanation.	nor.
	[3]	

PLEASE TURN OVER FOR QUESTION 3(c)

Table 3.1

Magnesium alloys are widely us	<b>8</b> ed in making parts for air	craft and racing car eng	Can
Table 3.1 shows some incomple	ete data about one type of	f magnesium alloy.	13
	Table 3.1		
element	moles in 100 g of alloy	mass in 100 g of alloy /g	
magnesium			
zinc	0.055	3.575	
zirconium	0.011		

magnesium zinc				
		0.055	3.575	
zi	rconium	0.011		
(i)	Calculate the mass of zirco the Periodic Table.	onium in 100 g of the allo	by. Zirconium is in Period 5	of
	Show your working.			
				[2]
(ii)	Calculate the mass and he alloy.	nce the number of moles	of magnesium in 100 g of t	he
	Show your working.			

www.PapaCambridge.com In the 1930s, farmers growing sugar cane in tropical parts of Australia had problem insect pests, such as lacebugs, that ate the crop. Cane toads, *Bufo marinus*, introduced from central America to try to solve the problem. Cane toads kill and eat insec and other small animals.

Fig. 4.1 shows a cane toad.




Fig. 4.1

(a)	State <b>one</b> feature of a cane toad, visible in Fig. 4.1, which shows that it is an amphibian.
	[1
(b)	Name the genus to which cane toads belong.
	[1
(c)	Use the information above to write a food chain involving cane toads. For each organism, state whether it is a producer or a consumer.
	[2

www.PapaCambridge.com (d) The cane toads did help to control the insect population. However, they also att other small animals, including species of rare and endangered mammals. The toads have spread rapidly from the place to which they were introduced, into other areas of Australia. Cane toads have become a serious pest.

Biologists noticed that the cane toads that first arrived in a new area tended to have longer legs than the original cane toads that were introduced into Queensland. They thought that perhaps this happened because toads with longer legs could travel faster than other toads. They collected toads with different leg lengths, and measured the distance the toads travelled in 24 hours. The results are shown in Fig. 4.2.




Fig. 4.2

(1)	working.	tne	speea	at	wnich	а	toad	with	normai	ieg	iengtn	travelled.	Snow	your

(ii)	Suggest why it could be an advantage to a cane toad to move into a new are where there are no other cane toads present.	за
		 [1]

[2]

	The researchers suggested that cane toads might be evolving into toads longer legs. Using all the information provided, outline how this might happen.	
(iii)	The researchers suggested that cane toads might be evolving into toads longer legs. Using all the information provided, outline how this might happen.	Por iner's
		On
	[4]	

io. Fo	
~~	ner's
76	ilei s


5	(a)	Some countries use nuclear fission reactors to generate electricity.						
		(i)	What is meant by	y the term <i>nuclear fission</i> ?				
		(ii) State <b>one</b> advantage and <b>one</b> disadvantage of generating electricity using nuc reactors.						
		advantage						
			disadvantage					
					[2]			
<b>(b)</b> When nuclear fuel is used in a power station, ionising radiation is released. Table 5.1 shows some information about three types of ionising radiation.				ng radiation is released.				
				es of ionising radiation.				
	Table 5.1							
	radiation ionising power deflection by ele			deflection by electric field				
			alpha	very strong	small			
			beta	moderate	large			
			gamma	weak	none			
	(i) Explain how alpha, beta and gamma radiations can be separated from each otle by passing them across an electric field.							
					[4]			

	The state of the s		
	13	1	
(ii)	13 Explain why alpha radiation is the most ionising.	Cann	For iner's
		[1]	Se. COM
(iii)	Describe the effect of ionising radiation on living things.		
		 [1]	
(iv)	Why are radioactive sources stored in lead containers?		
		[1]	

**BLANK PAGE** 

www.PapaCambridge.com

Fig. 6.1 shows crude oil (petroleum) being extracted from sedimentary rock under the 6



(a) The oil shown in Fig. 6.1 is found only in rock layer **B** and not in layers **A** or **C**.

Suggest the property it to contain oil.	of rock <b>B</b> which is	different from ro	ocks <b>A</b> and <b>C</b> , and v	vhich allows
				[1]

(b) Crude oil is a mixture of different hydrocarbon molecules. A typical hydro molecule is shown in Fig. 6.2.




Fig. 6.2

Write the graphical (displayed) formula of the hydrocarbon shown in Fig. 6.2, and explain whether it is an alkane or an alkene.

.....

(c) Fig. 6.3 shows a simplified diagram of an important industrial process involving hydrocarbons.




Fig. 6.3

(i) Name the process shown in Fig. 6.3.

(ii) Suggest a process which could be used to separate the mixture of alkanes and alkenes.

(iii)	A research chemist is investigating two catalysts, <b>P</b> and <b>Q</b> , for use in the p shown in Fig. 6.3.
	Describe a simple chemical test for alkenes. Suggest how the chemist could use this test to discover which catalyst, ${\bf P}$ or ${\bf Q}$ , produces a mixture containing the larger amount of alkenes.
	[3]

For iner's

[2]

7 Fig. 7.1 shows the female reproductive system.




Fig. 7.1

(a)	Name the	structures	labelled A	A. B.	. C and D.

Α	

В .....

C

D \_\_\_\_\_

**(b)** Fig. 7.2 shows how the thickness of the uterus lining changes during the menstrual cycle.




Fig. 7.2

(i) Suggest the date on which menstruation began.

\_\_\_\_\_[1

	(ii)	Suggest the date on which ovulation (the release of an egg from an occurred.
		[1]
(c)		OS can be transmitted from one person to another during sexual intercourse. Explain v this transmission can take place.
		[2]
	•••••	[2]
(d)		mans, like all mammals, use internal fertilisation, whereas fish use external ilisation.
	(i)	Explain what is meant by external fertilisation.
		[2]
	(ii)	Explain why external fertilisation is used only by animals that reproduce in water.
		[1]
	(iii)	Mammals produce only a few eggs at a time, whereas fish produce thousands. Suggest why.
		[2]

For iner's

- 8 An airline passenger enters an airport.
  - (a) He buys some hot food at the restaurant and carries it away in a polystyrene contained Explain why a polystyrene container is used to keep food hot.

[1]

(b) He then moves up an escalator (moving staircase) as shown in Fig. 8.1.




Fig. 8.1

(i) The passenger weighs 900 N. Calculate the work done lifting the passenger a vertical distance of 6 m up the escalator.

State the formula that you use and show your working.

formula

working

[2]

(ii) State the potential energy the passenger has gained when he reaches the top of the escalator.

[1	11	
 -	-	

www.PapaCambridge.com

(c) The passenger places three pieces of luggage onto a conveyor belt as shiftig. 8.2.




	Fig. 8.2
Ead	ch piece of luggage has a different mass.
	mass of <b>A</b> = 12 kg
	mass of <b>B</b> = 15 kg
	mass of <b>C</b> = 22 kg
(i)	What is the momentum of the luggage before the conveyor belt starts to move?
	Explain your answer.
	[2]
(ii)	When the conveyor belt is switched on, the luggage moves at a constant speed of $0.5\mathrm{m/s}.$
	Which piece of luggage A, B or C has the most momentum?
	Explain your answer.
	[1]
iii)	At one point the conveyor belt turns left. The luggage on the belt continues to move at a constant speed.
	Does the momentum of the luggage change as it turns left on the conveyor belt?
	Explain your answer.
	[1]

		42	
		22	
d)	is s	dar uses microwaves with a frequency of about 10 000 MHz (10 <sup>10</sup> Hz). A showent from a transmitter, reflected by an aircraft and picked up by a receiver new transmitter.  Explain the meaning of the term frequency.	anb
	(i)	Explain the meaning of the term frequency.	
		[	1]
	(ii)	Microwaves travel at 300 000 000 m/s (3x10 <sup>8</sup> m/s). Calculate the wavelength of the microwaves.	
		State the formula that you use and show your working.	
		formula	
		working	
		[2	2]
	(iii)	Radio signals are electromagnetic waves. They can be either digital or analogue.	
		State the difference between these two terms.	
		['	1]

www.PapaCambridge.com (e) A large crane is being used to build a new terminal building at the airport. The Fig. 8.3 is balanced.




Fig. 8.3

(i)	Calculate the moment of the load about the supporting tower of the crane.
	State the formula that you use and show your working.

formula

working

***************************************	[2]
-----------------------------------------	-----

(ii) Calculate the distance of the crane's counterbalance from the crane's supporting tower.

Show your working.

Γ	വ	
	41	

9 Fig. 9.1 shows the apparatus and substances used by a student to make an electrical




Fig. 9.1

		[2]
	Explain your answer briefly.	
(a)	Suggest a compound which the student could dissolve in water to make the electrolyte	ie.

**(b)** The student knows that the electrode made from the more reactive metal is the negative electrode of the cell.

The student has three other electrodes made of unknown metals  $\mathbf{X}$ ,  $\mathbf{Y}$  and  $\mathbf{Z}$ . The results of experiments involving all five metals are shown in Table 9.1.

Table 9.1

experiment	negative electrode	positive electrode	cell voltage / volts	
1	zinc	copper	1.1	
2	x	copper	2.7	
3 Y		copper	1.5	
4	х	Z	3.2	

electrical For iner's

	May May 1
	25
(i)	Use the results shown in Table 9.1 to place the metals in order of reschool Copper has already been placed in position.  (most reactive)
	(most reactive)
	copper
	(least reactive) [2]
(ii)	State and explain briefly which one of the metals above has atoms which change into ions most easily.
	[2]
	pper is a transition metal which forms two oxides. The chemical formulae of these des are:
	Cu <sub>2</sub> O copper(I) oxide
	CuO copper(II) oxide
Th	e formula and electrical charge of an oxide ion is O <sup>2-</sup> .
	duce the difference between the copper ion in copper(I) oxide and that in copper(II) de. Show how you obtained your answer.
	[3]
	c can be obtained industrially by the electrolysis of concentrated zinc sulphate ution which contains zinc ions, $\mathrm{Zn}^{2^+}$ .
	scribe and explain what happens to zinc ions in the solution in order to convert them o zinc atoms.
	[3]

**BLANK PAGE** 

www.PapaCambridge.com

**BLANK PAGE** 

www.PapaCambridge.com

The Periodic Table of the Elements DATA SHEET

	0	4 <b>He</b> Helium	20 <b>Ne</b> Neon	40 <b>Ar</b> Argon	84 <b>Kry</b> Krypton 36	131 <b>Xe</b> Xenon	Radon 86		175 <b>Lu</b> Lutetium
	II/		19 Fluorine	35.5 <b>C1</b> Chlorine	80 <b>Br</b> Bromine 35	127 <b>I</b> lodine 53	At Astatine 85		173 <b>Yb</b> Ytterbium
	>		16 Oxygen 8	32 <b>S</b> Sulphur	79 <b>Se</b> Selenium 34	128 <b>Te</b> Tellurium	Po Polonium 84		169 <b>Tm</b>
	>		14 Nitrogen 7	31 Phosphorus 15	75 <b>AS</b> Arsenic 33	Sb Antimony 51	209 <b>Bi</b> Bismuth		167 <b>Er</b> Erbium
	<u> </u>		12 Carbon	Silicon	73 <b>Ge</b> Germanium	Sn Tin 50	207 <b>Pb</b> Lead		165 <b>Ho</b>
	≡		11 Boron 5	_	70 <b>Ga</b> Gallium 31		204 <b>T.1</b> Thallium		162 <b>Dy</b> Dysprosium
					65 <b>Zn</b> Zinc 30	Cd Cadmium 48	201 <b>Hg</b> Mercury 80		159 <b>Tb</b>
					64 Copper	108 <b>Ag</b> Silver 47	197 <b>Au</b> Gold		157 <b>Gd</b> Gadolinium
Group					59 Nickel	106 Pd Palladium 46	195 <b>Pt</b> Patinum 78		152 <b>Eu</b> Europium
Gre						103 <b>Rh</b> Rhodium 45	192 <b>Ir</b> Iridium		Samarium
		1 Hydrogen			56 <b>Fe</b> Iron	Ruthenium 44	190 <b>OS</b> Osmium 76		<b>Pm</b> Promethium
					Mn Manganese	Tc Technetium 43	186 <b>Re</b> Rhenium 75		144 <b>N</b> eodymium
					52 <b>Cr</b> Chromium 24	96 <b>Mo</b> Molybdenum 42	184 <b>W</b> Tungsten 74		141 <b>Pr</b> Praseodymium
					51 V Vanadium 23	93 <b>Nb</b> Niobium	181 <b>Ta</b> Tantalum 73		140 <b>Ce</b>
					48 <b>T</b> ttanium 22	91 <b>Zr</b> Zirconium 40	178 <b>#</b> Hafnium 72		
					Scandium	89 <b>×</b> Yttrium 39	139 <b>La</b> Lanthanum s	227 <b>Ac</b> Actinium 89	series eries
	=		Be Beryllium	24 Mg Magnesium	40 <b>Ca</b> Calcium	Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium 88	*58-71 Lanthanoid series 190-103 Actinoid series
	_		7 <b>L.i</b> Lithium	23 <b>Na</b> Sodium	39 <b>K</b> Potassium 19	85 <b>Rb</b> Rubidium 37	133 <b>Cs</b> Caesium 55	<b>Fr</b> Francium 87	*58-71 L <sub>6</sub>

noid series	140	141	144		150	152	157	159	162	165	167	169	173	175	
oid series	ပီ	ቯ		Pa E	Sm	Eu	gd Gd		۵		<u>й</u> (	E .	Υb	3	
Γ	58	59	Neodymium 60	Fromermum 61	Samarium 62	Europium 63	Gadolinium 64	eronum 65	Dysprosium 66		68	69	70	71	
a = relative atomic mass	232		238												
X = atomic symbol	드	Ра	<b>-</b>	Š	Pu	Am	S	쓢	ర	Es	FB	Md	2	ځ	22
b = proton (atomic) number	Thorium 90	Protactinium 91	Uranium 92	Neptunium 93	Plutonium 94	Americium 95	Curium 96	Berkelium 97	Californium 98	Einsteinium 99	Fermium 100	Mendelevium 101	Nobelium 102	Lawrencium 103	n.
	F	30000	3	00,000	7000	23	- 4			+ 1	-			\	Pox
	lue	The volume of one mole of any gas is 24 dm <sup>2</sup> at foom temperature and pressure (r.t.p.).	one mole	or any ga	1S IS 24 01	n° at roo.	m temper	ature and	pressure	(r.t.p.).				1	00
														10	1
														76	hon
												•	3	1	
												1	0.0	1	
												1	200		
													1		

Key

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.