UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

## www.papacambridge.com MARK SCHEME for the May/June 2009 question paper

## for the guidance of teachers

## 0654 CO-ORDINATED SCIENCES

0654/05

Paper 5 (Practical), maximum raw mark 45

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2		2	Mark Scheme: Teachers' version Syllabus	er		
	3-		IGCSE – May/June 2009 0654	No.		
(a)	rea	ge 2 Mark Scheme: Teachers' version Syllabus   IGCSE – May/June 2009 0654   readings reasonable (clearly in mm) and entered correctly in column for tissue A ; readings reasonable and entered correctly in column for tissue B ; value for 5 mins in A must not be greater than 80 mm   points plotted accurately for tissue A ; allow 1 error smooth curve drawn through points :				
(b)	sm poi	nooth c ints plo	otted accurately for tissue <b>A</b> ; allow 1 error curve drawn through points ; otted accurately for tissue <b>B</b> ; allow one error curve drawn through points ;	[4]		
(c)	(i)		tissue <b>C</b> ; est <b>rate</b> of production of oxygen ; OWTTE	[2]		
	(ii)		als liver has many chemical reactions/produce more hydrogen peroxide efore it is removed more rapidly/it is removed before poison build up ;	; [2]		
(d)	(i)	82 m	m ;			
	(ii)	8 mm	ι;	[2]		
(e)	hyo	droger	peroxide is running out/has been converted/concentration is falling ;	[1]		
(f)			ergent out of reaction tube (1) ; as in a measuring cylinder over water or syringe (1) ;	[2]		
				[Total: 15]		
(a),	(b)	(i) (ii)	Table			
1 <sup>st</sup> v	valu	e of <b>h</b>	nd <b>V ; h</b> clearly in mm is between 20–40mm ; n is between 100–140mm ;	[3]		
(c)	10	0 – <b>V</b> i	s correct; do not award if <b>V</b> is incorrect	[1]		
(d)		es corr ale ;	rectly labeled ;			
		-	allow one error ore use of origin	[4]		
(e)			v found ; allow if both figures are written down and correct valuation on candidate's figures ;	[2]		

Page 3		Mark Scheme: Teachers' version Syllabus IGCSE – May/June 2009 0654	WW. Papa
(f)		rectly evaluated to at least 1 dp but no more than 2 dp ; suracy on $V_w$ corrected if necessary ; value between 20–23	MM. PapaCambridge.con
(g)	win	d string around tube & measure ; ding several times ; umference to diameter ;	[3]
			[Total: 15]
(a)	red	, brown or similar ; allow black if recognizes some brown particles	[1]
(b)	(i)	black residue ; if <b>(a)</b> is black then allow black or no change	[1]
	(ii)	dissolves ; green solution ; turns blue ;	[3]
(c)	(i)	red brown ; filtrate is blue ;	[2]
	(ii)	khaki colour (colour similar to khaki) accept yellow/green etc ; white or grey ppt. ; milky is allowed	[2]
	(iii)	brown/black solid ; colour fades to colourless or lighter blue, allow 'fizzing' ;	[2]
(d)	diss	wn fumes or notes brown solid ; solves ; e solution ;	[3]
(e)	сор	per (do not allow $2^+$ oxidation state) do not allow any copper compound ;	[1]
			[Total: 15]