## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

**International General Certificate of Secondary Education** 

## MARK SCHEME for the May/June 2009 question paper for the guidance of teachers

## 0653/0654 COMBINED SCIENCE

0653/06 and 0654/06 Paper 6 (Alternative to Practical), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

www.PapaCambridge.com

Page 2	Mark Scheme: Teachers' version	Syllabus	A er
	IGCSE – May/June 2009	0653/0654	OD.

1 EITHER table containing three columns with two correct headings, and 3 rows with correct headings

(2)

OR table containing two columns with correct headings, and three rows 3 features compared in three different rows

(1)

allusion to the function in pollination of at least one feature marked \*

(3) (1) [max 6

example of a correct table.

2

feature	wind-pollinated flower	insect-pollinated flower
Petals <b>or</b> (bracts)	(small) bracts	(large) (*attractive) petals
anthers	outside bracts/long (*in wind)	inside petals/short (*to brush against insects)
stigma	large/feathery (*to catch wind-borne pollen)	small (*insects may brush against it)

[Total: 6] (a)  $75, 86, 94 \text{ cm}^3 (+/- 1 \text{ cm}^3)$ [3] (b) (i) fewer bubbles, less effervescence OWTTE data incorrectly mentioned here may be brought forward to part (ii) [1] (ii) EITHER use of the data to show smaller volumes (1) in equal time intervals (1) [2] OR graph drawn (to shown change in rate) (2) (c) D [1] (d) (i) Insert a lighted splint or flame (no mark for glowing splint) (1) "pop" or gas burns (1) [2] (ii) hydrogen + oxygen → water (or steam)

mark may be awarded for a correct symbol equation

[Total: 10]

[1]

			32
P	age 3		llabus 33/0654
(a)	<b>)</b> 3, 18, 4	2 cm (no tolerance)	ocannor.
(b)	points	one of the axes correctly labelled and suitable scale choser correctly plotted +/- one small square (allow one error) curve drawn (0,0 may be omitted)	11abus 27 370654 er 370654
(c)	ind OR use	R gradient/slope/steepness of the graph creases of the data to show greater distance moved equal time intervals	(1) (1) (1) (1) [2]
(d)	) (i) El	THER acceleration will be less/trolley will move more slowly the distance moved in equal time intervals will be smaller	(1)
	(ii) El	THER the acceleration will be greater/trolley will move faster the distance moved in equal time intervals will be greater	(1) [1] (1) (1)
		i) distance moved is less and (ii) distance moved is greater, ard 1 mark only for both (i) and (ii)	[1]
			[Total: 10]
(a)	) tissue tissue		(1) (1) [2]
<b>(b</b> )	correct drawin correct drawin	one axis labelled and correct scale plotting of points for <b>A</b> (allow one error) +/- one small squar g and labeling of curve <b>A</b> (not straight lines) plotting points for <b>B</b> (allow one error) +/- one small square g and labeling of curve <b>B</b> (not straight lines) se by 1 mark only if labels are missing)	e (1) e (1) (1) (1) (1)

(e) leave detergent out of reaction tube (1) collect gas in a measuring cylinder over water or syringe (1) (1)

fastest rate of production of oxygen/greater height of foam/steeper slope

/most oxygen produced in equal time intervals;

(d) 82 mm or as candidate's graph;

8 mm or as candidate's graph;

(reject "reaction is slowing down")

showing graduation OR as shown in diagram

(the apparatus must work for award of any mark)

hydrogen peroxide concentration is decreasing/has been converted

(c) liver/tissue B;

[Total: 14]

[max 2]

(1)

(1)

(1)

(1)

(1)

[2]

[3]

	Page 4	Mark Scheme: Teachers' version	Syllabus
		IGCSE – May/June 2009	0653/0654
5	5 (a) (i) blue (any indication)		Call

			00	
5	(a) (i)	blue (any indication)	Cal	76.
	(ii)	filter funnel and filter paper clearly shown	(1) (1)	TOS
	(iii)	Cu <sub>2</sub> O		[1]
	<b>(b)</b> cor	nducts electricity		[1]
	res	t; add starch solution ult; turns blue/black (either or both) purple vapour seen on heating (1 mark only)	(1) (1)	[2]
	(d) mixture becomes warm/temperature increases blue colour disappears/becomes colourless red/brown/pink/copper-coloured solid (precipitate) seen		(1) (1) (1)	[3]
			[Total	: 10]
6	(a) (i)	49, 68 +/- 1 mm		[2]
	(ii)	79, 72 (no tolerance)		[2]
	(iii)	21, 28 (e.c.f) (both correct)		[1]
		nts correctly plotted (allow one error) +/- 1 cm <sup>3</sup> / 1 mm aight line drawn (ignore error if not passing through (0,0))	(1) (1)	[2]
	(c) (i)	correct lines or marks shown on graph about 31 cm <sup>3</sup> (answer from candidate's graph)	(1) (1)	[2]
	(ii)	about 24 mm (e.c.f)		[1]

[Total: 10]