

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions. A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use					
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
Total					

This document consists of 25 printed pages and 3 blank pages.



www.papacambridge.com (a) Fig. 1.1 shows apparatus used in the electrolysis of copper chloride solution. 1



Fig. 1.1

(i) Describe what is observed at the cathode.

[1]

(ii) Chloride ions have a single negative electrical charge, Cl^{-} .

For every copper ion in the solution, two chloride ions are present.

Deduce the electrical charge of a copper ion.

Show how you obtained your answer.

[2]

www.papaCambridge.com (iii) Fig. 1.2 shows diagrams of two particles L and M. Each of these particle 17 protons in their nucleus. Only the outer shell of each particle is shown.



Fig. 1.2

State and explain which one of these particles, L or M, would move towards the anode during electrolysis.

particle -----[2]

(iv) The bubbles of gas which rise from the anode contain diatomic molecules of chlorine.

Complete the bonding diagram below to show how the outer electrons are arranged in a chlorine molecule.



[2]

www.papaCambridge.com (b) The apparatus shown in Fig. 1.3 can be used to investigate the reaction betwee oxide, PbO, and carbon.



Fig. 1.3

When the mixture is heated, a redox reaction occurs in which lead oxide is reduced.

The drop of limewater suspended on the glass rod turns cloudy.

- (i) Name the gas which is produced in this redox reaction.
- [1] (ii) Suggest the balanced symbolic equation for the redox reaction between lead oxide and carbon. (iii) A student suggested carrying out a similar redox reaction to that shown in Fig. 1.3, using potassium oxide instead of lead oxide. Potassium is an alkali metal in Group 1 of the Periodic Table. Predict and explain whether or not there would be a redox reaction between potassium oxide and carbon. [2]



BLANK PAGE

Please turn over for Question 2.

2 (a) Fig. 2.1 shows an electric circuit.





Complete Table 2.1 to show the reading on each ammeter.

Та	ble	2 9	.1
ıа	DIG	-	

ammeter	current/amps
A ₁	0.7
A ₂	
A ₃	
A ₄	0.3

(b) Fig. 2.2 shows how the current in a circuit varies with voltage.



(i) Is Ohm's Law obeyed in this circuit?

Explain your answer.

[1]

6

www.papacambridge.com

[2]



www.papaCambridge.com 3 A healthy plant growing in a pot was watered and placed in a sunny window. A trans plastic bag was placed over the plant, as shown in Fig. 3.1.



Fig. 3.1

(a) The temperature near the window fell overnight. The next morning, small droplets of water were visible on the inside of the plastic bag.

Explain why the droplets of water appeared on the inside of the plastic bag.

..... [4]

www.papacambridge.com (b) The plastic bag was then removed from the plant. The next day was warm and and by the end of the day the plant had wilted. Fig. 3.2 shows the wilted plant.



Fig. 3.2

(i) Explain why the plant wilted. [2] (ii) Explain why the main stem of the plant remained upright, even when the rest of the plant wilted. [1]

(iii) Fig. 3.3 shows a cell from the plant leaf before it wilted.



Fig. 3.3

In the space below, draw the same cell to show its appearance after the plant had wilted.

www.papacambridge.com



BLANK PAGE

Please turn over for Question 4.

ultrasound ultraviolet visible light State one wave from the list that is [1] (i) a longitudinal wave,	ga	ımma	infra-red	microwav	re sound	
State one wave from the list that is (i) a longitudinal wave,[1] (ii) emitted by hot objects but cannot be seen by the human eye,[1] (iii) the transverse wave with the highest frequency[1] (b) A sound wave has a frequency of 50 000 Hz. (i) Explain the meaning of the term <i>frequency</i> [1] (ii) Explain whether a person would be able to hear this sound[1] (iii) Sound waves travel through the air at 330 m/s. Calculate the wavelength of the sound wave. State the formula that you use and show your working. formula used working		ultrasound	ultrav	iolet	visible light	
(i) a longitudinal wave,	Sta	ate one wave from t	he list that is			
 (ii) emitted by hot objects but cannot be seen by the human eye, [1] (iii) the transverse wave with the highest frequency. [1] (b) A sound wave has a frequency of 50 000 Hz. (i) Explain the meaning of the term <i>frequency</i>. [1] (ii) Explain whether a person would be able to hear this sound. [1] (iii) Sound waves travel through the air at 330 m/s. Calculate the wavelength of the sound wave. State the formula that you use and show your working. formula used working 	(i)	a longitudinal wav	/e,			[1]
[1] (iii) the transverse wave with the highest frequency. [1] (b) A sound wave has a frequency of 50 000 Hz. (i) Explain the meaning of the term frequency. [1] (ii) Explain whether a person would be able to hear this sound. [1] (iii) Explain whether a person would be able to hear this sound. [1] (iii) Sound waves travel through the air at 330 m/s. Calculate the wavelength of the sound wave. State the formula that you use and show your working. formula used working	(ii)	emitted by hot obj	ects but cannot be s	een by the huma	in eye,	
 (iii) the transverse wave with the highest frequency. [1] (b) A sound wave has a frequency of 50 000 Hz. (i) Explain the meaning of the term <i>frequency</i>. [1] (ii) Explain whether a person would be able to hear this sound. [1] (iii) Explain whether a person would be able to hear this sound. [1] (iii) Sound waves travel through the air at 330 m/s. Calculate the wavelength of the sound wave. State the formula that you use and show your working. formula used working 						[1]
 (b) A sound wave has a frequency of 50 000 Hz. (i) Explain the meaning of the term <i>frequency</i>. [1] (ii) Explain whether a person would be able to hear this sound. [1] (iii) Explain whether a person would be able to hear this sound. [1] (iii) Sound waves travel through the air at 330 m/s. Calculate the wavelength of the sound wave. State the formula that you use and show your working. formula used working 	(111)	the transverse wa	ve with the highest f	requency.		[4]
 (b) A sound wave has a frequency of 50 000 Hz. (i) Explain the meaning of the term <i>frequency</i>. [1] (ii) Explain whether a person would be able to hear this sound. [1] (iii) Explain whether a person would be able to hear this sound. [1] (iii) Sound waves travel through the air at 330 m/s. Calculate the wavelength of the sound wave. State the formula that you use and show your working. formula used working 						[1]
 (i) Explain the meaning of the term <i>frequency</i>. [1] (ii) Explain whether a person would be able to hear this sound. [1] (iii) Sound waves travel through the air at 330 m/s. Calculate the wavelength of the sound wave. State the formula that you use and show your working. formula used working 	(b) A s	sound wave has a fr	requency of 50000 H	z.		
 [1] (ii) Explain whether a person would be able to hear this sound. [1] (iii) Sound waves travel through the air at 330 m/s. Calculate the wavelength of the sound wave. State the formula that you use and show your working. formula used working 	(i)	Explain the meani	ing of the term <i>frequ</i>	ency.		
 [1] (ii) Explain whether a person would be able to hear this sound. [1] (iii) Sound waves travel through the air at 330 m/s. Calculate the wavelength of the sound wave. State the formula that you use and show your working. formula used working 						
 (ii) Explain whether a person would be able to hear this sound. [1] (iii) Sound waves travel through the air at 330 m/s. Calculate the wavelength of the sound wave. State the formula that you use and show your working. formula used working 						[1]
[1] (iii) Sound waves travel through the air at 330 m/s. Calculate the wavelength of the sound wave. State the formula that you use and show your working. formula used working	(ii)	Explain whether a	person would be at	ble to hear this so	ound.	
 (iii) Sound waves travel through the air at 330 m/s. Calculate the wavelength of the sound wave. State the formula that you use and show your working. formula used working 						
 (iii) Sound waves travel through the air at 350 m/s. Calculate the wavelength of the sound wave. State the formula that you use and show your working. formula used working 	()	Sound wayoo trav	val through the air at	220 m/s		נין
State the formula that you use and show your working. formula used working	(11)	Calculate the way	elength of the sound	330 m/s.		
formula used		State the formula	that you use and sh	ow vour working.		
working		formula used		en jeur nonang.		
working						
		working				
						101
						[3]

www.papaCambridge.com 13 5 In many countries, river water is collected and treated to make it safe for humans to (a) Explain which one of the treatments shown below might not remove all the harm bacteria from water which is to be used for drinking. chlorination distillation filtration treatment [1] (b) Sometimes large numbers of tiny pieces of insoluble solid material become dispersed in river water, forming a colloid. Fig. 5.1 shows a simplified diagram of a colloid. dispersed solid water particles Fig. 5.1 Explain in terms of light rays, why colloids are **not** transparent. You may draw some light rays on Fig. 5.1 to help you to answer this question. [2]

www.PapaCambridge.com (c) A chemist wanted to find the concentration in mol/dm³ of sulfuric acid in a sale acidic lake water.

Fig. 5.2 shows the apparatus and materials that he used.



Fig. 5.2

The chemist slowly added 0.05 mol/dm³ sodium hydroxide solution to 1.0 dm³ of acidic lake water contained in a beaker until the acid had just been neutralised.

The chemist found that it required 12.5 cm³ of 0.05 mol/dm³ sodium hydroxide solution to neutralise the acid.

(i) State the number of moles of sodium hydroxide which are dissolved in 1.0 dm³ of the sodium hydroxide solution.

> [1]

(ii) Calculate the number of moles of sodium hydroxide which are dissolved in 12.5 cm³ of the sodium hydroxide solution.

Show your working.

[2]



 $H_2SO_4 \rightarrow Na_2SO_4 + 2H_2O$ 2NaOH +

www.papacambridge.com Calculate the number of moles of sulfuric acid which were contained in 1.0 dm³ of acidic lake water.

Show your working.

[2]



[2]

(c) The mass of the car is 800 kg.

www.papacambridge.com Calculate the kinetic energy of the car when travelling at its maximum speed on the journey.

State the formula that you use and show your working.

formula used

working

[3]

(d) When the speed of a car doubles, its momentum also doubles but its kinetic energy is four times greater.

Explain why.

..... [2]

			18 WWW. Day	
7	(a)	Ma dist 1 2	ammals are vertebrates. State two characteristic visible features of mamma stinguish them from all other classes of vertebrates. [2]	For iner's
	(b)	Ma Des	ammals are able to maintain a constant internal body temperature. Escribe how vasodilation helps to cool the body when it gets too hot.	
			[3]	
	(c)	The Hor rem (i)	e maintenance of a constant internal body temperature is part of homeostasis. Immeostasis also includes the regulation of blood glucose concentration and the noval of toxic waste products, such as urea, from the body. Describe how blood glucose concentration is brought back to normal if it rises too high.	
			[3]	

www.papacambridge.com (ii) Urea is removed from the body dissolved in water, forming urine. Fig. 7. incomplete diagram of the kidneys and other organs involved in the remova urea from the body.



Fig. 7.1

Complete Fig. 7.1 by drawing and labelling:

- the renal arteries .
- the renal veins
- the ureters
- the urethra .

[4]





10

time/hours

15

20

5

Calculate the half-life of the radioactive source.

Show your working.

counter/

counts per second

100

80

60

40

20

0+

[2]

25

		444
		21
(b)	Alp	ha radiation is a form of ionising radiation.
	(i)	Explain the meaning of the term ionising radiation.
		[1]
	<i></i>	
	(ii)	An alpha radiation source is less harmful to humans than a gamma radiation source if it is outside the body.
		An alpha radiation source is more harmful than to humans than a gamma radiation source if it is inside the body.
		Explain why.
		[2]
(c)	Nuc	slear fission and nuclear fusion are both sources of energy
(0)	/i)	Describe how these two processes differ
	(י)	Describe now these two processes differ.
		[2]
	(ii)	There are safety concerns about the use of nuclear fission as an energy resource.
		Describe and explain one of these safety concerns.
		[2]

www.papacambridge.com (a) The chemical symbols for the atoms shown below include proton (atomic) number 9 nucleon (mass) numbers.

 ${}^{16}_{8}O {}^{31}_{15}P {}^{32}_{16}S {}^{70}_{31}Ga$

Complete Table 9.1 which shows the names and the numbers of protons and neutrons in two of the atoms shown above.

Table	9.1
-------	-----

element name	protons	neutrons
oxygen		
	15	16

[2]

(b) Fig. 9.1 shows part of a chart of the melting points in kelvins (K) of some elements.



Fig. 9.1

The melting points of the elements in Period 2 and Period 3 of the Periodic Table a periodic pattern.

www.papaCambridge.com (i) Use Fig. 9.1 and your understanding of the term *periodic pattern* to predict the element which has the highest melting point in Period 3.

Explain your choice briefly.

element

.....

explanation

(ii) Carbon, proton number 6, and nitrogen, proton number 7, have very different melting points.

Explain the difference in terms of the structures of these elements.

In your answer you should include the phrases, giant structure and simple molecular structure.

You may wish to draw diagrams as part of your answer.

•••••
[3]
 [3]

- www.papaCambridge.com (c) Carbon and hydrogen combine to form a very large number of hydrocarbons. Ethene, C₂H₄, is a gaseous, unsaturated hydrocarbon, which is of industrial importance
 - (i) Complete the displayed formula of the ethene molecule below.

Н

С

- [2] (ii) Unsaturated hydrocarbons are made in industry from fractions obtained by the fractional distillation of oil (petroleum). Name the process which is used to make unsaturated hydrocarbons and describe briefly how it is done. name of process description
- (iii) Describe, in terms of changes to chemical bonds, what happens when ethene molecules react to form molecules of poly(ethene).

[3]

..... [2]



(d) Mutations sometimes occur in the chromosomes of a cell.

Mutations are generally harmful, but sometimes a mutation may increase organism's ability to survive in its environment.

www.papacambridge.com Explain how this could lead to a change, over time, in the characteristics of a population of organisms.

.....[4]



BLANK PAGE

					2	8				22	Papa
	0	Helium 2	Neon Ne 20	40 Ar Argon	84 Krypton 36	131 Xe Xenon 54	Rn Radon 86		175 Lu Lutetium 71	Lr Lawrencium 103	Cambric
	۲II		Fluorine	35.5 C1 Chlorine	80 Br Bromine 35	127 I Iodine 53	At Astatine 85		173 Yb Ytterbium 70	Nobelium 102	age.q
	>		a Oxygen	32 32 Suftur 16	79 Se Selenium 34	128 Te ^{Tellurium}	Polonium 84		169 Tan Thulium 69	Mendelevium 101	
	>		14 Nitrogen	31 Phosphorus 15	75 AS Arsenic 33	122 Sb Antimony 51	209 Bi ^{Bismuth}		167 Er Erbium 68	Fermium 100	
	≥	_	Carbon Carbon	28 Silicon	73 Ge Germanium 32	119 Sn 50	207 Pb Lead 82		165 Holmium 67	Einsteinium 99	(r.t.p.).
	≡		۳ Boron 1	27 27 Auminium 13	70 Ga 31	115 In Indium 49	204 T 1 Thalium 81		162 Dysprosium 66	Californium 98	pressure
					65 Zn 30	112 Cd Cadmium 48	201 Hg ^{Mercury} 80		159 Tb ^{Terbium} 65	BK Berkelium 97	ature and
					64 Copper 29	108 Ag Silver	197 Au Gold 79		157 Gd Gadolinium 64	66 Currium 96	m temper.
					59 Nickel 28	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Americium 95	m³ at roor
G			-		59 Co 27	103 Rh odium 45	192 I r Iridium 77		150 Sm Samarium 62	Plutonium 94	as is 24 d
		Hydrogen			56 Fe Iron	101 Ru Ruthenium 44	190 OS Osmium 76		Promethium 61	Neptunium 93	of any ga
					55 Manganese 25	Tc Technetium 43	186 Re Rhenium 75		144 Neodymium 60	238 Uranium 92	one mole
					52 Chromium 24	96 Mo lybdenum 42	184 V Tungsten 74		141 Pr Fraseodymium 59	Protactinium 91	olume of
					51 Vanadium 23	93 Niobium 41	181 Ta ^{Tantalum} 73		140 Ce Cerium 58	232 Th orium 90	The v
					48 Titanium 22	91 Zrconium 40	178 Hafhium 72		1	mic mass Ibol nic) number	
		-			45 SC Scandium 21	89 Yttrium 39	139 La Lanthanum 57 *	227 Actinium 89	d series series	= relative ato.= atomic syrr= proton (ator	
	=		9 Beryllium	24 Magnesium 12	40 Calcium 20	88 Strontium 38	137 Ba Barium 56	226 Rad 88	anthanoic Actinoid s	م × ۵ •	
	-		Lithium	23 Sodium	39 Potassium 19	85 Rb Rubidium 37	133 CS Caesium	Fr Francium	58-71 L 90-103	b b	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of