

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Maride Con

*	
4	
З	
6	
9	
_	
5	
9	
9	
_	
7	

NAME						
		1				
CENTRE NUMBER				CANDIDATE NUMBER		

## **CO-ORDINATED SCIENCES**

0654/21

Paper 2 (Core)

May/June 2012

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 32.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use		
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
Total		

This document consists of 28 printed pages and 4 blank pages.



**BLANK PAGE** 

www.PapaCambridge.com

ported on For iner's

1 Sugar cane is a food crop grown in Australia. It is harvested and then transported of trains to the processing plant.

Fig. 1.1 shows one of the trains carrying sugar cane.




		Fig. 1.1
(a)	The	train travels a distance of 25 km in 2 hours.
	Cal	culate the average speed of the train.
	Sta	te the formula that you use and show your working.
		formula used
		working
		lem / h [0]
		km/h [2]
(b)		engine is powered by oil. The oil is burned to change water into steam. The steam sed to make parts of the engine move.
	(i)	What kind of energy is stored in the oil?
		[1]
	(ii)	The engine is 30% efficient in converting the energy stored in the oil into movement energy. The rest of the stored energy is lost in different ways.
		State <b>one</b> of these ways.
		[1]

www.PapaCambridge.com (c) The track for the train is composed of short lengths of steel rail with small ga between them as shown in Fig. 1.2.




Fig. 1.2

	Sug	ggest a reason for leaving these small gaps.	
			 [2]
(d)	Sug	gar can be fermented and turned into ethanol. Ethanol is now used as a fuel s.	for
	(i)	Give <b>one</b> reason, other than cost, why people might use ethanol rather than pe in their cars.	trol
			[1]
	(ii)	Sugar is a carbohydrate, but ethanol is not.	
		Name the <b>three</b> chemical elements contained in both sugar and ethanol.	
			[1]

(e) The farm on which the spower. Table 1.1 shows			wer gei				oduce el	DahaCan	For iner's
wind speed/km per hour	0	3	5	8	10	12	15	20	OH
power generated/W	0	0	150	500	1000	1100	1200	1200	

(i)	Suggest the lowest wind speed needed to generate power.
	km/h [1]
(ii)	State the maximum power that this wind turbine can produce.
	W [1]
(iii)	State <b>one</b> disadvantage of using only a wind turbine as the source of electrical power.
	[1]
(iv)	Complete the sentence to show the energy transfer taking place when the wind turbine generates power.
	energy is transferred to energy [2]

The bar chart in Fig. 2.1 shows the approximate composition of unpolluted air. 2




Fig. 2.1

(a)	(i)	Complete the bar chart in Fig. 2.1 by labelling the approximate percentage of the complete the bar chart in Fig. 2.1 by labelling the approximate percentage.	entages of
		nitrogen, oxygen and other gases.	[2]

(ii) Name one gaseous compound that exists in unpolluted air.

٢,	1	1	
 L	١.	J	

(b) Nitrogen and oxygen exist in the air in the form of the diatomic molecules,  $N_2$  and  $O_2$ .

When lightning passes through the air, the gaseous compounds nitric oxide, NO, and nitrogen dioxide, NO<sub>2</sub>, are formed.



(i)	Explain why nitrogen and oxygen are described as chemical elements.
	[1
(ii)	Suggest and explain the type of chemical bonding in nitric oxide and nitroger dioxide.
	type of bonding
	explanation
	ro

to the action of the second of

(iii) A student carried out an experiment to investigate what happened to the acrainwater during a thunderstorm.

His results are shown in Table 2.1.

Table 2.1

description of sample	рН
pure water obtained in a science laboratory	7
rainwater collected when no thunderstorm was occurring	5
rainwater collected during a thunderstorm	4

What conclusions can the student make from these results?	
	••••
	••••
l l	[၂

For

**3** Fig. 3.1 shows part of a section across a root from a radish plant, photographed the microscope.




Fig. 3.1

- (a) On Fig. 3.1, use a label line to label a root hair cell. [1]
- **(b)** Root hair cells absorb substances from the soil.

Name two substances that root hair cells absorb from the soil.

1	
2	 [2]

- (c) A complete radish plant was placed with the lower part of its root standing in water. A soluble red dye was added to the water. After a while, the veins in the leaves of the radish plant became red.
  - (i) Name the tissue in the radish plant through which the coloured water was transported from the roots to the leaves.

<b>[1</b>	1	
 Γ.	4	

(ii) On Fig. 3.1, write the letter A, to show the position of this tissue in the root. [1]

(d) The cells in the radish root are plant cells.

Complete Table 3.1 to show which structures are present in plant cells and which a present in animal cells.

www.PapaCambridge.com Use a tick ( $\checkmark$ ) to show that the structure is present. Use a cross (x) to show that the structure is not present.

You should place either a tick or a cross in every space in the table.

Table 3.1

structure	plant cells	animal cells
cell membrane		
cell wall		
nucleus		
vacuole containing sap		

(a)	A b	bat produces a sound wave with a frequency of 212 kHz and a wavelength of 0.0					
	Thi	s sound is outside the audible frequency range for humans.					
	(i)	State the approximate audible frequency range for humans.					
		Hz [1]					
	(ii)	State the meaning of the terms <i>frequency</i> and <i>wavelength</i> , when describing a wave. You may use a diagram if it helps your explanation.					
		frequency					
		wavelength					

[2]

(b) A girl shouts and waves to another girl in the school playground.





Fig. 4.1

The sound energy and the light energy both travel from one girl to the other by wave motion.

(1)	State whether sound waves and light waves are transverse or longitudinal.	
	Sound waves are	
	Light waves are	[2]
(ii)	Explain why sound waves will <b>not</b> travel through a vacuum.	
		[1]
(iii)	If the first girl now makes another sound with a smaller amplitude than the origin sound wave, what change would the second girl notice?	na
		[1]
(iv)	The girls could have communicated with each other using their mobile phor (cell phones).	nes
	Name the type of electromagnetic wave used to communicate between mol phones.	oile
		[1]

Annonidae Com

**5** Marmots are herbivorous mammals. Fig. 5.1 shows a marmot.



Fig. 5.1

(a)	Def	ine the term <i>herbivore</i> .
		[2]
(b)	A s	tudy has been carried out on the marmots living in Colorado, USA.
		e winters in this part of Colorado are very cold. The marmots hibernate (sleep) in rows in winter. They do not eat while they are hibernating. They wake up in spring.
	Bef	ore they hibernate, marmots build up large fat stores beneath their skin.
	(i)	Suggest and explain what marmots must do in order to build up large fat stores in their bodies.
		[2]

For iner's






Fig. 5.2

	(ii)	Describe the relationship between a marmot's body mass and its chance of surviving the winter.
		[2]
	(iii)	Suggest how a layer of fat beneath the skin can reduce heat transfer from a hibernating marmot's body to its surroundings.
		[1]
(c)		the last twenty years, spring has been arriving earlier in the year in Colorado. This is esult of global warming.
	Na	me <b>two</b> gases that contribute to global warming.
	1	
	2	[2]

www.PapaCambridge.com (d) Fig. 5.3 shows the mean body mass of the marmots on the first day of (summer) between 1976 and 2006.






Fig. 5.3

(1)	Describe the general trend shown in Fig. 5.3.	
		 [1]
(ii)	Suggest how the earlier arrival of spring could be responsible for this trend.	
		[1]

www.PapaCambridge.com Fig. 6.1 shows some of the apparatus and substances a student used to investige 6 rate of reaction between magnesium and dilute hydrochloric acid. In this reaction hydro gas is given off.




Fig. 6.1

(a) Fig. 6.1 shows the apparatus just before the student started his experiment to measure the rate of reaction.

Describe make.	briefly	how t	he stu	ıdent	should	proceed	and	the	measu	irements	he	should
												[3]

(b) The student repeated the experiment using hydrochloric acid which had a higher concentration. He kept all of the other variables which could affect the rate constant.

Predict and explain briefly how the measurements the student made in the second experiment would be different from those he made in the first.

		th.
		16 AAA-DA
(c)		reaction between magnesium and dilute hydrochloric acid also produces the appound magnesium chloride.  rystals of this compound, two chloride ions combine with one magnesium ion.  Describe, in terms of electrons, what happens when a metal atom such as magnesium is converted into an ion.
	In c	rystals of this compound, two chloride ions combine with one magnesium ion.
	(i)	Describe, in terms of electrons, what happens when a metal atom such as magnesium is converted into an ion.
		[1]
	(ii)	State the chemical formula of magnesium chloride.
		[1]
(d)	(i)	In the early days of photography, a mixture of chemicals including magnesium powder was burned to provide a flash of brilliant white light.
		Suggest why the magnesium had to be in the form of a fine powder.
		[2]
	(ii)	Some alloys of aluminium contain magnesium.
		Describe <b>two</b> properties of aluminium alloys and explain why these properties make them suitable materials for making aircraft parts.
		property 1
		reason
		property 2
		reason

[4]

7

(a)	State and describe <b>one</b> use of radioactive isotopes in medicine	e. <b>(%)</b>
		[2]
(b)	Alpha, beta and gamma radiations are three types of radioacti	ve emission.
	State which of these radiations is described by each statemen	t below.
	This form of radiation can pass through lead.	
	This form of radiation consists of nuclei of helium atoms.	
	This form of radiation is part of the electromagnetic spectrum.	
	This form of radiation is the most ionising.	
		[2]
(c)	Describe how ionising radiation can be dangerous to humans.	
		[2]

For iner's

www.PapaCambridge.com 8 An element is a substance that is made of atoms which have the same proton in Most atoms contain protons, neutrons and electrons.

The elements are shown in the Periodic Table.

(a) The chemical symbol of an atom of the element chlorine is shown below.

The nucleon number of this atom is 35.

(i)	Name the part of an atom that contains the protons and neutrons.	
		[1]
(ii)	State the number of neutrons in this chlorine atom.	
<b></b> \		[1]
(iii)	Explain whether or not the nucleon number of all chlorine atoms is also 35.	
		[2]
(iv)	Name the element whose atoms do <b>not</b> usually contain any neutrons.	
		[1]

(b) Table 8.1 shows Period 2 of the Periodic Table.

Table 8.1

	I	II	Ш	IV	V	VI	VII	0
Period 2	X						Υ	Z

The element represented by **X** is a solid at room temperature, and the elements represented by Y and Z are gases.

(i)	Suggest <b>one</b> difference, other than physical state at room temperature, between the properties of elements ${\bf X}$ and ${\bf Y}$ .	veer
		 [1]

	(ii)	Suggest <b>one</b> difference between the chemical properties of elements <b>Y</b> and
		[1]
(c)		. 8.1 shows a simple lime kiln which is used to produce lime (calcium oxide) from estone (calcium carbonate).
		carbon burns to provide heat energy — air  Fig. 8.1
	(i)	Suggest <b>two</b> reasons why the mixture of waste gases from the lime kiln contains a large amount of carbon dioxide.
		1
		2
		[2]
	(ii)	Suggest and explain why a farmer would add lime to soil.

	4
	20
(a)	One of the characteristics of living organisms is sensitivity, which is the above respond to changes in the environment.  List <b>four</b> other characteristics of all living things.
	List <b>four</b> other characteristics of all living things.
	1
	2
	3
	4
	[2]
(b)	In many organisms, hormones help them to respond to changes in their environment.
	Define the term hormone.
	[3]
(c)	Adrenaline is sometimes called the 'fright, flight or fight' hormone. It is produced when a person is frightened.
	One effect of adrenaline is to increase a person's pulse rate. This means that oxygen and glucose are delivered more rapidly to their leg muscles.
	Explain how this could help a person to run away from the thing that has frightened them.
	[2]

(d	) Plants	are	able	to	respond	to	light.

Name	and	describe	the	response	of a	a plant	shoot	to	light	that	is	coming	from	only	oi
side.				-		-			_					_	

21 WWW. Pap	
Plants are able to respond to light.	6
Name and describe the response of a plant shoot to light that is coming from only c side.	For iner's
name of response	
description	
	[2]

10	(a)	A student in	nvestigated h	now the	change	in pote	ntial	difference	across	a lamp	a	S.	For
		A student in the current	flowing throu	gh it.								17/6	iner's
												1	~ \

uitable Titik

She used wires to connect the components shown in Fig. 10.1 to make a suitable circuit.




Fig. 10.1

(i) Using the correct symbols from Fig. 10.1, draw a diagram to show the circuit she made.

		[3]
(ii)	Explain why a variable resistor is used in the circuit.	
		[1]

State the formula that you use and show your working.

www.PapaCambridge.com (iii) During the investigations, she measured the voltage across the lamp as 3. the current passing through the lamp as 0.3A. Calculate the resistance of the lamp.

formula used

working

Ω	[2
 	L—.

(b) Table 10.1 shows some information about six pieces of wire, all at room temperature (20°C).

**Table 10.1** 

wire	metal composition	length/cm	cross-sectional area/mm²
Α	copper	10	0.5
В	nichrome	10	0.5
С	copper	20	0.5
D	nichrome	20	0.5
E	copper	10	1.0
F	copper	20	1.0

(1)	Which wire, <b>B</b> or <b>D</b> , will have the greater resistance?	
	Explain your answer.	
		••••
		[1]
(ii)	Which wire, <b>A</b> or <b>E</b> , will have the greater resistance?	
	Explain your answer.	
		••••
		[1]

(c)	Αp	lastic rod is rubbed with a cloth. The rod becomes charged.	SC
	The	ere are two types of electric charge.	
	(i)	State the names of these charges.	
		1	
		2	[1]
	(ii)	Charged particles are transferred between the rod and cloth.	
		Name the charged particles transferred.	[1]

www.PapaCambridge.com

Please turn over for Question 11.

11 (a) Fig. 11.1 shows part of the human gas exchange system.

Name the structures labelled A, B and C.




Fig. 11.1

Α	••••
В	•••••
С	[3]

**(b)** State **two** ways in which the composition of expired air differs from the composition of inspired air.

1	
2	[2]

- (c) A person with cystic fibrosis makes very thick mucus. This can form a thick covering over the inner surfaces of the alveoli in the lungs. This makes it difficult for oxygen to move from the alveoli into the blood.
  - (i) Name the process by which oxygen moves from the alveoli into the blood.

<b>T</b> 1	1	
 ۲.	1	ı

www.PapaCambridge.com

(ii) Name the blood vessel that transports blood from the lungs to the heart.

[1]	
[ ' ]	[1]
	 נין

(d)	Cys	stic fibrosis is caused by	a recessive allele <b>f</b> .	The norr	mal allele, <b>F</b> , is do	ominant Parcay	For iner's
	A co	ouple who were both he	eterozygous for cystic	fibrosis	wanted to have c	hildren.	hit Hers
	(i)	State the probability th	at their first child wou	uld have	cystic fibrosis.	•	Se.Co.
						[1]	177
	(ii)	Complete the genetic	diagram to explain yo	our answe	er to <b>(i)</b> .		
		genotype of parents	Ff				
		gametes	and (		and		
			ga	metes fro	om woman		
		gametes from man					

[4]

- www.PapaCambridge.com 12 Millions of tonnes of hydrocarbons are burnt every year to provide energy. (a) Name the raw material that provides hydrocarbons.
  - (b) Fig. 12.1 shows apparatus a student used to investigate the products of complete combustion of the gaseous hydrocarbon methane, CH<sub>4</sub>.




Fig. 12.1

Before the methane gas is ignited, the limewater appears as a colourless solution and the U-tube contains no liquid.

(1)	ignited, and name the compound that causes this change.
	change in appearance
	name of compound [2]
(ii)	Name the colourless liquid that forms inside the U-tube.
	[1]
iii)	State and explain briefly whether or not the observations made in the experiment shown in Fig. 12.1 would be different if ethanol was burned instead of methane.
	741

(c)	In t	ne chemical industry, large quantities of ethanol are made from ethene.	
	Nar	me the compound that reacts with ethene to form ethanol.	
		[1]	
(d)		ene is a colourless gas. When ethene is heated and pressurised the white solid (ethene) is formed.	
	(i)	Name the type of reaction which occurs when poly(ethene) is formed from ethene.	
		[1]	
	(ii)	Describe briefly how ethene molecules are converted into molecules of poly(ethene). You may use a diagram to help your explanation.	
		[2]	

For iner's **BLANK PAGE** 

www.PapaCambridge.com

31

## **BLANK PAGE**

www.PapaCambridge.com

Copyright Acknowledgements:

Question 3 Photograph

© B23WP8 cross section of a radish root;

Biodisc/Visuals Unlimited/Alamy.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

DATA SHEET
The Periodic Table of the Elements

								Gro	Group								
_	=											≡	≥	>	>	<b>II</b>	0
							1 Hydrogen										4 <b>He</b> ium
7 Lithium	Be Beryllium					I						11 Boron	12 <b>C</b> Carbon	14 <b>N</b> Nitrogen 7	16 Oxygen 8	19 <b>T</b> Fluorine	20 <b>Ne</b> on 10
Na Sodium	Mg Magnesium											27 <b>A1</b> Aluminium 13	28 <b>Si</b> Silicon	31 <b>P</b> Phosphorus 15	32 <b>Sul</b> fur 16	35.5 <b>C1</b> Chlorine	40 <b>Ar</b> Argon
39 <b>K</b> Potassium	40 <b>Ca</b> Calcium	Scandium	48 <b>T</b> Titanium	51 V Vanadium 23	CC Chromium 24	55 Mn Manganese 25	56 <b>Fe</b> Iron	59 <b>Cob</b> alt Cobalt 27	59 Nickei	64 <b>Cu</b> Copper	65 <b>Zn</b> Zinc 30	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic	Selenium	80 <b>Br</b> Bromine	84 <b>Kr</b> Krypton 36
Rubidium	Strontium	89 <b>×</b>	91 Zr Zirconium 40	93 <b>Nb</b> Niobium	96 <b>Mo</b> Molybdenum 42	Tc Technetium 43	Ruthenium	Rhodium 45	106 <b>Pd</b> Palladium 46	108 <b>Ag</b> Silver 47	Cadmium 48	115   <b>n</b>   Indium	Sn Tin	122 <b>Sb</b> Antimony 51	128 <b>Te</b> Tellurium	127 	131 <b>Xe</b> Xenon 54
133 <b>Cs</b> Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57 *	178 <b>Hf</b> Hafnium * 72	181 <b>Ta</b> Tantalum 73	184 <b>W</b> Tungsten 74	186 <b>Re</b> Rhenium 75	190 <b>Os</b> Osmium 76	192   <b>F</b>   Iridium	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold	201 <b>Hg</b> Mercury 80	204 <b>T 1</b> Thallium	207 <b>Pb</b> Lead	209 <b>Bi</b> Bismuth	<b>Po</b> Polonium 84	At Astatine 85	Radon 86
Francium 87	226 <b>Ra</b> Radium 88	Actinium t															
*58-71 L: 190-103,	*58-71 Lanthanoid series 190-103 Actinoid series	series eries		140 <b>Ce</b> Cerium	Pr Praseodymium 59	Neodymium 60	Pm Promethium 61	Sm Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	162 Dy Dysprosium 66	Homium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	Lu Lutetium 71

b = proton (atomic) number a = relative atomic mass X = atomic symbol \*58-71 Lanthanoid series 190-103 Actinoid series Key

	my.	
_	4.	Daylas
Lutetium 71	<b>Lr</b> Lawrencium 103	Candhi
Ytterbium 70	Nobelium 102	Sie COM
Thulium 69	Md Mendelevium 101	
Erbium 68	Fm Fermium 100	1
Holmium 67	<b>ES</b> Einsteinium 99	(r.t.p.).
Dysprosium 66	<b>Cf</b> Californium 98	pressure
Terbium 65	<b>BK</b> Berkelium 97	ature and
Gadolinium 64	<b>Cm</b> Curium	n tempera
Europium 63	Am Americium 95	m³ at roor
Samarium 62	<b>Pu</b> Plutonium 94	as is 24 dr
Promethium 61	Neptunium	of any ga
Neodymium 60	238 <b>U</b> Uranium 92	one mole
Praseodymium 59	<b>Pa</b> Protactinium 91	The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).
Cerium 58	232 <b>Th</b> Thorium 90	The v
	Cerium Praseodymium Neodymium Promethium Samarium Europium Gadolinium Terbium Dysprosium Hohnium Erbium Thulium Yiterbium 7 Truilum Yiterbium 7 Truilum Yiterbium 7 Truilum 1 Tr	Certium         Prasesodymium         Newodymium         Samartium         Europhum         Gradelinium         Tretium         Tretium         Protection         Tretium         Tretium         Protection         Front         Mordelevium         Nobelium         Inchellen         Nobelium         Inchellen         Inchel

The volume of one mole of any gas is 24 dm3 at room temperature and pressure (r.t.p.).