CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

www.papacambridge.com MARK SCHEME for the October/November 2012 series

0654 CO-ORDINATED SCIENCES

0654/31

Paper 3 (Extended Theory), maximum raw mark 120

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.


	ige 2	Mark Scheme Syllabus	r
	-	IGCSE – October/November 2012 0654	20
(a)	a co unit mea use	Mark Scheme Syllabus IGCSE – October/November 2012 0654 ement given word required omplete loop of conductors circuit of electrical current coulomb asures potential difference voltmeter d in switching circuits relay two correct for 1 mark ;;	ambros [2]
(b)	(i)	goes out (no mark) ; incomplete circuit ;	[1]
	(ii)	so that they can be individually turned on and off ; so that they all get the full mains voltage ; so that if one fails the rest still operate ;	[max 2]
	(iii)	$1/R = 1/R_1 + 1/R_2;$ = 1/1.2 + 1/1.2; R = 0.6 Ω ;	[3]
			[Total: 8]
(a)	(i)	A ; B, E, F ;	[2]
	(ii)	starch/cellulose/sugar/chlorophyll/any other correct;	[1]
	(iii)	0.04 ; (accept 0.03)	[1]
(b)	proo use for i	d/digest/breakdown on dead (plant or animal) material/organic matter/waste ducts (from plants or animals) ; carbon-containing substances/sugar ; respiration ; irn carbon dioxide to the air ;	[max 2]
(c)	(i)	idea that the graph shows a maximum/optimum frequency ; the maximum occurs at 480 \pm 20 Hz ; idea of steeper decrease than increase ;	[2]
	(ii)	clear statement that only some earthworms have genes for response/idea of natural variation ; worms with the genes/response are more likely to survive/escape ; because they are less likely to be killed by moles ; so worms with the genes/response are more likely to reproduce ; and pass their genes to their offspring ;	
		over time/over many generations most worms will have the genes/response ;	[max 4]

Page 3	Mark Scheme	Syllabus
	IGCSE – October/November 2012	0654 232
	to 14 ; to 0 ;	Syllabus 0654 ;
(ii) me	eter is more accurate/precise/reference to quantitative ;	;
	d (acidified) silver nitrate/ethanoate (solution) ; ite precipitate/solid indicates hydrochloric acid/chloride R	e (ions) ;
ado	d (acidified) barium chloride/ethanoate/nitrate (solution ite precipitate/solid indicates sulfuric acid/sulfate (ions)	
	rrect transfer of electrons e.g. magnesium loses electro ectrons ;	ons/hydrogen gains
cor	rrect linking of gain of electrons to reduction and lo idation ;	oss of electrons to [2]
refe	d acid to the mixed metals ; erence to adding excess acid e.g. until bubbling stops ;	
cop	agnesium (reacts) / dissolves ; pper (does not react) / does not dissolve ; er off the copper ;	[max 3]
		[Total: 9]
• •	/force = 600 N ;	
	lone =) force x distance ; < 1.3 = 780 J ;	[3]
(b) 780J;		[1]
	=) work/time ;	10
78070.5	5 = 1560 W ;	[2] [Total: 6]
	$H_{12}O_6 + 6O_2 \rightarrow 6CO_2 + 6H_2O$;; ft hand side and right hand side)	[2]
volu	rbon dioxide would not be absorbed ; lume of carbon dioxide produced = volume of oxygen us no change in volume ;	sed ; [max 2]
	check that movement was caused by germinating/living ntrol;	g seeds/as a [1]
(ii) cha	ange in temperature/there was a small amount of carbo /microorganisms on the seeds were respiring ;	on dioxide in the

		32	
Page	e 4	Mark Scheme Syllabus	
		IGCSE – October/November 2012 0654	Sac 1
(iii		increased (rate of) respiration with increased temperature/positive correlation; 10°C rise doubles rate/use of data which shows a link between distance moved and rate of reaction;	Oni
(iv		no movement ; enzymes do not work at high temperatures/enzymes denatured ;	[2]
			[Total: 10]
, p	bow	rate/fast reaction needed ; der has high surface area ; surface area (of solids) increases rate/collision frequency ;	[max 2]
(b) (i	(i)	3/outer electrons/shell is lost ; so now three more positive charges (protons) than negative charges/electrons ;	[2]
(ii	-	(not balanced) balanced requires same number of each type of atom on both sides ; reference to the oxygen imbalance/correct detail ; correctly balances the equation ;	[max 2]
o p ic	oxid oota dea	nponents in) firework mixture must burn/require oxygen to burn/need to be ised ; issium perchlorate produces oxygen (when heated) ; i that oxygen needs to be produced in situ/air cannot easily get into firework ure ;	
			[Total: 8]
(a) (i	(i)	visible light ;	[1]
(ii	i)	infra-red ;	[1]
(iii	i)	microwaves ;	[1]
b a b	beca alph beca	ima not deflected ; ause gamma has no charge ; a deflected one way and beta the opposite ; ause alpha and beta have opposite charges ; osite charges attract ;	[5]
(c) (i	(i)	nucleus splits ;	[1]

Page			Mark Scheme	Syllabus	x
	<u> </u>		- October/November 2012	0654 23	
	(iii)	Mark Scheme Syllabus IGCSE – October/November 2012 0654 work behind protective screen ; wear protective clothing ; Image: Comparison of the section of the sec		ambrio- otal: 1	
(a)	 B – produces fluid for sperm to swim in/containing sugar/secretes seminal fluid; 				
		C – carries sperm/se	emen and urine ;		[3]
	(ii)	label to testis ;			[1]
(b)		duced in larger quantiti	ties ;		
		e mobile ; e a tail/pointy head/st	streamlined ;		[max 3]
(c)	to p		er ; e diploid number of chromosome osomes/23 pairs of chromosome		[2]
(d)		s destroys/damages/ rence to (T) lymphocy	/attacks white blood cells ; vtes/T cells:		
			viruses/fight infection ;		[max 2]
				[To	otal: 11]
(a)		re to decompose the g nents cannot be simpli	U		[2]
(b)	(i)	 X – sodium chloride ; Y – hydrogen ; Z – sodium hydroxide 			[3]
	(ii)		ed pair of electrons between them prrect/6 unshared electrons each		[2]
(c)	(i)	calculates $M_{\rm r}$ as 55 + calculates number of	+ (16 × 2) = 87 ; f moles as 1.74 ÷ 87 = 0.02 ;		[2]
	(ii)	0.02 moles chlorine w	stablish 1 : 1 molar ratio MnO ₂ : C will be produced ; sum to arrive at 24 × 0.02 ;	Cl_2 / states that	
			nit i.e. $0.48 \mathrm{dm^3}/480 \mathrm{cm^3}$;		[3]

Pag	ge 6		Mark Scheme S	yllabus of r
		IGCS		0654 20
	wavele	ide labelled ; ngth labelled ; dimensions ;		yllabus 0654 RabaCambridg [1]
(b)	(i) A i	s louder than B	;	[1]
((ii) X h	nas higher pitch	ι;	[1]
(i	iii) <u>spe</u>	eed of sound m/s		
	vao sol liqu gas	uid	0 5000 1500 330	
	-		narks, 3 or 2 correct for 1 mark) ;;	[2]
(i			on of high pressure/lots of (air) particles ; of low pressure/fewer (air) particles ;	[2]
• •	radiatio		travel through vocuum/conduction and c	convection need
	(only) mediun	radiation can t n ;	travel through vacuum/conduction and c	[2]
(d)	(only) mediun (i) lab	radiation can t		
(d)	(only) mediun (i) lab (ii) 59	radiation can f n ; pelled where ray ±1 mm ;		[2]
(d)	(only) mediun (i) lab (ii) 59	radiation can f n ; pelled where ray ±1 mm ;	ys meet ;	[2] [1] [1]
(d) (i l (a)	(only) medium (i) lab (ii) 59 (ii) an fats ; proteins	radiation can f n ; belled where ray ±1 mm ; image which ca s ; ydrates ;	ys meet ;	[2] [1] [1]
(d) (i l (a)	(only) medium (i) lab (ii) 59 (ii) 59 (iii) an fats ; proteins carbohy vitamin	radiation can f n ; belled where ray ±1 mm ; image which ca s ; ydrates ;	ys meet ; an be projected onto a screen ;	[2] [1] [1] [Total: 14]
(d) ((i I (a)	 (only) medium (i) lab (ii) 59 iii) an fats ; proteins carbohy vitamin (i) we 	radiation can f n ; belled where ray ±1 mm ; image which ca s ; ydrates ; s ; eak bones/soft l	ys meet ; an be projected onto a screen ;	[2] [1] [1] [Total: 14] [max 2]
(d) (i (i (b) (c)	 (only) medium (i) lab (ii) 59 (ii) 59 iii) an fats ; proteins carbohy vitamin (i) we (ii) tire bacteria <i>Lactoba</i> change 	radiation can f n; pelled where ray ±1 mm; image which ca s; ydrates; s; eak bones/soft l edness/anaemi a; <i>acillus/Streptoc</i> e lactose in milk	ys meet ; an be projected onto a screen ; bones/rickets ; a/dizziness/faintness ;	[2] [1] [1] [Total: 14] [max 2] [1]
(d) (i (i (b) (c)	 (only) in medium (i) lab (ii) 59 (ii) 59 iii) an fats ; proteins carbohy vitamin (i) we (ii) tire bacteria Lactoba change to laction 	radiation can f n; pelled where ray ±1 mm; image which ca s; ydrates; s; eak bones/soft l edness/anaemi a; acillus/Streptoc e lactose in milk c acid;	ys meet ; an be projected onto a screen ; bones/rickets ; a/dizziness/faintness ;	[2] [1] [1] [Total: 14] [max 2] [1] [1]




- (b) (i) decane/alkanes does not decolorise bromine solution/bromine is only decolorised by an unsaturated substance/alkene; so a new product (which does) has been produced; new product must be unsaturated/reference to ethene/alkene;
 - (ii) catalysts do not undergo chemical changes/catalyst remains unchanged; [1]

[3]

[1]

- (iii) makes catalyst more efficient/work better/increases reaction rate ;
- (c) (i)



		[Total: 11]
(ii)	size of molecules varies/variable chain length/owtte;	[1]
	at least one more carbon atom with single C–C bonds ; two H atoms bonded to each carbon ;	[2]