

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER		CANDIDATE NUMBER
* 7 3	CO-ORDINATE	D SCIENCES	0654/32
6	Paper 3 (Extend	led)	October/November 2013
2 6			2 hours
~	Candidates ans	wer on the Question Paper.	
3	No Additional M	aterials are required.	
5 *			
	READ THESE I	NSTRUCTIONS FIRST	

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units. A copy of the Periodic Table is printed on page 28.


At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 28 printed pages.



 (a) Fig. 1.1 shows apparatus that can be used to test the electrical conductivity of the materials contained in beakers P, Q and R.

For Examiner's Use



Explain these statements in terms of ions.

[3]


(iii) The material in beaker **R** is tested using the apparatus in Fig. 1.1.

Bubbles of gas form on the surfaces of both electrodes and the pH of the solution increases.

Name the gas that forms at each electrode and explain briefly why the pH increases.

gas formed at the negative electrode	
gas formed at the positive electrode	
reason for the increase in pH	
	[4]

(b) Fig. 1.2 represents the structure of solid sodium chloride.






Explain, in terms of its structure and bonding, why sodium chloride has a very high melting point (801 °C).

[3]

2 (a) Fig. 2.1 shows two means of communication between Singapore and Sydney.





Method 1 Microwave signals are sent by satellite.

Method 2 Infra-red waves carrying a signal are sent through an optical fibre cable.

Fig. 2.2 shows an infra-red ray entering an optical fibre.




Fig. 2.2

The infra-red ray travels all the way through the optical fibre.

(i) Explain why the infra-red ray stays inside the optical fibre. You may draw on the diagram if it helps your answer.

[3]

(ii) The length of an optical fibre cable between Singapore and Sydney is 6.3 x 10⁶ m.

The speed of infra-red waves in an optical fibre is $2.1 \times 10^8 \text{ m/s}$.

Calculate the time taken for the signal to travel from Singapore to Sydney.

State any formula that you use, show your working and state the unit of your answer.

formula

working


unit [2]

(iii) The speed at which microwaves travel through space is greater than the speed at which infra-red waves travel through an optical fibre.

Suggest why the time taken by infra-red signals is less than the time taken by the microwave signals to travel from Singapore to Sydney.

[1]

(b) Fig. 2.3 shows a demonstration of sound transmission using a bell jar.






As the air is removed from the bell jar, the ringing sound from inside the bell jar gets quieter. When all the air has been removed, the bell cannot be heard.

Explain these observations.

 	 	 [2]

- **3** Sodium hydrogencarbonate, NaHCO₃, is a white solid compound which is soluble in water.
 - (a) A student adds some sodium hydrogencarbonate to a beaker which contains an aqueous solution of full range indicator (Universal Indicator).



When the sodium hydrogencarbonate dissolves, the solution changes colour from green to blue.

(i) State how the pH of the mixture changes when the sodium hydrogencarbonate dissolves.

(ii) The student then adds excess dilute hydrochloric acid to the solution.

Apart from an increase in volume, state **two** observations that are made when the acid is added.

1	
 ^	
2	 •••••
	 [2]

(b) Fig. 3.1 shows apparatus a teacher uses to demonstrate the heating of sodium hydrogencarbonate.

For Examiner's Use




Fig. 3.1

The solid sodium hydrogencarbonate is heated strongly for a few minutes and the following observations are made.

- The cobalt chloride paper changes colour from blue to pink.
- A gas bubbles out through the limewater, turning it cloudy.

After the reaction a white solid remains in the large test-tube.

(i) Explain how the observations show that both water and carbon dioxide are produced.

[1]


- (ii) The teacher tells her students that
 - sodium hydrogencarbonate has been decomposed (broken down into simpler compounds),
 - the white solid which remains in the large test-tube is sodium carbonate, Na₂CO₃.

Construct a balanced symbol equation for the decomposition of sodium hydrogencarbonate.

[2]

(iii) A student places a piece of paper into a solution of sodium hydrogencarbonate.

She removes the paper and allows it to dry. She notices that crystals of solid sodium hydrogencarbonate are left on the paper.



For Examiner's Use

- 10
- 4 Most plants have root hairs near the tips of their roots. A mutation in a plant called land cress affects the growth of its root hairs.
 - (a) (i) Define the term *mutation*.

[1]

(ii) State **one** factor that increases the chance of mutation.

......[1]

(b) The growth of root hairs in normal plants, and in plants with the mutation, is affected by the concentration of phosphate ions in the soil.

Researchers grew normal and mutant land cress plants in soil with different concentrations of phosphate ions. They measured the mean number of root hairs in a small area of the roots, and also the mean length of the root hairs.

Table 4.1 shows their results.

Table 4.1

type of plant	phosphate concentration	mean number of root hairs per unit area	mean length of root hairs/micrometres
normal plants	low	1.26	175
normai piants	high	1.70	149
mutant planta	low	1.41	225
mutant plants	high	1.85	52

(i) Describe how the addition of phosphate ions to the soil affects the root hairs in normal plants.

(ii) Compare the effect of adding phosphate ions to the soil for normal plants and for mutant plants.

(iii) Predict and explain how a reduction in the length of its root hairs would affect the growth of a plant. [3] (c) Farmers often add fertilisers containing phosphate ions, potassium ions and nitrate ions to the soil in which they grow crops. (i) Explain why adding nitrate ions to the soil helps the crop plants to grow faster and larger. [2] (ii) Explain how careless use of fertilisers can cause harm to living organisms in rivers and lakes.[4]

For

Examiner's Use 5 Fig. 5.1 shows a bicycle with a front light **A** and a rear light **B** powered by the same battery.





Fig. 5.1

Fig. 5.2 shows how the lights are connected.





(a) The resistance of light ${\bm A}$ is $10\,\Omega$ and the resistance of light ${\bm B}$ is $5\,\Omega.$

Calculate the combined resistance of the two lights in this circuit.

State the formula that you use and show your working.

formula

working

.....Ω [3]

For Examiner's

Use

(b) The voltage supplied by the battery is 9V.

Calculate the current passing through light $\ensuremath{\textbf{A}}.$

State any formula that you use, show your working and state the unit of your answer.

formula

working

unit [2]

6 Fig. 6.1 shows a fetus in the uterus just before it is born.




Fig. 6.1

- (a) On Fig. 6.1, use the letters **A**, **B** and **C** to label these parts on the diagram:
 - A the placenta
 - $\boldsymbol{B}-\text{amniotic fluid}$
 - \mathbf{C} the cervix

[3]

(b) Describe how the placenta and umbilical cord help to supply the fetus with oxygen.

[3]

7 (a) Fluorine is one of the halogens in Group 7 of the Periodic Table.

Suggest the physical state at room temperature (solid, liquid or gaseous) of fluorine.

Explain your answer in terms of the relative size of fluorine molecules in comparison with those of the other halogens.

physical state of fluorine explanation [2]

(b) Fluorine is the most reactive element in the Periodic Table. There are only three other elements that do **not** react with fluorine. These elements are all found in the same group of the Periodic Table.

Suggest and explain which group of the Periodic Table contains the elements that do **not** react with fluorine.

group

explanation ______[3]

(c) In some countries, drinking water contains low concentrations of compounds containing fluoride ions.

One of the compounds found in drinking water is sodium fluoride, NaF.

(i) Explain briefly why, although fluorine is very reactive, it is safe to drink water that contains fluoride ions.

[2]

(ii) A sample of drinking water contains sodium fluoride at a concentration of 0.000064 mol/dm³.

For Examiner's Use

Calculate the mass of sodium fluoride that must be dissolved in 10000 dm³ of water to obtain this concentration.

Show your working.

[3]

8 (a) During part of a journey, a car moves 1 km and the driving force is 10000 N. For Examiner's Use (i) Calculate the work done by the driving force. State any formula that you use, show your working and state the unit of your answer. formula working unit [2] (ii) This work is done in 100 s. Calculate the useful power output from the car's engine during this time. State any formula that you use, show your working and state the unit of your answer. formula working unit [2]

(b) When the car is stationary, each of its four tyres has an area of 150 cm² in contact with the road. Examiner's

The pressure exerted by the car on the road is 300000 N/m^2 .

Calculate the mass of the car.

State any formulae that you use, show your working and state the unit of your answer. (use g = 10 N/kg)

formula

working

unit _____ [4]

For

Use

- (c) The cooling system of the car uses water to remove heat energy from the hot engine. The heated water goes into the radiator. Heat energy is lost from the radiator.
 - (i) Fig. 8.1 shows a car radiator.




Fig. 8.1

Explain how the features of the radiator that are shown in Fig. 8.1 increase the rate of cooling of hot water.

..... [2] (ii) The mass of water in the radiator is 5 kg.

The specific heating capacity of water is 4200 J/kg °C.

Calculate the energy released when the water in the radiator cools by 12°C.

State any formula that you use, show your working and state the unit of your answer.

formula

working

unit [3]

9 Rabbits are often kept as pets. People try to breed rabbits with unusual colours, such as himalayan colouring. Fig. 9.1 shows a rabbit with himalayan fur colour. The rabbit's fur is white with some black areas.

For Examiner's Use




Fig. 9.1

(a) Completely white fur and himalayan-coloured fur are produced by two alleles of a gene.

When a white rabbit and a himalayan rabbit are bred together, all the offspring are white.

When two of these white offspring are bred together, one quarter of their offspring are himalayan and three quarters are white.

(i) Identify which allele is dominant, and suggest suitable symbols for the two alleles.

dominant allele:		
colour produced	symbol	
recessive allele:		
colour produced	symbol	[2]
T 112000 100 000 000		

(ii) Two rabbits that are heterozygous for these alleles are crossed.

Construct a genetic diagram, using your symbols from (i), to explain the results of this cross.

(b) Rabbits, like humans, keep their internal body temperature constant. The body temperature of a rabbit is 38.5 °C. Examiner's (i) Explain how a rabbit generates heat within its body. [2] (ii) Suggest how the fur of a rabbit helps to maintain its body temperature higher than that of its environment. [2] (iii) When himalayan rabbits are first born, they are white all over. The black colour develops gradually. The black pigment is produced by the action of an enzyme that is only active at temperatures below 25 °C. Use this information to suggest a reason for the distribution of black fur on the body of a himalayan rabbit. [2]

For

Use

For

Examiner's Use

10 Fig. 10.1 shows the structure of one molecule of a type of compound called a CFC (chlorofluorocarbon).



Fig. 10.1

- (a) (i) State the number of electrons in the outer shells of chlorine and fluorine atoms.
 - (ii) State and explain briefly the number of electrons in the outer shells of the chlorine and fluorine atoms in the molecule shown in Fig. 10.1.

......[1]

number of electrons
explanation
[2]

(b) Fig. 10.2 shows a cross-section through an aerosol spray can used to produce a paint spray.





Fig. 10.2

0654/32/O/N/13

(i) Explain, in terms of molecules, how the gaseous CFC produces a force on the For surface of the paint. Examiner's Use [2] (ii) Scientists have discovered that CFC molecules are causing damage to the atmosphere because they react with molecules of the gas ozone, O_3 . Describe how a molecule of ozone differs from a molecule of gaseous oxygen, O₂. [1] (c) CFCs have been replaced in most aerosol spray cans by gaseous hydrocarbons such as propane and butane. (i) Complete the molecular structure diagram of one molecule of propane. [2] (ii) Suggest one disadvantage of using hydrocarbons in aerosol spray cans.[1]

11 (a) A mobile phone (cell phone) is powered by a rechargeable battery.

Fig. 11.1 shows a mobile phone being charged. The charger contains a circuit which acts as a transformer.







Link each description in Table 11.1 with one of the labelled parts shown in Fig. 11.1.

Write your answers next to the descriptions in Table 11.1

Table '	11.1
---------	------

description	part
This transforms electrical impulses into sound energy	
This transforms electrical energy to stored chemical energy	
This transforms electrical energy to light energy	
This reduces the mains voltage to a lower voltage.	







[1]

27

	0	4 Helium	19 20 Functine Neon Fluctine 10 35.5 40 Ct Argon Chorine 18	80 84 Br Kr omine Krypton 36	57 131 Xenon 54	te Radon 86 Radon	173 175 Yb Lutetium 71	o Lawrencium 103																
	١١٨		6 27	35 ^{Br}	127 T 53	Astatine 85	20	um Nobelium 102																
	>		16 Sultur 16 Sultur	79 Selenium 34	128 Tel 52	Polonium 84	169 Thulium 69	Mendelevium 101																
	>		Nitrogen 7 Nitrogen 31 31 Fhosphorus	75 AS Arsenic 33	122 Sb Antimony 51	Bismuth 83	167 Er 68	Fermium 100																
	\geq		6 Carbon 6 28 28 14 14 8 28	73 Ge Germanium 32	119 Sn 50 207	B2 Lead	165 Ho 67	Einsteinium 99																
			11 Beron 27 Auminium 13	70 Ga 31	115 Ln 1ndium 204	T Thailium 81	162 Dysprosium 66	Cf Californium 98																
ents				65 Zn ^{Zinc}	112 Cd Cd 201 201	Mercury 80	159 Tb 65	BK Berkelium 97																
The Periodic Table of the Elements Group	Group Hydogen			64 Copper 29	108 Ag 47 197	Gold Top	157 Gd Gadolinium 64	96 Curium																
ible of th oup				59 Nickel 28	106 Pd Palladium 46	Platinum 78	152 Eu 63	Americium 95																
iodic Ta		5																		59 CO 27	103 Rh Rhođium 45	TT Indium	150 Sam arium 62	Plutonium 94
The Per			56 Fe Iron	101 Ruthenium 44 190	Osmium 76	Promethium 61	Neptunium 93																	
				55 Mn Manganese 25	Tc Technetium 43	Rtenium 75	144 Neodymium 60	238 U ^{Uranium} 92																
				52 Cr Chromium 24	96 Mo Molybdenum 42 184	Tungsten 74	141 Pr Praseodymium 59	Protactinium 91																
				51 X Vanadium 23	93 Ni obium 41 181	Tantalum 73	140 Ce Cerium 58	232 Tho 90																
				48 T Titanium 22	91 Zr Zirconium 40 178	2 [±]	_	nic mass bol nic) number																
				45 Sc 21	89 Yttrium 39 139	Lanthanum 57 * * 227 AC AC	l series eries	a = relative atomic mass X = atomic symbol b = proton (atomic) number																
	=		9 Beryllium 24 Magnesium 12	40 Ca Calcium 20	88 Strontium 38 137	56 Barium 56 Barium 226 Ra 88 Radium	*58-71 Lanthanoid series 190-103 Actinoid series	р. Х а.																
			7 Lithium 23 Sodium	39 K Potassium 19	85 Rb 37 133	Caesium 5 Fr Francium	3 A	٩																

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

28