Paper 0654/11 Multiple Choice (Core)

Question Number	Key
1	D
2	D
3	В
4	D
5	В
6	С
7	Α
8	В
9	D
10	Α

Question Number	Key
11	В
12	С
13	С
14	С
15	С
16	В
17	Α
18	D
19	Α
20	В

Question Number	Key
21	В
22	D
23	Α
24	В
25	С
26	D
27	D
28	С
29	D
30	D

Question Number	Key
31	В
32	В
33	В
34	D
35	В
36	С
37	С
38	Α
39	Α
40	С

General comments

Candidates performed well on Questions 1, 2, 9, 12 and 33. Questions 15, 17, 23, 25, 28, 29, 31, 34, 36 and 40 proved the most difficult for candidates.

Comments on specific questions

Question 2

The majority of candidates had no difficulty in calculating the size of a cell from its image size and magnification.

Question 3

When asked where a fatty acid might be found, candidates were divided on whether it was in oils or glycogen, suggesting some confusion between the terms, glycogen and glycerol, and the structure of oils.

Question 4

Many candidates were unable to distinguish between amino acids and proteins, believing that an enzyme molecule is an amino acid.

Question 7

Candidates appear to have guessed which sequence of blood vessels was correct as all options were selected. Some candidates confused the order of the pulmonary artery and the pulmonary vein and others whether the aorta led to the renal artery or renal vein.

Question 9

Candidates had no difficulty stating the effects of adrenaline.

Question 11

Candidates were presented with a selection of gametes, having either one or two sex chromosomes. The majority chose the wrong gametes for the production of male and female offspring, with few correctly getting offspring with either XX or XY chromosomes.

Question 12

Most candidates realised that herbivores eat only plants.

Question 13

In this question, candidates had to interpret a graph about atmospheric carbon dioxide. Many missed that they were asked which process, if reduced, would give this trend, rather than cause it.

Question 15

Candidates chose the incorrect options **A** and **B** more often than the correct option, **C**. Candidates are expected to know that a formula including atoms of two or more elements represents a compound in which the atoms are chemically joined together.

Question 17

Candidates chose the incorrect options **B** and **C** more often than the correct option, **A**. Candidates are required to know that Group I elements form 1+ ions and that Group VII elements form 1- ions, and to use these charges to construct the formula of the compound formed from the two ions.

Question 20

Candidates chose the incorrect option **D** more often than the correct option, **B**. Candidates are expected to understand that oxygen is gained during oxidation and that there is no change in the numbers of each type of atom in a chemical reaction.

Question 21

There was evidence that many candidates had guessed at the answer. Candidates are expected to be able to describe the preparation, separation and purification of salts using techniques specified in the syllabus.

Question 23

Candidates chose the incorrect options $\bf C$ and $\bf D$ more often than the correct option, $\bf A$. Candidates should be able to describe chemical tests for water using copper(II) sulfate and cobalt(II) chloride.

Question 25

Candidates chose the incorrect options **A**, **B** and **D** more often than the correct option, **C**. Candidates are required to describe the manufacture of calcium oxide from limestone during thermal decomposition, and the use of limestone in treating acidic soil and neutralising acidic industrial waste products.

Question 27

There was evidence that many candidates had guessed at the answer. More able candidates chose the incorrect option **B** more often than the correct option, **D**. Ethanol may be formed by fermentation and also by the reaction between ethene and steam.

Question 28

Very common errors involved candidates multiplying the maximum speed by the total time (option \mathbf{D}) or halving this figure (option \mathbf{B}).

Question 29

Many candidates believed the unit of weight to be kg, leading them to choose option A or option B.

Question 30

A large majority could deduce the resultant force on each object and could then identify which was not in equilibrium.

Question 31

In this question on moments, many candidates were not aware that the force should be multiplied by the perpendicular distance to the pivot, therefore selecting options **C** or **A**.

Question 33

Few could not identify condensation as the change of state described.

Question 34

Candidates were required to calculate the speed of sound from values of time and distance. Many made the mistake of omitting to double the distance to the wall, so arriving at the incorrect option **B**.

Question 36

The topic here was electrostatic charging. Many candidates selected either option **A** (thinking that proton transfer is involved) or option **B**. These candidates missed the fact that the two insulators repel each other, so must have like charges.

Question 38

Quite a common misconception about fuses is that they produce exactly their rated current in a circuit (option $\bf C$).

Question 40

Many candidates thought that the number of atoms remaining after two half-lives is half the original value, making option $\bf D$ a popular choice. Others thought that the number would drop to zero, option $\bf A$.

Paper 0654/12 Multiple Choice (Core)

Question Number	Key
1	С
2	С
3	D
4	В
5	В
6	Α
7	В
8	Α
9	D
10	D

Question Number	Key
11	D
12	В
13	D
14	D
15	Α
16	В
17	В
18	D
19	Α
20	D

Question Number	Key
Number	
21	Α
22	С
23	В
24	D
25	С
26	Α
27	D
28	A
29	С
30	Α

Question Number	Key
31	Α
32	С
33	D
34	В
35	В
36	С
37	D
38	Α
39	В
40	С

General comments

Candidates performed well on **Questions 1** and **6**. **Questions 15**, **17**, **23**, **25**, **26** and **35** proved the most difficult for candidates.

Comments on specific questions

Question 1

The majority of candidates knew the characteristics of living organisms.

Question 5

Although almost all candidates realised that chlorophyll is necessary for photosynthesis and the areas with chlorophyll would give a positive starch test. A sizeable number did not equate absence of light with a reduction in starch content of the leaf.

Question 6

Almost all candidates knew that calcium is necessary for the formation of strong bones and teeth.



Question 8

Candidates knew that warm blooded animals require more food in cold weather as more energy is required to maintain a constant body temperature, but they were divided on whether the rate of respiration was high or low, a slight majority opting for the wrong choice of low.

Question 9

There was some doubt amongst candidates as to whether the brain or blood detect a large temperature change in the external environment.

Question 11

Candidates were very confused by this question on continuous and discontinuous data. Very few read the bar chart correctly to deduce that there were no intermediates between fingerprint types, and they were equally divided on whether the data shown was continuous or discontinuous. This suggests that they do not understand the meanings of the terms, and what this type of chart displays.

Question 12

Many candidates believed that the Sun is the producer in a food chain.

Question 14

More able candidates chose the incorrect option **C** rather than the correct option, **D**. Candidates should be able to describe and explain distillation and fractional distillation and understand the differences between these two methods of separation.

Question 18

There was evidence that many candidates had guessed at the answer. Candidates are expected to describe the electrode products, using inert electrodes, in the electrolysis of molten lead(II) bromide.

Question 22

There was evidence that many candidates had guessed at the answer. Candidates are required to classify oxides as either acidic or basic, related to metallic and non-metallic character and to know that transition elements form coloured compounds.

Question 25

Candidates chose the incorrect options **A** and **B** more often than the correct option, **C**. Candidates are required to describe the manufacture of calcium oxide from limestone during thermal decomposition, and the use of limestone in treating acidic soil and neutralising acidic industrial waste products.

Question 26

There was evidence that many candidates had guessed at the answer. Candidates are required to know that petroleum and the fractions obtained from petroleum are mixtures of hydrocarbons, and to describe the complete combustion of hydrocarbons to give carbon dioxide and water.

Question 27

Candidates chose the incorrect answer $\bf C$ more often than the correct answer, $\bf D$. They are expected to know the structure of ethanol and to know that it is formed by fermentation.

Question 35

The topic here was electrostatic charging. More candidates selected option **C** rather than the correct option, **B**, believing that positive charges move in the charging process.

Question 36

A significant number of candidates incorrectly thought that copper is the metal used in the core of an electromagnet.

Question 37

A common error here was to believe that arrangement **A**, showing four resistors in series, has the smallest combined resistance.

Question 38

Although a large majority of candidates could recognise the shape of the magnetic field around a current-carrying wire, almost half of these chose the wrong direction for the field lines, option **B**.

Question 39

In this question on half-life, a similar number opted for the correct option **B** and the incorrect option **D**. Option **D** was the count rate after three half-lives, rather than the number of half-lives in 45 hours.



Paper 0654/13 Multiple Choice (Core)

Question Number	Key
1	С
2	С
3	D
4	В
5	В
6	Α
7	В
8	Α
9	D
10	D

Question Number	Key
11	D
12	В
13	D
14	D
15	Α
16	В
17	В
18	D
19	Α
20	D

Question Number	Key
21	Α
22	С
23	В
24	D
25	С
26	Α
27	D
28	Α
29	С
30	Α

Question Number	Key
31	Α
32	С
33	D
34	В
35	В
36	С
37	D
38	Α
39	В
40	C

General comments

Candidates performed well on **Questions 1**, **5**, **6**, **24** and **30**. **Questions 18**, **25**, **27** and **35** proved the most difficult for candidates.

Comments on specific questions

Question 1

The majority of candidates knew the characteristics of living organisms.

Question 5

Although almost all candidates realised that chlorophyll is necessary for photosynthesis and the areas with chlorophyll would give a positive starch test. A sizeable number did not equate absence of light with a reduction in starch content of the leaf.

Question 6

Almost all candidates knew that calcium is necessary for the formation of strong bones and teeth.



Question 8

Candidates knew that warm blooded animals require more food in cold weather as more energy is required to maintain a constant body temperature, but they were divided on whether the rate of respiration was high or low, a slight majority opting for the wrong choice of low.

Question 11

Candidates were very confused by this question on continuous and discontinuous data. Very few read the bar chart correctly to deduce that there were no intermediates between fingerprint types, and they were equally divided on whether the data shown was continuous or discontinuous. This suggests that they do not understand the meanings of the terms, and what this type of chart displays.

Question 12

Many candidates believed that the Sun is the producer in a food chain.

Question 18

There was evidence that many candidates had guessed at the answer. Candidates are expected to describe the electrode products, using inert electrodes, in the electrolysis of molten lead(II) bromide.

Question 19

More able candidates chose the incorrect option **B** rather than the correct option, **A**. Candidates are expected to be able to describe and identify exothermic and endothermic reactions.

Question 20

Candidates, including some more able candidates, chose the incorrect option **C** more often than the correct option, **D**. Candidates are required to describe oxidation and reduction in chemical reactions in terms of oxygen loss and gain.

Question 22

There was evidence that many candidates had guessed at the answer. Candidates are required to classify oxides as either acidic or basic, related to metallic and non-metallic character and to know that transition elements form coloured compounds.

Question 24

Candidates knew that sulfur is used in the manufacture of sulfuric acid. However, some more able candidates chose the incorrect option **B** rather than the correct option, **D**.

Question 25

Candidates chose the incorrect options **A** and **B** more often than the correct option, **C**. Candidates are required to describe the manufacture of calcium oxide from limestone during thermal decomposition, and the use of limestone in treating acidic soil and neutralising acidic industrial waste products.

Question 26

There was evidence that many candidates had guessed at the answer. Candidates are required to know that petroleum and the fractions obtained from petroleum are mixtures of hydrocarbons, and to describe the complete combustion of hydrocarbons to give carbon dioxide and water.

Question 27

Candidates chose the incorrect option **C** more often than the correct option, **D**. They are expected to know the structure of ethanol and to know that it is formed by fermentation.

Question 30

A large majority of candidates correctly identified coal as a non-renewable source of energy.

Question 35

In this question on electrostatic charging, many candidates opted for the incorrect option **C**, believing that it is positive charges that are transferred in the charging process. Of those who knew that it is negative charges that move, most incorrectly thought that they are transferred from the cloth to the rod, option **A**.

Question 36

There was much uncertainty about the material used in the core of an electromagnet, with many choosing copper or steel.

Question 37

Option $\bf A$, showing resistors connected in series, was a more popular choice than the correct parallel arrangement, option $\bf D$.

Question 38

Although a majority of candidates could recognise the shape of the magnetic field around a current-carrying wire, some of these chose the wrong direction for the field lines, option **B**.

Question 39

In this question on half-life, a similar number opted for the correct option **B** and the incorrect option **D**. Option **D** was the count rate after three half-lives, rather than the number of half-lives in 45 hours.



Paper 0654/21

Multiple Choice (Extended)

Question Number	Key
1	D
2	В
3	В
4	С
5	С
6	D
7	Α
8	В
9	D
10	Α

Question Number	Key
11	В
12	С
13	D
14	С
15	С
16	В
17	В
18	Α
19	С
20	Α

Question Number	Key
21	D
22	D
23	D
24	В
25	С
26	D
27	Α
28	С
29	В
30	D

Question Number	Key
31	D
32	В
33	Α
34	С
35	С
36	С
37	D
38	A
39	A
40	D

General comments

Candidates performed well on **Questions 1**, **2**, **5**, **10** and **26**. **Questions 7**, **19**, **25**, **29**, **33** and **40** proved the most difficult for candidates.

Comments on specific questions

Question 7

Candidates appear to have guessed which sequence of blood vessels was correct as all options were selected. Some candidates confused the order of the pulmonary artery and the pulmonary vein and others whether the aorta led to the renal artery or renal vein.

Question 9

The function of the cornea caused some problems with candidates guessing between three of the possible four options.

Question 12

Some candidates confused consumer levels with trophic levels in this food web.



Question 14

Candidates understood how pure salt crystals are obtained from an aqueous salt solution.

Question 19

Candidates chose the incorrect option **A** more often than the correct option, **C**. Candidates should be able to describe, in terms of the frequency of collisions between reacting particles, the effect of concentration on the rate of a reaction. They should also know that temperature changes, rather than changes in concentration, affects the proportion of particles with the minimum energy to react.

Question 22

More able candidates chose the incorrect option **B** more often than the correct option, **D**. They should know that lime is used to neutralise acidic substances. They should also be able to classify sulfur dioxide as an acidic oxide based on the non-metallic character of sulfur.

Question 25

There was evidence that many candidates had guessed at the answer. More able candidates chose the incorrect option **B** rather than the correct option, **D**. Candidates are required to describe the manufacture of calcium oxide from limestone during thermal decomposition, and the use of limestone in treating acidic soil and neutralising acidic industrial waste products.

Question 26

Candidates knew the uses of the named fractions and they understood the position of their collection in the fractional distillation column.

Question 28

A common error was for candidates to multiply the maximum speed by the total time, leading to option **D**.

Question 29

In this question on moments, a large number of candidates opted for the incorrect option **C**, multiplying the force by the length of the hypotenuse of the triangle and not realising that the perpendicular to the line of action of the force should be used.

Question 33

Although most could use the wave equation, a large majority of these did not notice that the frequency was given in MHz and therefore arrived at the incorrect option, **C**. Others confused the prefix 'mega' with 'kilo' and selected option **B**.

Question 35

The topic here was electrostatic charging. Few thought that proton transfer is involved, but many selected option **B**, missing the fact that the two insulators repel each other, so must have like charges.

Question 37

A large majority of candidates could use the power equation correctly, but many of these omitted to convert the time into seconds, so arriving at the incorrect option, **C**.

Question 40

It was widely known that beta-particles are attracted towards a positively charged plate, but the use of the left-hand rule for the magnetic field caused a problem for candidates. More chose option **C** rather than the correct option **D**, probably finding difficulty with the direction of conventional current being to the left.

Paper 0654/22
Multiple Choice (Extended)

Question Number	Key
1	С
2	D
3	D
4	В
5	С
6	С
7	D
8	Α
9	В
10	D

Question Number	Key
11	С
12	Α
13	Α
14	D
15	Α
16	В
17	
18	D
19	В
20	С

Question Number	Key
21	С
22	В
23	Α
24	D
25	С
26	Α
27	В
28	В
29	С
30	Α

Question Number	Key
31	С
32	Α
33	С
34	В
35	Α
36	С
37	Α
38	В
39	Α
40	A

General comments

Candidates performed well on Questions 1, 2, 3, 10, 16, 19 and 32. Question 38 proved the most difficult for candidates.

Comments on specific questions

Question 8

Candidates knew that warm blooded animals require more food in cold weather as more energy is required to maintain a constant body temperature, but they were divided on whether the rate of respiration was high or low, however, a majority opted for the correct choice of high.

Question 16

Candidates understood how to use the atomic number and nucleon number to determine the number of neutrons in an atom.

Question 17

Please note that due to an issue with question 17, this question has been discounted. Each candidate's total mark has been multiplied by a weighting factor so that the maximum mark for the question paper remains unchanged.



Question 19

Candidates understood how increasing the concentration of reactants increases the rate of a reaction.

Question 28

Many candidates appeared to be guessing in this question on speed-time graphs, with options **A**, **B** and **C** all being popular.

Question 29

In this question on moments, slightly more candidates opted for the incorrect option **D** than the correct option, **C**. Possibly they thought that the value of *F* is double the weight of the beam as it is twice as far from the pivot as the centre of gravity.

Question 30

Some candidates rearranged the pressure equation incorrectly, dividing the pressure by the weight to arrive at option **B**.

Question 32

This question on kinetic theory of gases presented few problems.

Question 37

A very large majority recognised the shape of the magnetic field around a current-carrying conductor, although a fair proportion of them could not identify the correct direction of the field lines and therefore selected the incorrect option, **B**.

Question 38

It was not widely known that, of the factors given, only the resistance of the conductor has no effect on the induced e.m.f.. Many chose the length of the conductor or the speed of movement.

Question 39

Although many were aware that increasing the voltage decreases the power loss, there was some confusion over its effect on the current. Candidates may have believed that 'decreases' in the left-hand column must imply 'increases' in the right.

Question 40

Candidates were well aware that the force must be either downwards or upwards, but using the left-hand rule correctly was a problem for some of them, causing them to select option **D**.

Paper 0654/23

Multiple Choice (Extended)

Question Number	Key
1	Α
2	В
3	Α
4	Α
5	С
6	В
7	С
8	С
9	В
10	В

Question Number	Key
11	D
12	С
13	С
14	D
15	Α
16	Α
17	В
18	Α
19	D
20	С

Question Number	Key
21	В
22	В
23	Α
24	D
25	В
26	С
27	D
28	С
29	В
30	С

Question Number	Key
31	С
32	В
33	Α
34	Α
35	D
36	Α
37	D
38	D
39	В
40	D

General comments

Candidates performed well on **Questions 1**, **9**, **15**, **19** and **32**. **Questions 29**, **33**, **36**, **37** and **38** proved the most difficult for candidates.

Comments on specific questions

Question 1

This question on excretion was very well answered.

Question 4

While almost all candidates realised that product formation would decrease if the temperature of an enzyme-controlled reaction was lowered, equal numbers believed it might or might not be due to changes in the shape of the enzyme.

Question 7

Candidates were asked which cells lose water by evaporation from their surfaces during transpiration, many incorrectly believed this was the epidermis cells.



Question 8

The majority of candidates realised that if either respiration or photosynthesis was endothermic, the other must be exothermic. Most correctly chose respiration as the exothermic reaction.

Question 9

Almost all the candidates knew that adrenaline is a hormone.

Question 10

There appeared to be some confusion about pollen grains and pollen nuclei. Some candidates correctly realised that in pollination the pollen grain only needs to reach the stigma, not the ovule.

Question 15

Candidates understood how to use the atomic number and the nucleon number to determine the number of protons, neutrons and electrons in an atom.

Question 19

Candidates were very well able to describe the effect of increasing temperature on the collisions between particles in a chemical reaction.

Question 23

Candidates chose the incorrect option **B** more often than the correct option **A**. Candidates are required to describe and explain the essential conditions for the manufacture of ammonia by the Haber process.

Question 24

More able candidates chose the incorrect option $\bf A$ rather than the correct option $\bf D$. Candidates are expected to know the four reactions involved in the Contact process and to be able to identify reactants and products in these reactions.

Question 27

Candidates chose the incorrect option **A** more often than the correct option **D**. Candidates are expected to be able to name and draw the structures of the unbranched alkenes containing up to four carbon atoms per molecule. They are also expected to be able to deduce the structure of the polymer product from a given alkene.

Question 28

The most common mistake in this question on speed–time graphs was to multiply the maximum speed by the total time, therefore arriving at option **D**.

Question 29

The same proportion of candidates opted for the incorrect option **A** as chose the correct option **B**. Option **A** is found by multiplying the pressure by the volume of the box, rather than by its weight.

Question 32

The change in molecular arrangement as a substance changes state was well known by a very large proportion of the candidates.

Question 33

This question involved use of the wave equation. Many candidates could rearrange this, but more than half of these missed that the frequency was given in kHz, leading them to choose option **C**. Others divided the frequency in kHz by the speed, to arrive at option **B**



Question 35

Many candidates found this question on the converging lens very demanding, with few selecting the correct option. Most popular was option **A**. These candidates not realising that an object initially between one and two focal lengths from the lens produces an enlarged image. Others were not aware that, with the new position of the object, the lens acts as a magnifying glass; this led them to choose **B**.

Question 36

The correct connection of an ammeter and a voltmeter proved demanding with options **B** and **C** being selected more often than the correct option, **A**.

Question 37

Few candidates were able to use the correct equation for electrical power. Option **C** was a particularly popular choice, this being all three values given, multiplied together.

Question 40

The direction of the deflection of the two types of particles was generally well known, but candidates were less sure about which is deflected most, with even the most able tending to choose α -particles, option **C**.



Paper 0654/31 Theory (Core)

Key message

Some candidates missed available marks due to their responses not answering the question completely. In these cases, candidates should be reminded to read the stimulus material and each question carefully and complete all the instructions contained within the question.

Any formula quoted should be in a standard form and use recognisable symbols. Formulae consisting of units should be avoided. Similarly, formulae consisting of a mixture of words, symbols and units should also be avoided.

General comments

A good standard of scientific knowledge was displayed by many candidates. Some candidates gave clear and accurate responses.

Calculations were often done well with working shown.

Comments on specific questions

Question 1

- (a) (i) This question was well answered with many candidates being awarded three or four marks.
 - (ii) Most candidates correctly named the pancreas and the liver although a few candidates mixed them up.
 - (iii) Many candidates correctly defined digestion.
- **(b)** A few candidates did not follow the instructions in the question and drew more than one line from each nutrient.
- (c) The dietary importance of iron was not well known. Few candidates mentioned making haemoglobin or preventing anaemia. Many candidates incorrectly suggested that iron strengthens bones.

Question 2

- (a) (i) Some candidates knew that oxidation involves a gain of oxygen.
 - (ii) Covering the nail with paint was a common correct response. Other correct methods were also credited.
- (b) Recycled was not well known. Re-used was also accepted.
- (c) The properties of transition elements were not known by many candidates. Few candidates scored both marks.

- (d) (i) Steel is used for making cars instead of pure iron because steel is stronger.
 - (ii) This question proved challenging. Some candidates correctly determined that 65% of stainless steel was iron but most were unable to calculate the mass of iron in 80 kg of stainless steel.
- **(e)** Many candidates correctly stated the meaning of malleable.

Question 3

- (a) (i) Many candidates referred to the greater surface area of the skis but fewer were able to explain that this reduced the pressure. Many candidates vaguely referred to spreading the weight.
 - (ii) Reflection was the idea required. The idea that the sound wave bounced off the wall was also accepted.
- (b) (i) The weight was usually correctly identified as L. M was a popular incorrect response.
 - (ii) The friction force was usually correctly identified as **K**. **M** was a popular incorrect response.
- (c) (i) Most candidates correctly stated the maximum speed as 5 m/s.
 - (ii) Some candidates correctly explained that a line with a gradient on the graph showed acceleration.
 - (iii) Some candidates realised that the average speed was 2.5 m/s rather than the speed being 5 m/s and used this to calculate the distance travelled.
- (d) Skin cancer was well known as a consequence of being exposed to large quantities of ultraviolet radiation.

Question 4

- (a) (i) Most candidates gained all three marks.
 - (ii) There were many vague answers given. Stronger responses stated that untreated sewage spreads disease.
- (b) (i) Almost all candidates correctly calculated the difference in height as 18 cm.
 - (ii) Some candidates knew that oxygen was required for germination. Some also knew that warmth or a suitable temperature was also needed. Temperature, on its own, was not accepted.

Question 5

- (a) Many candidates showed a good understanding of separation techniques and scored full marks.
- **(b)** Few candidates referred to poisoning or the presence of harmful substances in their responses.
- (c) (i) Many correct answers were seen. Some candidates vaguely referred to elements and compounds containing molecules. Candidates should avoid describing a compound as a mixture of elements.
 - (ii) Most candidates knew that the negative electrode is the cathode. Bromide was not accepted as an alternative to bromine.
- (d) Most candidates correctly determined the order as calcium, magnesium, lead and copper. A few candidates replaced one of the four metals with the word metal.

Question 6

- (a) (i) Many candidates scored one or two marks. Some candidates seemed confused about the energy present in the turning turbine and the generator and suggested wind energy.
 - (ii) Splitting was the most popular and correct answer. Exploding was frequently suggested.



- (b) (i) Few candidates correctly stated the charge on an α -particle and just wrote down a number, usually 4.
 - (ii) Most candidates did not read the question carefully and simply suggested that the numbers decreased rather than that they decreased by two.
 - (iii) This calculation was not well answered. A few candidates determined that 72 000 years was 3 half-lives but were unable to do anything with the 3 apart from divide it into 6.0.

Question 7

- (a) Few candidates scored all three marks. Identifying **C** as the stoma/stomata was known by most candidates although a number suggested guard cells.
- **(b)** Well answered by many candidates.
- (c) Some candidates were able to identify the reactants and/or products, but few mentioned using light energy. Some candidates gave a description of respiration rather than photosynthesis.
- (d) Few candidates suggested that plants make amino acids from nitrate ions. All five options were equally popular.
- (e) Root hair cell was not well known as the plant cell that absorbs mineral ions.
- (f) Xylem was quite well known as the vessels that transport mineral ions in the stem of a plant.

Question 8

- (a) (i) Many candidates were awarded full marks for this question.
 - (ii) Many candidates correctly determined that it was covalent bonding and most were able to explain why. A few candidates confused covalent and ionic bonding and a few referred to single and double bonding.
- (b) This equation was not well known. A number of candidates correctly suggested oxygen as the other reactant but few suggested carbon dioxide and water as the products.
- (c) (i) Some candidates correctly suggested carbon monoxide.
 - (ii) Many candidates gave very vague answers suggesting that carbon monoxide can make it difficult to breathe, rather than that carbon monoxide is poisonous.

Question 9

- (a) (i) Many candidates omitted the switches or drew the heater and motor in series rather than in parallel.
 - (ii) Few candidates suggested 16 Ω and even fewer could explain why. 50 Ω (average value) and 100 Ω (addition of values) were common incorrect answers.
 - (iii) Electrons were well known as the particles that flow in wires in an electric circuit. Current was a frequently suggested incorrect response.
 - (iv) Few candidates knew either of the correct answers increase the current (or voltage) or increase the strength of the magnetic field.
- (b) (i) Most diagrams were low quality with molecules of varying size being used on both diagrams. The liquid diagram should have shown many molecules in random arrangement with most molecules touching. The gas diagram should have shown a few molecules (not more than 7) in a random arrangement.
 - (ii) Most candidates correctly stated 100 °C as the boiling point of water but incorrect answers ranged from 0 °C to 110 °C.

Cambridge Assessment International Education

Question 10

- (a) (i) Few candidates were able to suggest a change in temperature as the stimulus or a muscle as the effector.
 - (ii) The motor neurone was not well known as neurone X.
 - (iii) The brain was well known as the other part of the central nervous system.
- (b) Many candidates did not realise that it was necessary to perform a unit conversion before completing the calculation.
- (c) This part was well answered with many candidates gaining full marks.
- (d) A wide range of effects of adrenaline on the body were suggested with many gaining full marks.

Question 11

- (a) (i) Candidates who described where the limestone and the water were found after the filtration were awarded one mark. The second mark was for explaining why the water passes through the filter paper but the limestone does not.
 - (ii) Few candidates suggested the use of universal indicator and even fewer explained the correct use of a pH colour chart.
- (b) (i) Deforestation and burning carbon-containing fuels in cars were common correct responses.
 - (ii) Few candidates suggested climate change or global warming as consequences of an increase in carbon dioxide in the atmosphere. Many candidates incorrectly referred to ozone depletion.
- (c) (i) 45 cm³ was the correct answer given by most candidates.
 - (ii) 190 s was the correct answer given by many candidates. 280 s was a common error.
 - (iii) Most correctly drew an initial steeper line but many did not show the line levelling off at 45 cm³.
 - (iv) This question was well answered. Some candidates were confused about changing the surface area and suggested decreasing the surface area.

Question 12

- (a) As many candidates used volume = mass × density as used volume = mass ÷ density. Many were also confused by the powers of ten involved in the calculation.
- (b) (i) Convection was not well known.
 - (ii) Radiation was known by many candidates.
 - (iii) Sound not being able to travel through a vacuum was well known. Common errors were to suggest that the sound waves had a frequency outside the range of audible frequencies for a human or that the Sun was too far away.
- (c) (i) Infrared was often misplaced to the other side of visible light.
 - (ii) Gamma was well known as the electromagnetic radiation which has the highest frequency.
 - (iii) A few candidates realised that the infrared and visible light both travel at the same speed.
- (d) (i) (ii) The double headed arrows were frequently drawn inaccurately. A common error was to indicate twice the amplitude. A few candidates failed to label either of their arrows and so could not be awarded credit.

Cambridge Assessment International Education

Paper 0654/32 Theory (Core)

Key message

Some candidates missed available marks due to their responses not answering the question completely. In these cases, candidates should be reminded to read the stimulus material and each question carefully and complete all the instructions contained within the question.

Any formula quoted should be in a standard form and use recognisable symbols. Formulae consisting of units should be avoided. Similarly, formulae consisting of a mixture of words, symbols and units should also be avoided.

General comments

A good standard of scientific knowledge was displayed by many candidates. Some candidates gave clear and accurate responses.

Calculations were often done well with working shown.

Comments on specific questions

Question 1

- (a) This question was well answered. Many candidates gained two or three marks.
- (b) The oviduct was not well known. Ovary and uterus were frequently suggested.
- (c) Many candidates knew the features of sexual reproduction. Some omitted to tick involves inheritance of genetic information for asexual reproduction.
- (d) Many candidates were able to determine that in 4 hours there would be 8 divisions. However, few candidates were able to calculate the total number of bacteria after 4 hours as 256.
- (e) This question was well answered. Many candidates gained full marks.

Question 2

- (a) (i) Lead bromide was well known.
 - (ii) Ammonium nitrate was less well known. Many candidates suggested sodium chloride, perhaps in an attempt to name a salt.
 - (iii) Carbon dioxide or sulfur dioxide were well known as acidic oxides.
 - (iv) Carbon dioxide was well known as a greenhouse gas.
 - (v) Few candidates knew that aluminium oxide is the main constituent of bauxite.
- **(b)** This was well answered by many candidates. A few candidates simply named three metals.



- (c) (i) Many candidates successfully determined the mass of aluminium in 20 kg of duralumin as 19 kg. Some candidates managed to determine a mass greater than the total mass of duralumin, suggesting they had not checked their final answer.
 - (ii) This was not well answered. Few candidates were able to explain that only pure substances have a precise melting point and therefore alloys, which are mixtures, do not have a precise melting point.

Question 3

- (a) Many candidates omitted to convert 78 hours into 280 800 seconds for the calculation. Other candidates converted 78 hours into 4 680 minutes. There were few correct answers.
- **(b) (i)** The weight was usually determined as 900 N.
 - (ii) This was not well answered. 900, 9 and 0.9 kg were common incorrect answers.
- (c) (i) Most candidates correctly placed radio waves in the right-hand box.
 - (ii) Sound not being able to travel through a vacuum was well known. Common errors were to suggest that the sound waves had a frequency outside the range of audible frequencies for a human or that the astronaut was too far away.
- (d) (i) Many different, but correct, meanings of the term isotope were suggested.
 - (ii) Few candidates knew that β -particles are identical in nature to electrons. Some candidates knew that β -particles have a single negative charge.

Question 4

- (a) (i) Many candidates correctly determined the number of new HIV infections in 1998 and 2002. Few candidates were able to calculate the percentage increase correctly.
 - (ii) Many candidates were able to suggest at least one reason for the change in number of new infections between 2002 and 2008. Some candidates incorrectly attempted to give reasons for an increase in cases. A few candidates were clearly trying to explain why there was a drop in the number of COVID cases.
- (b) Most candidates correctly identified the red blood cell and were able to state the function of red blood cells. Fewer candidates identified the white blood cells or stated their function.
- (c) The heart was well known as the organ responsible for pumping blood around the body.

Question 5

- (a) Few candidates were awarded two marks. The percentage of nitrogen was better known than the percentage of oxygen.
- (b) Helium was commonly suggested with a use of filling balloons. A few candidates incorrectly suggested filling hot air balloons.
- (c) (i) Many candidates obviously knew the answer but were unable to explain this clearly. Candidates needed to show what the difference was between the reactants and the products.
 - (ii) Many candidates correctly balanced the equation.
 - (iii) Many candidates were awarded two marks for their clear and accurate dot-and-cross diagrams.
 - (iv) Covalent bonding was well known.
 - (v) Very few candidates were able to describe a chemical test for water. Common incorrect responses referred to testing with litmus or checking the boiling point.

Cambridge Assessment International Education

Question 6

- (a) (i) Almost every candidate correctly suggested the bat. The whale was the only other animal suggested.
 - (ii) Almost every candidate correctly suggested the elephant.
 - (iii) The audible frequency range for a human was not well known.
- **(b)** Many candidates used mass = density ÷ volume rather than mass = density × volume.
- (c) (i) Few candidates mentioned the fastest moving molecules or these molecules escaping from the surface of the liquid.
 - (ii) Some candidates suggested that evaporation has a cooling effect. Most candidates suggested that the elephant sprayed its skin with water to hydrate the skin.
 - (iii) Most diagrams were low quality with molecules of varying size being used on both diagrams. The liquid diagram should have shown many molecules in random arrangement with most molecules touching. The gas diagram should have shown a few molecules (not more than 7) in a random arrangement.

Question 7

- (a) Few candidates were able to define variation as differences between individuals of the same species.
- (b) (i) Most candidates correctly determined the most frequent height range as 150.0 cm 154.9 cm.
 - (ii) Very few candidates were awarded marks. Phenotypes was often confused with genotypes and there were frequently six extremes rather than two.
 - (iii) Few candidates were able to give an example of discontinuous variation.
- (c) (i) Carnivore was often given as a correct answer. Predator and secondary consumer were also accepted.
 - (ii) Most candidates were awarded marks for understanding the description of natural selection in lions.
 - (iii) The term, natural selection, was not well known.

Question 8

- (a) (i) Few candidates were able to name another fossil fuel. Some candidates referred to crude oil, suggesting that the candidates did not know that crude oil is also called petroleum.
 - (ii) Fractional distillation was not well known. Separation of petroleum was a common suggestion.
 - (iii) Most candidates were able to name one of the fractions not shown in the diagram. Bitumen was the most popular.
 - (iv) Many candidates correctly suggested that refinery gas is used for heating or cooking. Few candidates suggested that diesel oil is used as a fuel for cars and trucks. There were many vague answers about diesel oil being used for cars.
- (b) Some candidates drew very clear diagrams to show the structure of ethene. Many candidates only showed a single carbon-carbon bond rather than a double carbon-carbon bond.
- (c) (i) Poly(ethene) was not well known as the polymer made from ethene.
 - (ii) Very few candidates suggested addition polymerisation.

Cambridge Assessment International Education

Question 9

- (a) (i) The correct answer was 0.6 A. Many candidates suggested 0.3 A or 1.2 A.
 - (ii) A few candidates knew the correct symbol for a voltmeter but few placed it in the circuit correctly across lamp **Y**.
- (b) The correct answer of 2.4 V was rarely given. A common wrong answer was 2.0 V. Few candidates suggested that unit was the volt (V). Ohms and amps were far more popular.
- (c) (i) Light and thermal energy were sometimes suggested as the two forms of energy emitted by filament lamps. Electrical energy was frequently suggested.
 - (ii) Chemical energy was sometimes suggested as the energy store in a battery. Electrical energy was frequently suggested.

Question 10

- (a) (i) Few candidates correctly drew an arrow from left to right.
 - (ii) Cell wall was more popular than the correct response, cell membrane.
 - (iii) Many candidates were able to state a similarity between diffusion and osmosis such as the movement down a concentration gradient. Fewer candidates could describe a difference.
- (b) (i) Some candidates were awarded two marks and many were awarded one mark. Glucose was a common incorrect response.
 - (ii) Most candidates scored some marks. All three uses were equally well answered.

Question 11

- (a) (i) More candidates suggested 40 electrons rather than the correct 20 electrons.
 - (ii) Few candidates deducted 2 from their response to (a)(i).
- (b) (i) Very few candidates correctly completed the word equation for the thermal decomposition of calcium carbonate. Some candidates included carbon or oxygen in their equation. Many candidates attempted to write a balanced symbol equation.
 - (ii) Very few candidates were able explain why the mass was less. Loss of carbon dioxide needed to be mentioned.
 - (iii) Many candidates had a very good idea what endothermic meant and described it clearly.
 - (iv) There were many possible correct answers. Making limewater was a popular incorrect response.
 - (v) There were many correct responses seen. A few candidates were confused about whether the surface area had increased or decreased.
- (c) (i) The number of different elements shown in the formula of calcium carbonate is 3. This was the most common answer seen.
 - (ii) The total number of atoms shown in the formula is 5. Many incorrect numbers were suggested, especially 34.

Question 12

- (a) Many candidates were awarded both marks but a number scored zero.
- (b) (i) Most candidates correctly identified either section **Q** or section **S** as sections when the oil tanker was travelling at a constant speed.

Cambridge Assessment International Education

- (ii) Many candidates correctly identified section **R** as the section when the oil tanker had the greatest acceleration but were unable to explain their answer in terms of the gradient of the line.
- (iii) Most candidates incorrectly multiplied the maximum speed by time rather than the average speed by time. Alternatively, candidates needed to calculate the area under the graph.
- (c) (i) Most candidates correctly completed the ray diagram.
 - (ii) The principal focus or focal point was not well known. Focus point was not accepted.
- (d) (i) The correct answer **B** was less popular than **D**.
 - (ii) The correct answer E was the most popular answer. A and C were sometimes suggested.



Paper 0654/33 Theory (Core)

Key message

Some candidates missed available marks due to their responses not answering the question completely. In these cases, candidates should be reminded to read the stimulus material and each question carefully and complete all the instructions contained within the question.

Any formula quoted should be in a standard form and use recognisable symbols. Formulae consisting of units should be avoided. Similarly, formulae consisting of a mixture of words, symbols and units should also be avoided.

General comments

A good standard of scientific knowledge was displayed by many candidates. Some candidates gave clear and accurate responses.

Calculations were often done well with working shown.

Comments on specific questions

Question 1

- (a) This question was well answered. Many candidates gained two or three marks.
- (b) The oviduct was not well known. Ovary and uterus were frequently suggested.
- (c) Many candidates knew the features of sexual reproduction. Some omitted to tick involves inheritance of genetic information for asexual reproduction.
- (d) Many candidates were able to determine that in 4 hours there would be 8 divisions. However, few candidates were able to calculate the total number of bacteria after 4 hours as 256.
- (e) This question was well answered. Many candidates gained full marks.

Question 2

- (a) (i) Lead bromide was well known.
 - (ii) Ammonium nitrate was less well known. Many candidates suggested sodium chloride, perhaps in an attempt to name a salt.
 - (iii) Carbon dioxide or sulfur dioxide were well known as acidic oxides.
 - (iv) Carbon dioxide was well known as a greenhouse gas.
 - (v) Few candidates knew that aluminium oxide is the main constituent of bauxite.
- **(b)** This was well answered by many candidates. A few candidates simply named three metals.



- (c) (i) Many candidates successfully determined the mass of aluminium in 20 kg of duralumin as 19 kg. Some candidates managed to determine a mass greater than the total mass of duralumin, suggesting they had not checked their final answer.
 - (ii) This was not well answered. Few candidates were able to explain that only pure substances have a precise melting point and therefore alloys, which are mixtures, do not have a precise melting point.

Question 3

- (a) Many candidates omitted to convert 78 hours into 280 800 seconds for the calculation. Other candidates converted 78 hours into 4 680 minutes. There were few correct answers.
- **(b) (i)** The weight was usually determined as 900 N.
 - (ii) This was not well answered. 900, 9 and 0.9 kg were common incorrect answers.
- (c) (i) Most candidates correctly placed radio waves in the right-hand box.
 - (ii) Sound not being able to travel through a vacuum was well known. Common errors were to suggest that the sound waves had a frequency outside the range of audible frequencies for a human or that the astronaut was too far away.
- (d) (i) Many different, but correct, meanings of the term isotope were suggested.
 - (ii) Few candidates knew that β -particles are identical in nature to electrons. Some candidates knew that β -particles have a single negative charge.

Question 4

- (a) (i) Many candidates correctly determined the number of new HIV infections in 1998 and 2002. Few candidates were able to calculate the percentage increase correctly.
 - (ii) Many candidates were able to suggest at least one reason for the change in number of new infections between 2002 and 2008. Some candidates incorrectly attempted to give reasons for an increase in cases. A few candidates were clearly trying to explain why there was a drop in the number of COVID cases.
- (b) Most candidates correctly identified the red blood cell and were able to state the function of red blood cells. Fewer candidates identified the white blood cells or stated their function.
- (c) The heart was well known as the organ responsible for pumping blood around the body.

Question 5

- (a) Few candidates were awarded two marks. The percentage of nitrogen was better known than the percentage of oxygen.
- (b) Helium was commonly suggested with a use of filling balloons. A few candidates incorrectly suggested filling hot air balloons.
- (c) (i) Many candidates obviously knew the answer but were unable to explain this clearly. Candidates needed to show what the difference was between the reactants and the products.
 - (ii) Many candidates correctly balanced the equation.
 - (iii) Many candidates were awarded two marks for their clear and accurate dot-and-cross diagrams.
 - (iv) Covalent bonding was well known.
 - (v) Very few candidates were able to describe a chemical test for water. Common incorrect responses referred to testing with litmus or checking the boiling point.

Cambridge Assessment International Education

Question 6

- (a) (i) Almost every candidate correctly suggested the bat. The whale was the only other animal suggested.
 - (ii) Almost every candidate correctly suggested the elephant.
 - (iii) The audible frequency range for a human was not well known.
- **(b)** Many candidates used mass = density ÷ volume rather than mass = density × volume.
- (c) (i) Few candidates mentioned the fastest moving molecules or these molecules escaping from the surface of the liquid.
 - (ii) Some candidates suggested that evaporation has a cooling effect. Most candidates suggested that the elephant sprayed its skin with water to hydrate the skin.
 - (iii) Most diagrams were low quality with molecules of varying size being used on both diagrams. The liquid diagram should have shown many molecules in random arrangement with most molecules touching. The gas diagram should have shown a few molecules (not more than 7) in a random arrangement.

Question 7

- (a) Few candidates were able to define variation as differences between individuals of the same species.
- (b) (i) Most candidates correctly determined the most frequent height range as 150.0 cm 154.9 cm.
 - (ii) Very few candidates were awarded marks. Phenotypes was often confused with genotypes and there were frequently six extremes rather than two.
 - (iii) Few candidates were able to give an example of discontinuous variation.
- (c) (i) Carnivore was often given as a correct answer. Predator and secondary consumer were also accepted.
 - (ii) Most candidates were awarded marks for understanding the description of natural selection in lions.
 - (iii) The term, natural selection, was not well known.

Question 8

- (a) (i) Few candidates were able to name another fossil fuel. Some candidates referred to crude oil, suggesting that the candidates did not know that crude oil is also called petroleum.
 - (ii) Fractional distillation was not well known. Separation of petroleum was a common suggestion.
 - (iii) Most candidates were able to name one of the fractions not shown in the diagram. Bitumen was the most popular.
 - (iv) Many candidates correctly suggested that refinery gas is used for heating or cooking. Few candidates suggested that diesel oil is used as a fuel for cars and trucks. There were many vague answers about diesel oil being used for cars.
- (b) Some candidates drew very clear diagrams to show the structure of ethene. Many candidates only showed a single carbon-carbon bond rather than a double carbon-carbon bond.
- (c) (i) Poly(ethene) was not well known as the polymer made from ethene.
 - (ii) Very few candidates suggested addition polymerisation.

Cambridge Assessment International Education

Question 9

- (a) (i) The correct answer was 0.6 A. Many candidates suggested 0.3 A or 1.2 A.
 - (ii) A few candidates knew the correct symbol for a voltmeter but few placed it in the circuit correctly across lamp **Y**.
- (b) The correct answer of 2.4 V was rarely given. A common wrong answer was 2.0 V. Few candidates suggested that unit was the volt (V). Ohms and amps were far more popular.
- (c) (i) Light and thermal energy were sometimes suggested as the two forms of energy emitted by filament lamps. Electrical energy was frequently suggested.
 - (ii) Chemical energy was sometimes suggested as the energy store in a battery. Electrical energy was frequently suggested.

Question 10

- (a) (i) Few candidates correctly drew an arrow from left to right.
 - (ii) Cell wall was more popular than the correct response, cell membrane.
 - (iii) Many candidates were able to state a similarity between diffusion and osmosis such as the movement down a concentration gradient. Fewer candidates could describe a difference.
- (b) (i) Some candidates were awarded two marks and many were awarded one mark. Glucose was a common incorrect response.
 - (ii) Most candidates scored some marks. All three uses were equally well answered.

Question 11

- (a) (i) More candidates suggested 40 electrons rather than the correct 20 electrons.
 - (ii) Few candidates deducted 2 from their response to (a)(i).
- (b) (i) Very few candidates correctly completed the word equation for the thermal decomposition of calcium carbonate. Some candidates included carbon or oxygen in their equation. Many candidates attempted to write a balanced symbol equation.
 - (ii) Very few candidates were able explain why the mass was less. Loss of carbon dioxide needed to be mentioned.
 - (iii) Many candidates had a very good idea what endothermic meant and described it clearly.
 - (iv) There were many possible correct answers. Making limewater was a popular incorrect response.
 - (v) There were many correct responses seen. A few candidates were confused about whether the surface area had increased or decreased.
- (c) (i) The number of different elements shown in the formula of calcium carbonate is 3. This was the most common answer seen.
 - (ii) The total number of atoms shown in the formula is 5. Many incorrect numbers were suggested, especially 34.

Question 12

- (a) Many candidates were awarded both marks but a number scored zero.
- (b) (i) Most candidates correctly identified either section **Q** or section **S** as sections when the oil tanker was travelling at a constant speed.

Cambridge Assessment International Education

- (ii) Many candidates correctly identified section **R** as the section when the oil tanker had the greatest acceleration but were unable to explain their answer in terms of the gradient of the line.
- (iii) Most candidates incorrectly multiplied the maximum speed by time rather than the average speed by time. Alternatively, candidates needed to calculate the area under the graph.
- (c) (i) Most candidates correctly completed the ray diagram.
 - (ii) The principal focus or focal point was not well known. Focus point was not accepted.
- (d) (i) The correct answer **B** was less popular than **D**.
 - (ii) The correct answer E was the most popular answer. A and C were sometimes suggested.



Paper 0654/41 Extended Theory

Key messages

Candidates should read the stimulus material carefully and follow the guidance given. Marks are often missed as candidates do not answer all aspects of the question using the required terminology. This was particularly evident in the longer answer responses to **Questions 1(a)(ii)**, **3(c)**, **6(c)** and **11(b)**.

Candidates should try to match the answers they give with the number of marks available for each part of a question. A two-mark question will require two separate points to be made.

When completing calculations, candidates should remember to state the formula used, show the working, express their answer to an appropriate number of significant figures and include units. This was particularly evident in **Questions 2(b)(iv)**, **3(a)(ii)**, **3(b)(iii)**, **3(b)(iii)**, **6(d)(i)** and **8(d)**.

Candidates should be reminded to use correct scientific terminology when describing phenomena. It is important that candidates are able to express their ideas using scientific language, have a good understanding of what the specific scientific terms used in the syllabus mean and be able to apply these when giving responses. This is particularly relevant for **Questions 1(a)(i)**, **2(b)(iii)**, **3(c)**, **5(b)(ii)**, **6(d)(ii)**, **7(a)(ii)**, **11(b)** and **12(a)(i)**.

General comments

A high standard of scientific knowledge, understanding and vocabulary were displayed by many of the candidates. There were some examples of vague responses which prevented some candidates from accessing the available marks. Candidates should be encouraged to be specific in their responses. Clear and concise scientific language should be used to express ideas in sufficient depth.

Calculations were frequently done well with all working shown. Any formula quoted should be in a standard form and use recognisable symbols. Formulae consisting of units should be avoided. Formulae consisting of a mixture of words, symbols and units should also be avoided. Numerical calculations often arrived at the correct value and arithmetic operations were generally error fre

e. Candidates should be aware that such questions are marked in stages and credit can be given for a correct operation leading to an incorrect answer if evidence for that process is clearly shown.

Comments on specific questions

Question 1

- (a) (i) Most candidates were able to correctly identify at least one of the structures.
 - (ii) There were some good descriptions of vasodilation, including the widening of the arterioles to enable more blood to flow to the capillaries. Many candidates used the generic term blood vessels throughout. Not many referenced the increased blood flow, specifically to the surface of the skin. Some candidates appeared to be under the misapprehension that capillaries widen or move closer to the surface.

- (iii) Negative feedback was correctly identified by some candidates. Homeostasis was a very common incorrect response.
- (b) (i) Insulin was correctly identified by the majority of candidates as the hormone that reduces the concentration of glucose in the blood.
 - (ii) Glands were not well known. A large range of incorrect responses were seen, including pancreas, brain, liver and reproductive organs.
- (c) (i) Few candidates were able to identify the brain as the organ that detects the change in temperature of the blood. The most common incorrect answer was skin.
 - (ii) Sensitivity was correctly identified by almost all candidates.

Question 2

- (a) (i) The changes of state were almost always correctly identified.
 - (ii) Almost all candidates recognised that kinetic energy increased when the gas was heated.
- (b) (i) Most candidates knew that pencil is used on the chromatography paper due to it being insoluble. Some candidates thought that it would react with the solvent, rather than being dissolved.
 - (ii) Almost all candidates where able to correctly identify at least one of the dyes present in food colouring **X**. Correct identification of 1, 2 or 3 dyes were regularly seen. Very rarely was the incorrect answer of **C** seen.
 - (iii) Some candidates understood that substance **D** was insoluble. Incorrect ideas included suggestions about purity and reactiveness.
 - (iv) Most candidates could recall and use the formula for R_f. A range of values for the R_f were allowed as there was not consistency in how to measure the distance travelled in the diagram. Some subtracted the distances and a minority inverted the formula.
- (c) Most candidates identified that the pure substances had a fixed melting point, or that mixtures melt over a range. A good proportion were able to explain both. A few answers referred to boiling points, or the idea that pure substance have high melting points and that mixtures have low melting points.

Question 3

- (a) (i) Not all candidates recognised that as the speed was constant, force **A** = force **B**. The most common incorrect answer was that force **B** must be bigger as the swimmer is moving forwards.
 - (ii) A speed of $0.6 \,\mathrm{m/s^2}$ was the most commonly seen answer. Some candidates did not convert the weight in newtons to kilograms before performing the calculation. Occasionally there were some difficulties in rearranging the formula.
- **(b) (i)** Many candidates were able to show that 45 km/h was equivalent to 12.5 m/s. It would be beneficial for candidates to practice converting units and recognising when units require conversion.
 - (ii) The majority of the candidates correctly calculated the acceleration of the athlete as 0.5 m/s². The most common error was to use the speed in km/h taken from the graph, rather than the given value in m/s.
 - (iii) Some candidates correctly calculated the distance travelled from the graph. The most common error was to not add together the calculations of the area under the graph for the first 25 s and the next 10 s.
 - (iv) A force of 210 N was correctly calculated by almost all candidates.
- (c) This question was not well answered. Many candidates did not follow the instruction in the stem to answer in terms of motion and energy of water molecules. Many answers were very generalised

Cambridge Assessment International Education

and only answered in terms of sweat. Only a few candidates identified that energy was transferred from the skin to the water molecules. Evaporation was mentioned in many responses, but not often linked to the most energetic water molecules escaping the surface.

Question 4

- (a) The correct equation for photosynthesis was commonly seen.
- (b) Light and chemical energy were correctly identified in the majority of responses. Solar, heat and food were common incorrect answers.
- (c) Almost all candidates correctly identified palisade mesophyll cells as the cells that contained the most chlorophyll. A few gave the incorrect response of spongy mesophyll cells. Chloroplast was the most frequently seen incorrect answer.
- (d) (i) Almost all candidates were able to correctly calculate the mean. Only a handful failed to round to the nearest whole number.
 - (ii) The relationship between light intensity and the rate of photosynthesis was almost universally identified. Fewer candidates, however, identified that the rate of photosynthesis became constant after a distance of 40 cm was reached.
 - (iii) Some candidates did not realise that the plant used some of the oxygen for respiration. Some suggested that it was used by the plant but did not state the process.

Question 5

- (a) (i) Almost all candidates correctly identified the parts of the atom. A few misidentified neutrons as either nucleons or neurones.
 - (ii) Some candidates misunderstood the term electron structure. Where it was understood, this question was answered well.
- (b) (i) Many candidates answered this question well, gaining both marks. However, there was some confusion about the number of orbits to draw, consistency between the atom and the ion, and whether to draw just the atom or the ion. A few showed the bonding between lithium and chlorine.
 - (ii) While there were some really good attempts at drawing 3D structures, and some good descriptions, the type of bonding that should be represented was often confused. Metallic bonding with ions in a sea of electrons, bonding in giant covalent structures like diamond which are regular but do not consist of ions, or regular layers sliding as in graphite, were often described instead.
- (c) (i) Most candidates gained full marks for this question.
 - (ii) Most candidates were aware that the similar chemical properties were due to the electron numbers being the same. Only the strongest candidates realised that it was the outer shell electrons that were relevant.

Question 6

- (a) The majority of candidates identified carbon dioxide as a product, however, this was not always linked to climate change, enhanced greenhouse effect or global warming. Answers were often in more general terms, such as simply stating pollution.
- (b) Efficiency was calculated correctly in the majority of cases. The most common error was to multiply by 90 rather than 0.9 resulting in a power of 10 error.
- (c) The strongest candidates were able to describe how heating water lowers it density, so the warm water rises. Some responses were confused and talked about thermal energy being convected or had the idea that hot water was denser. A few candidates answered in terms of air or gas, rather than water.

Cambridge Assessment International Education

- (d) (i) Many candidates were able to correctly calculate the frequency of the light. Those not able to complete the calculation were often able to correctly state the speed of light in a vacuum. Common errors included inverting the formula, using the incorrect speed of light and incorrect mathematical processing of the correct numbers to give a final answer with the wrong power of 10.
 - (ii) Some of the terms used to describe perpendicular and parallel were very vague. Candidates should be encouraged to use the correct scientific terms. Sound was correctly identified as an example of a longitudinal wave by the majority of candidates.

Question 7

- (a) (i) Most candidates understood that the antibiotic killed some of the bacteria. Most were able to state that the non-resistant bacteria died, or that only the resistant bacteria survived. A few thought that the bacteria that survived acquired resistance as it was the last one left.
 - (ii) Although many candidates understood that the resistant bacteria reproduced, the idea of passing on the resistant gene/allele/DNA was not well expressed. A relatively common misconception was that the dead bacteria became resistant or got infected by the resistant bacteria.
 - (iii) Natural selection was correctly stated by some candidates. The most common incorrect answer was mutation.
- (b) (i) Many candidates were able to define a mutation, although some responses lacked enough detail to be awarded a mark.
 - (ii) Almost all candidates were able to correctly state a form of radiation that increases the rate of mutations.
- (c) Most candidates scored full marks on this question, correctly identifying white blood cells and platelets.

Question 8

- (a) Most candidates were able to provide a balanced symbol equation for the reaction.
- (b) (i) Most candidate correctly stated the relationship between temperature and time. A few just quoted data without describing the relationship.
 - (ii) Almost all candidate correctly identified why reactions get faster when the temperature increases.
- (c) There were some good energy level diagrams. Those who drew the correct profile for an exothermic reaction normally correctly labelled the reactants, products and activation energy. A few candidates drew the energy level diagram for an endothermic reaction. A frequent error was to see the energy change arrow going the full height of the curve. Candidates should be encouraged to be more accurate when drawing the arrows.
- (d) Almost all candidates attempted to calculate the volume occupied by the gas. Many candidates incorrectly calculated the formula mass M_r of H_2 as 1, resulting in an error carried forward and a final answer of 2.4. Some candidates used alternative methods to calculate the mass by first calculating the moles of zinc used as they recognised there was a 1:1 ratio. This was acceptable.

Question 9

- (a) Many candidates explained the correct relationship between resistance and current and were able to explain why the ammeter reading decreased.
- **(b) (i)** Most candidates identified the component as a resistor, but not all stated that it was a variable resistor.
 - (ii) The resistance of the wire calculation was carried out very well by almost all candidates. Occasionally the equation was inverted.

Cambridge Assessment International Education

- Only a handful of candidates were able to give a correct meaning for the term electromotive force (e.m.f.). This is a term that is poorly understood.
- (d) The magnetic field was sometimes correctly drawn as concentric circles around the wire with an arrow pointing anticlockwise. Lines of force were not always drawn as complete circles. The majority of answers had the correct direction of the magnetic field.

Question 10

- (a) Most candidates correctly identified the membrane. Some correctly stated water potential. Many got dilute and concentrated the wrong way round.
- (b) Most candidates demonstrated an understanding that red blood cells have an increased surface area. However, not all applied this knowledge to explain how the change of shape would affect its function.
- (c) The majority of candidates correctly identified at least one factor that affects the rate of osmosis. The most common incorrect response was concentration, which was given in the stem of the question.
- (d) (i) The majority of candidates could correctly state two correct cell structures found in plant cells only, with a minority including chlorophyll or cell membrane.
 - (ii) Root hair cell was almost always correctly stated.

Question 11

- (a) (i) Compound B was almost always correctly identified.
 - (ii) Compound **C** was almost always correctly identified. Compound **E** was the most frequent incorrect response.
 - (iii) Compound **A** was commonly correctly identified. Compound **E** was the most frequent incorrect response.
 - (iv) Compound **A** was almost always correctly identified. All other options were seen as incorrect responses.
- (b) Many found this challenging. Candidates often answered in generalised terms about condensation polymerisation reactions, rather than referring to the monomers shown. The most commonly awarded mark was for recognising that water was produced. The strongest candidates recognised that an amide link was formed. Some candidates incorrectly referred to ions.

Question 12

- (a) (i) Very few candidates gained full marks. The most common answer was the incorrect identification of the type of ionising radiation as gamma rather than beta. The rational seemed to be that as the count did not drop to zero the radiation had not been stopped. Many did not quote the first material in the experiment that shielded the radiation effectively, instead quoting materials more generally such as 'metals'.
 - (ii) Many found this calculation demanding, with few getting the correct answer of 87 years. The methodology was poorly understood.
- (b) Most candidates correctly stated that the forces decreased. The most common misconception was that the force became zero as the bonds between particles broke.
- (c) The vast majority of responses stated the correct formula for density and were able to calculate the value correctly.

Cambridge Assessment International Education

Paper 0654/42 Theory (Extended)

Key messages

An important skill that candidates should practice is the conversion of units in calculation questions. **Questions 3(c)(i)** and **5(c)** are examples where this skill was particularly beneficial.

Learning the definitions of keywords outlined in the syllabus is a useful tool for answering questions. This can be used to answer questions directly and also form part of a longer answer response. **Questions 1(b)**, **2(a)**, **8(b)**, **10(b)** and **11(d)(i)** are examples, where recall of the meaning and definitions of keywords would be helpful.

It is important to understand the difference between the command words in terms of response required. The terms 'describe', 'explain' and 'state' require different responses. Candidates should know the difference between these terms and the requirements of each. The difference in the responses required by the command words 'describe' and 'explain' were particularly important for **Questions 4(a)(i)**, **4(a)(ii)**, **4(d)**, **5(b)(iii)**, **7(b)(i)**, **8(e)**, **11(d)(ii)** and **12(c)(iii)**.

General comments

A high standard of scientific knowledge and understanding was displayed by many of the candidates. Many candidates should be congratulated for their articulate and accurate responses.

Some areas of the syllabus were better known than others. Candidates should be reminded to revise all the material detailed in the syllabus. A useful tool is to use the syllabus as a revision guide and candidates should go through the syllabus ensuring that they have covered each learning objective in their revision.

When completing calculations, candidates should remember to state the formula used, show the working, express the value to an appropriate number of significant figures and include the appropriate units.

It is particularly important for candidates to read questions carefully and use their knowledge to give a response to the context of the question. Candidates often give scientifically accurate answers but do not answer the question posed. The stimulus material provides essential information that should be used when answering the question.

Comments on specific questions

Question 1

- (a) (i) Only some of the candidates could identify the iris as containing the radial and circular muscles. Many candidates misidentified the ciliary body. The location of the receptor cells in the retina and the neurones in the optic nerve were generally well known.
 - (ii) Most candidates were able to identify the location of the blind spot. The common misconception was that the fovea was the location of the blind spot.
 - (iii) There was some confusion between the suspensory ligaments and the ciliary muscle. Candidates should be reminded that ligaments do not contain muscle cells and so cannot contract. The correct term to describe the action on ligaments when placed under tension is tighten.

- (iv) Many candidates were able to name the correct hormone of adrenaline. Very occasionally, incorrect hormones such as insulin were given.
- (b) Many candidates were able to complete the sentence to describe the meaning of the term sensitivity.

Question 2

- (a) Very occasionally candidates confused alkanes with alkenes. Many candidates recognised that alkanes contained carbon and hydrogen atoms and single bonds but did not specify that alkanes contained only carbon and hydrogen atoms and only single bonds.
- (b) Candidates generally followed the correct naming convention, recognising that the prefix for the first alkene was eth- and the last alkene was but-. The most common error was to try and include an additional hydrogen in the structure of propene.
- (c) Many candidates could describe the use of aqueous bromine to differentiate between an alkane and an alkene. Very few confused the expected observations. Occasionally other incorrect tests were given, such as the use of limewater or flame tests. Very occasionally candidates were imprecise and described the result with propene as a clear colour rather than colourless.
- (d) Candidates found this question challenging. Most candidates recognised that the polymer would contain single bonds. Fewer were able to draw the $-C_2H_5$ group.

Question 3

- (a) (i) A number of candidates used the correct value but the incorrect unit for weight of the pond skater, using kilograms rather than newtons. Some candidates gave the upwards acting force of 0 N resulting in an incorrect resultant force.
 - (ii) Most candidates were able to use the correct formula of force divided by the area to give pressure. The principle of error carried forward was applied if an incorrect weight for the pond skater was given in part (a)(i).
- (b) (i) Almost all candidates were able to identify the horizontal section on the graph as the time when the pond skater was travelling at a constant speed.
 - (ii) A common misconception was that the formula to calculate acceleration was velocity divided by time rather than change in velocity. However, many correct answers were seen.
- (c) (i) There were two common errors made in the responses to this question. Firstly, some candidates did not convert centimetres to metres, giving a value of 1.6. Secondly, misreading the wavelength. A value of 0.032 cm was commonly seen.
 - (ii) The frequency had to be calculated before the answer could be attempted. Many candidates missed this crucial step. Those that calculated the frequency were generally able to calculate the speed with the principle of error carried forward if an incorrect wavelength was provided in part (c)(i).

Question 4

- (a) (i) Only the more able candidates were able to explain why increasing temperature increased the rate of reaction in terms of increased kinetic energy of the particles leading to increased collision frequency. A common misconception was to describe there being more collisions without reference to an increased collision frequency.
 - (ii) This part of the question was answered much better by candidates. The correct terminology of enzymes being denatured was commonly seen as was reference to the altering of the shape of the active site preventing the successful binding of the substrate. On occasion, there was some confusion as to whether the active site was part of the enzyme or the substrate.

Cambridge Assessment International Education

- (b) Chlorophyll was the correct answer. The most common incorrect answer given was chloroplasts, although these structures contain chlorophyll, it was the name of the substance rather than the cell structure that was required.
- (c) This question was very well answered. Very occasionally light and chlorophyll were given.
- (d) Some candidates gave vague responses that were not specific to the cells in the palisade layer. Responses such as large surface area and contains chloroplasts were examples of this. The best responses were able to describe the position of the cells near the surface of the leaf or how the cells are arranged in a tightly packed arrangement. Other correct responses included reference to there being many chloroplasts and a large vacuole that pushes the chloroplasts to the edge of the cell.

Question 5

- (a) The source of nitrogen was well known. The source of hydrogen proved more problematic. Candidates often simply gave the source as methane or natural gas without specifying their reaction with steam.
- (b) (i) The energy change was generally labelled successfully. A common error included drawing an arrow from the peak to the lower dotted line. Occasional inaccuracies were seen with labelling by candidates drawing arrows that were too short.
 - (ii) The activation energy was generally labelled successfully. As with part (b)(i), some imprecise arrows were seen.
 - (iii) There were some excellent responses seen to this question, with many candidates identifying the correct energy changes that occur during bond making and bond breaking. Several candidates correctly identified the reaction as exothermic but incorrectly reasoned that it was because more bonds were made than broken or that the reaction only involved the making of bonds.
- (c) There was an error in Question 5(c) where the mass of nitrogen should have been 117.6 kg and not 58.8 kg. This has been corrected in the published version of the paper. Due to this error, careful consideration was given to its treatment in marking in order to ensure that no candidates were disadvantaged. This question required a conversion from kilograms to grams, which was missed by some candidates. However, many candidates were able to use correct formulae to calculate the number of moles and the volume.

Question 6

- (a) (i) Almost every candidate identified the correct time.
 - (ii) There were many correct suggestions seen, with the best responses referring to the Sun being at an angle directly above the solar panel.
- (b) It appeared that some candidates thought that each letter could only be used once, leading to the incorrect inclusion of natural gas, despite the instruction that each letter could be used more than once being given in the stem.
- (c) (i) The correct answer was core, which was provided by many of the candidates. Any reference to the type of metal used were ignored.
 - (ii) This question proved challenging for some of candidates. Many candidates tried to explain in terms of number of coils or the passage of electrons. The most common omission was to not describe the initial alternating current in the primary coil. There were also some excellent responses that gained full credit.
 - (iii) Most candidates were able to calculate the correct output voltage.

Cambridge Assessment International Education

Question 7

- (a) (i) Many candidates were able to interpret the food chain. Occasionally the quaternary consumer was misidentified as a frog. The organism that occupies the first trophic level was occasionally misidentified as a primary consumer.
 - (ii) Candidates could state several ways that energy is lost between the trophic levels.
 - (iii) The Sun was commonly given. Very occasionally the incorrect response of producers was seen.
- (b) (i) Responses to this question were often vague. This question required knowledge from different areas of the syllabus and candidates needed to combine their knowledge of the use of nitrate ions to produce amino acids required for growth and the composition of fertilisers. The best responses were able to link these ideas.
 - (ii) Some candidates did not answer this question in terms of the context of eutrophication. Candidates should be reminded to read all the stimulus material provided and tailor their responses to the context in which the question is placed. Candidates that recognised that the decomposition of producers by aerobic bacteria would increase the removal of dissolved oxygen generally scored full marks.

Question 8

- (a) Most candidates were able to deduce the correct number of protons, electrons and neutrons for the isotopes given. The number of neutrons proved the most difficult for candidates to deduce.
- (b) Candidates were generally able to describe the meaning of the term isotope using the words provided. The nucleon number was sometimes given as the nucleus number.
- (c) The correct electronic structure was generally identified.
- (d) Some candidates did not appreciate that a molecule of nitrogen contains a triple bond.

 Occasionally candidates did not complete the electrons on the inner shells of the nitrogen atoms.
- (e) This question proved more difficult for some of the candidates. Often candidates got confused between the covalent bonding between the atoms and the intermolecular forces between covalently bonded molecules. Some candidates were not precise enough in their responses, simply describing strong bonds between ions in an ionic compound without reference to oppositely charged ions. Many candidates were able to link the ideas of the stronger forces requiring more energy to break resulting in a higher melting point.

Question 9

- (a) (i) The incorrect value of 6.0 V was often seen.
 - (ii) Most candidates recognised that the current is the same at any point in a series circuit.
- (b) The most common error was to not divide the current of 0.9 A by three to give the current for one of the lamps. Candidates were generally able to use the correct formula to calculate the resistance and the principle of error carried forward was applied if the incorrect value for the current was used.
- (c) This question was generally answered well. Some gave the correct speed of infrared radiation but omitted the unit.

Question 10

- (a) (i) Some candidates misidentified the nucleus as the acrosome. A few candidates were able to identify the nucleus but did not specify the haploid nature of the nucleus.
 - (ii) This question was very well answered, with most candidates able to state the correct number of chromosomes as 23.

Cambridge Assessment International Education

- (iii) Most candidates were able to explain that mitochondria are the cell structures responsible for the release of the energy, which enables the sperm to swim.
- (b) On a very few occasions, candidates only ticked one box for each feature. Both asexual and sexual reproduction involve the production of offspring and so both boxes should have been ticked for this feature.
- (c) There were some excellent responses seen with many descriptions of the increased likelihood of failure for fertilisation to occur and an increase in time and energy required.

Question 11

- (a) The product at the anode was often identified. Occasionally the response of chloride was given, which was not accepted. The product at the cathode was less successfully identified with the incorrect product of magnesium often given.
- (b) Many candidates were able to explain this in terms of relative reactivities of hydrogen and sodium.
- (c) The half-equation was generally done well. Occasionally candidates got this the wrong way round showing the production of copper ions. A minority of candidates gave the charge of electrons as positive.
- (d) (i) This question was very well answered with many candidates linking oxidation to the loss of electrons.
 - (ii) A description of the events occurring at the cathode were generally more successful than the events occurring at the anode. Careful attention should be drawn to the command word, which in this case was describe. A statement of the products found at each of the electrodes was insufficient. It was important that candidates recognised that copper electrodes were used rather than carbon electrodes.

Question 12

- (a) (i) The nature of alpha radiation was often imprecisely described as helium rather than a helium nucleus. The relative penetrating ability was generally accurate.
 - (ii) The majority of candidates were able to draw the correct paths for the different types of radiation.
- **(b)** The correct nuclide notation was commonly seen. Very occasionally the value of 5 was given for the atomic number of nitrogen.
- (c) (i) Candidates needed to refer to particles in order to answer this question successfully. Several candidates simply stated that solids have a fixed mass and volume, which was insufficient. The best responses described the difference between solids and gases in terms of relative space between the particles.
 - (ii) Similar to part (c)(i), the best responses referred to the lack of space between the particles, preventing water from being compressed.
 - (iii) There were many detailed and precise answers seen. Many candidates were able to explain why an increase in pressure occurred when temperature increased. Occasionally candidates referred to particle collisions but did not make it clear that an increased collision frequency with the wall of the container was responsible for the increase in pressure.

Cambridge Assessment International Education

CO-ORDINATED SCIENCES (DOUBLE AWARD)

Paper 0654/43
Theory (Extended)

Key messages

Candidates should take time to read and assimilate the information provided in each question before beginning to answer. Many answers showed that candidates had not read the material thoroughly and had not taken time to plan their answers before starting to write. Some candidates answered the question they anticipated rather than that presented to them. For example, in **Question 2** they explained the change in rate of reaction due to an increase in concentration rather than temperature, in **Question 4** they explained the movement of material through the xylem rather than through the phloem and in **Question 6** they described the working of a generator rather than a motor.

General comments

Candidates displayed a thorough knowledge of the syllabus, both in stating the meaning of scientific terms and in finding appropriate wording for the expression of their ideas.

In several numerical tasks the ability to rearrange mathematical formulae was critical, as was the awareness that such formulae rely on the consistent use of the SI system of units. It is good practice to convert all units used in a question before processing the data.

Comments on specific questions

Question 1

- (a) (i) Many candidates could identify two parts of a tooth that are dissolved by acid.
 - (ii) Most candidates correctly identified the part of the nervous system.
 - (iii) Bacteria was usually stated as the type of organism that causes dental decay. There was some confusion between organism and descriptions of decay, such as cavities.
 - (iv) Many could name two types of teeth.
- (b) The effect of a deficiency in the diet was often correctly linked to the dietary component. The effect of shortage of fibre was sometimes vaguely described as indigestion. There were creditable attempts to spell kwashiorkor and few errors with marasmus.
- (c) The majority stated two risk factors for coronary heart disease. Others suggested dietary causes despite these being excluded by the wording of the question.

Question 2

- (a) Most used the information in the question and correctly balanced the equation.
- **(b)** The limewater test for carbon dioxide was often correctly quoted. Tests involving the use of a burning splint were not given credit.
- (c) (i) The temperature when the reaction is fastest was almost always correct.



- (ii) The relationship between temperature and rate of reaction was usually correctly described. There was some confusion between rate of reaction and the time taken.
- (d) There were several complete explanations of why the reaction is faster with concentrated acid. Correct reference was made to the number of particles per unit volume rather than just more particles and more frequent collisions rather than just more collisions. There was a misconception that the energy of particles is affected.
- (e) A few candidates noticed that the activation energy is lower in reaction **A**, while others made vague statements about the energy needed or used. Some correctly suggested that a catalyst may be involved. Very few went on to compare the proportion of particles able to react on collision.

Question 3

- (a) Those who could recall and rearrange the density formula could usually calculate the mass.
- (b) (i) Many candidates correctly described or calculated the change in mass of the ice cubes. They explained the differences in terms of conduction of heat. Few went on to consider the rate of transfer of energy through the material, with some referring to the absorption of heat. Several responses simply described the experiment.
 - (ii) Most descriptions of the boiling process identified the decreasing forces and increasing distances between molecules. The change in motion was sometimes correctly described in terms of increased freedom of movement.

Question 4

- (a) (i) Many responses completed at least some of the explanation of the transpiration results. Some candidates did not choose words that correctly matched the context of the sentences.
 - (ii) Some additions to the graph showed the decreased rate of transpiration at greater humidity.
- (b) (i) The few candidates who explained the mechanism that causes the movement of water up the xylem referred to transpiration pull creating a water potential gradient drawing up a column of water molecules held together by cohesion. The majority incorrectly linked the process to osmosis, dependent on a concentration gradient, or to active transport.
 - (ii) Several correctly stated that another function of the xylem is support.
- (c) Sucrose or amino acids were sometimes stated as only being transported in the phloem. Sugar and minerals were other common suggestions.

Question 5

- (a) The correct trend in reactivity down Group I was usually described.
- (b) Sensible values for the melting point and density were usually suggested, following the general trends in the data.
- (c) The colour of the sodium flame was sometimes correctly identified as yellow.
- (d) Those who could deduce the formula of potassium hydroxide and remembered that hydrogen is diatomic were likely to write a correctly balanced equation. Most of those knew that the potassium hydroxide would be aqueous.
- (e) A small minority of candidates explained what was happening in this reaction using the definition of redox in terms of electron transfer. A few could state the transfer between identified particles.
- (f) The correct electronic structure of a Group VIII element was usually chosen.

Cambridge Assessment International Education

Question 6

- (a) The power output of the wind turbine was usually correctly read from the graph. Several could then rearrange the formula for power, converting kW to W.
- (b) (i) A few candidates appreciated that the coil of the generator is turned by the turbine, cutting the magnetic field or experiencing a change in magnetic field, and inducing an e.m.f. There was much confusion with processes occurring in an electric motor.
 - (ii) There were some nicely drawn sinusoids, where candidates had been careful to keep the amplitude and period constant.
- (c) (i) There were a few impressive solutions to this energy transfer problem. The most successful candidates realised that 80% of the kinetic energy of the water passing through the generator is transferred to electrical energy. They were able to express this relationship algebraically and manipulate the kinetic energy formula.
 - (ii) Most candidates stated one of the advantages of tidal generators. Suggestions such as not harming the environment or not polluting lacked sufficient detail.

Question 7

- (a) (i) Most candidates could extract some of the information required from the pedigree chart.
 - (ii) The completion of the genetic diagram was done well.
- (b) (i) The roles of mitosis were quite well known. Responses such as cell reproduction were too vague.
 - (ii) Some candidates knew the name of an organ where meiosis occurs.
 - (iii) The number of chromosomes in a cell formed by meiosis was often correctly given as 16. 64 was a common suggestion.

Question 8

- (a) (i) The use of bitumen for road surfacing was quite well known. Other responses incorrectly suggested that it is a precursor for a range of other materials.
 - (ii) Many candidates could calculate the mass of diesel from the pie chart.
- (b) Successful candidates realised that petroleum fractions are separated according to their differing boiling points, while others thought that differing density enabled separation. They stated that petroleum is heated and all the vapours rise up the column and cool. A number thought that separation occurs as each fraction reaches its boiling point and vaporises. The idea that vapours condense when they become cool enough up the column was seldom expressed well.
- (c) The formation of sulfur dioxide, and hence acid rain, by fuels with sulfur impurities was not well known.
- (d) The equation for the decomposition of nitrogen monoxide in a catalytic converter was quoted by a small number of candidates. The need for high temperature was rarely mentioned.

Question 9

- (a) (i) Most candidates identified the weight vector.
 - (ii) Those who knew the formula for moments could often rearrange it to find the maximum weight that the leaf would support. They usually used gravitational field strength to find the maximum mass of the butterfly. Several candidates thought that the formula for gravitational potential energy should be used in the calculation.
- **(b)** Many candidates drew an accurate ray diagram to locate the image formed by the lens.

- (c) (i) Correct circuit diagrams showed just the three components in series, using conventional symbols.
 - (ii) Good responses followed the instruction to use the figure to explain how the resistance of the lamp changes. Many candidates gained a mark for stating that the current increases as the voltage increases. Very few responses linked the linear part of the graph with constant gradient to constant resistance or the curve with decreasing gradient to increasing resistance. The temperature dependence of resistance was rarely mentioned.

Question 10

- (a) (i) The decrease in pH was almost always calculated correctly.
 - (ii) Satisfactory explanations for the decrease in pH included the fact that during exercise oxygen availability is insufficient for aerobic respiration so anaerobic respiration occurs causing the production of lactic acid. Others incorrectly suggested that the reduced pH is caused by a lower acid concentration.
- (b) (i) The syllabus definition of the term movement was required, i.e. an action by an organism causing a change of position or place. The word organism was sometimes omitted.
 - (ii) There were many correct suggestions of white blood cells for cells adapted for antibody production. There were fewer suggestions of ciliated cells for movement of mucus

with cilia often stated. Suggestions for photosynthesis were more likely to be chloroplasts than palisade cells.

Question 11

- (a) Most candidates correctly stated the formula of the Group II ion as X²⁺. X²⁻ was a common choice.
- (b) There were a few correct formulae for ammonium carbonate. Incorrect formulae often carried imbalanced charges.
- (c) The numbers of subatomic particles in the ions were often correct. A common error was to give 9 electrons to the F⁻ ion.
- (d) There were many correct diagrams showing the bonding in carbon dioxide. Some candidates did not ensure that each atom had an octet of electrons in its outer shell.
- (e) (i) Some candidates knew that graphite acts as a lubricant due to the ease with which layers of atoms slide over each other. Fewer explained in terms of the weak forces between layers.
 - (ii) Good explanations explained that the structure of diamond suits it for use in cutting tools by stating that diamond has many strong bonds or that each carbon atom is linked to four others by strong bonds, that the bonds are covalent, and that it has a giant molecular structure. Many responses simply described the physical properties of diamond.

Question 12

- (a) (i) Some candidates knew the speed of X-rays.
 - (ii) Those who could rearrange the wave equation usually arrived at the frequency consistent with their suggestion for the speed.
- (b) (i) Candidates who knew the difference between longitudinal and transverse waves could usually complete the definitions with synonyms for parallel and perpendicular.
 - (ii) A minority of candidates placed the speeds of sound in the right order. Many other answers were reversed.
- (c) (i) Those who understood the meaning of half-life knew that the amount of tracer is halved four times and worked out the percentage remaining.

Cambridge Assessment International Education

(ii) There were several candidates who used the principles of conservation of nucleon number and of proton number to deduce the emission of a beta-particle.

CO-ORDINATED SCIENCES

Paper 0654/51 Practical Test

Key messages

It is advisable for candidates to read the questions carefully to ensure they have answered all of what is being asked. This will help ensure that numerical answers are given to an appropriate number of significant figures and that written responses cover all aspects of the question.

Candidates should avoid generic answers and give only those specific to the experiment being discussed.

General comments

Candidates generally demonstrated good understanding of basic practical knowledge and techniques and were quite careful in their experimenting. The standard of graph drawing was generally quite high although candidates need to remember that axes need to be labelled with quantity and unit and a line of best fit needs to be a single line. Interpreting and evaluating experiments proved challenging.

Undertaking practical work helps candidates to interpret and evaluate experimental methods and results and describe methods such as those required by the planning question.

Comments on specific questions

Question 1

- (a) (i) and (ii) Almost all candidates recorded results for measuring cylinder A and B.
- **(b) (i)** Stronger candidates answered the question with reference to the experiment and avoiding contamination with the enzyme. Many gave a generic response about avoiding contamination, which was insufficient.
 - (ii) Candidates found this very demanding. Mix was in the question and so the popular answer of mixing the contents was not creditworthy. Other incorrect responses included fair test and accuracy. Stronger candidates described mixing to enable an even concentration through the mixture.
 - (iii) Stronger candidates answered the question with reference to the experiment and discussed a comparison, or effect with or without the enzyme. Common non-creditworthy responses included fair test, accuracy and to get valid results.
- (c) Many candidates appreciated that the enzyme would allow the larger or faster production of juice. The generic answer of faster reaction was insufficient.
- (d) (i) The standard of graph drawing was generally good. Some candidates reversed the axis and a significant number omitted the label and/or the unit on the axis. The unit for minutes was frequently given as 'm' which is incorrect. Many did not start their axis at the origin (0,0) and so the point at the origin could not be plotted. Some candidates did not use a linear scale. Plotting of the points was good except where scales were awkward and required the use of a calculator.
 - (ii) Some candidates drew a smooth curve close to all of the points. Some drew dot-to-dot lines, used a ruler between points or drew multiple or feathery lines.

Cambridge Assessment International Education

(iii) Many candidates read the value from their graph correctly with many showing the working on the graph. Two lines, one from 5 minutes to the graph and then from this intersection to the volume is the best way of showing the value.

Question 2

- (a) (i) The final colours of the solutions were generally correct. A small number gave unexpected colours, possibly due to cross contamination of the testing solutions. Brown for Benedict's solution is not creditworthy.
 - (ii) Many candidates knew the nutrients being tested for. Some candidates referred to just sugar for the Benedict's test. Carbohydrate and starch were also common incorrect responses. Positive and negative were popular non-creditworthy responses as were just reducing sugar and protein without stating whether they were present or absent.
- (b) Candidates found this question demanding. Some knew that ethanol was required but thought the other reagent was alcohol, iodine, limewater, fats or lipids. The result of the test was not well known, both white and emulsion were required. Solution, suspension, precipitate and a variety of colours were common incorrect responses.

Question 3

- (a) (i) All candidates recorded a time for experiment 1. A small number did not record the time to the nearest second.
 - (ii) All candidates recorded a time for Experiment 2. Many did not have a time which was within 10 seconds of Experiment 1, possibly due to inaccuracies when measuring volumes or time.
 - (iii) Candidates found this demanding. It was expected that there would be a 10% calculation of either of their values for Experiment 1 or Experiment 2 and that this 10% value would be either added to or subtracted from the value they had used and then compared to the other value so that they could ascertain whether the two values were indeed within 10%. Most did not do a calculation but simply stated that the values either were, or were not, within 10% which was not creditworthy. It was also common for candidates to erroneously subtract the values and consider that their answer was a percentage value.
 - (iv) Candidates found this demanding with stronger candidates appreciating that using different syringes would ensure that there was no cross-contamination so that the reaction would not begin in the syringe.
 - (v) Stronger candidates recalled that iodine is used to test for starch. Common incorrect responses included starch, glucose and Benedict's solution.
- (b) Almost all candidates obtained a full set of results with most recording the times to the nearest second. Stronger candidates obtained a time for sodium chloride which was similar to those for water and the strongest had much shorter times for the three catalysts.
- (c) (i) Candidates found this very demanding. Many only chose some of the catalysts and almost no candidates referred to the data in Table 3.1. Most said they were either faster or that they took less time.
 - (ii) Candidates found this very demanding. Common incorrect responses included fair test, accuracy, reliability, to see the effect of **H** and **K**, to get more results and to see if the additional solutions contain starch.

Question 4

Candidates were generally well prepared for the planning question. Some addressed the bullet points and gave a logical description of the investigation.

A diagram and a results table were not required, stronger candidates included both to illustrate their answer, and these often contained several of the marking points.

There were three possible methods for this plan, collecting and measuring the volume of gas evolved with time, timing the reaction until bubbles are no longer seen, (i.e. to the end of the reaction) or measuring the decrease in mass of the reactants with time.

Some candidates described a basic method which would work although some forgot the time element since the question was about rate of reaction. Many candidates attempted to count bubbles despite the question saying that this would be impossible. Most successful candidates repeated for five different masses of catalyst and then repeated each mass more than once. Some measured the time for a glowing splint to relight, heated the reactants with a Bunsen burner or timed water to be produced, none of which was creditworthy. A significant number did not name the apparatus they were using, scale is insufficient for balance.

Those that discussed safety usually named goggles or gloves but many did not name the hazardous chemicals in the experiment or the part of the body they were protecting.

Measuring the amount of something is too vague, the quantity being measured needs to be specified, in this experiment it was volume of gas, mass of catalyst, mass of reactants, time or time for the reaction to end. Writing the results down is too vague to be creditworthy.

Control variables were well known.

Candidates find processing results and drawing conclusions challenging. Where repeats have been undertaken, averaging is insufficient – the reason for averaging needs to be explained. Stating a conclusion from previous knowledge or simply looking for a pattern in the results is insufficient. The use of the results to formulate a conclusion for their investigation is required. For example, look to see when the mass of catalyst is increased, does the volume of oxygen released in five minutes increase, decrease, or stay the same, which means there is no relationship. If a graph is to be drawn, the quantities on each axis need to be specified and the relationship can be determined from the shape of the graph. For example, a straight line though the origin would mean the rate is directly proportional to the mass.

Question 5

- (a) (i) Most candidates recorded readings for both the top and the bottom of the spring. Many did not record to the nearest 0.1 cm and a significant number had the readings reversed.
 - (ii) Almost all candidates subtracted the values correctly.
 - (iii) Many candidates drew the arrow carefully to show the top and bottom of the spring, not including the loops. Some drew the arrow including either one or both loops which was not creditworthy.
- (b) Almost all candidates recorded all values of *l* which increased in value as the load increased.
- (c) Candidates found this demanding. Non-creditworthy responses included: repeat and average, use a straight ruler, measure to the nearest 0.1 cm, get someone else to check the reading, put the ruler at zero and the most popular; wait until the spring stops moving.
- (d) Many candidates did not know the meaning of the term proportional. Most thought they were proportional because as the load increases the length of the spring increases or because there was a constant increase as the load was increased. However, to show proportionality the ratio of the load to the length (or the length to the load) must be constant.
- (e) Candidates found this demanding. Many multiplied l_0 by 3 and gave this as their answer rather than using this value and Table 5.1 to deduce the load required.

Question 6

- (a) (i) Almost all candidates recorded a value of T at t = 0 s.
 - (ii) Almost all candidates recorded a full set of values for *T* which decreased with time. Some did not record their values to the nearest 0.5 °C.
- (b) Candidates found this demanding. Incorrect responses included: allowing the water temperature to settle or stabilise, for the water to start cooling or for accuracy.

- (c) (i) Many candidates calculated the rate correctly with some giving the value to two significant figures. Some added all of the values between 0 and 180 and then divided by 180. Some showed no working out and so incorrect answers could not gain an error carried forward mark.
 - (ii) Many candidates calculated the rate correctly or made the same error as in (c)(i). A small number rounded their value incorrectly.
- (d) Candidates found this very demanding and many tended to discuss rate of cooling at the beginning compared to the end, to time rather than to the temperature of the water.
- (e) Changes to reduce the rate of cooling were quite well known. Common non-creditworthy responses included to wait longer between readings, use a colder room or just lower or higher temperatures without specifying any other details.

Cambridge Assessment International Education

CO-ORDINATED SCIENCES

Paper 0654/52 Practical Test

Key messages

It is advisable for candidates to read the questions carefully to ensure they have answered all of what is being asked. This will help ensure that numerical answers are given to an appropriate number of significant figures and that written responses cover all aspects of the question.

Candidates should avoid generic answers and give those specific to the experiment being discussed.

General comments

Candidates generally demonstrated good understanding of basic practical knowledge and techniques and were quite careful in their experimenting. The standard of graph drawing was generally high although candidates need to remember that axis need to be labelled with quantity and unit and a line of best fit needs to be a single line. Candidates found interpreting and evaluating experiments difficult.

Undertaking practical work helps candidates to interpret and evaluate experimental methods and results and also describe methods such as those required by the planning question.

Comments on specific questions

Question 1

- (a) (i) All candidates recorded a colour. Purple was a common incorrect response.
 - (ii) Most candidates deduced the concentration correctly.
 - (iii) Most candidates recorded a full set of colours and the associated changes in concentration. Some recorded blue, green and orange colours or used high, low and intermediate instead of the requested colours.
- (b) (i) Some candidates appreciated that plants both respire and photosynthesise and that the decrease in carbon dioxide concentration must be due to the rate of photosynthesis being greater than the rate of respiration. Others just stated that the plants were photosynthesising. Some only referred to the decrease in carbon dioxide concentration, which was insufficient.
 - (ii) Candidates found this very demanding and tended to give the generic answer to compare, which was insufficient. Other common non-creditworthy responses included fair test and accuracy.
- (c) More successful candidates appreciated that the indicator would go red because the rate of photosynthesis would be the same as the rate of respiration and so there would be no change in the concentration of carbon dioxide. However, candidates who chose yellow or purple could still access the mark if they correctly identified whether the rate of photosynthesis was higher or lower than the rate of respiration in justification of their chosen colour.

Question 2

All candidates obtained a complete set of final colours. Some gave unexpected colours possibly due to cross contamination of the test-tubes. Brown for Benedict's solution is not creditworthy.

Most candidates appreciated which tubes contained reducing sugar and the differentiation between tubes **D** and **E** was frequently seen. Some candidates omitted the word reducing or thought the nutrient tested for was starch or carbohydrate.

Question 3

Candidates were generally well prepared for the planning question. Some addressed the bullet points and gave a logical description of the investigation.

Most named a ruler or tape and a fan. The most common incorrect responses were meter and air conditioning.

Many candidates used various heights on a tree, with many contravening safety rules with precariously balanced ladders. Other candidates transferred the concept to a laboratory or outside space where the variables could be controlled more easily. Both methods were creditworthy. The most common incorrect method included timing the fall of the seeds.

More successful candidates used five different heights and repeated each one. Some compared only two heights. Measurement of the height was usually seen but the distance was often given as the distance the seed fell rather than the distance from the base of the tree.

Control variables were quite well known, speed of the fan was the most common. Size of seed was insufficient.

Candidates find processing results and drawing conclusions challenging. Where repeats have been undertaken, averaging is insufficient – the reason for averaging needs to be explained. Stating a conclusion from previous knowledge or simply looking for a pattern in the results is insufficient. The use of the results to formulate a conclusion for their investigation is required. For example, if the height of the seed increases and the distance the seed travels increases, the conclusion is that the higher the height the further it travels. Or, if the distance the seed travels decreases as the height of the seed increases, then there is no relationship between the height and the distance. If a graph is to be drawn, then the quantities on each axis need to be specified and the relationship can be described from the type of graph produced. For example, a straight line passing through the origin would mean the variables were proportional.

Question 4

- (a) (i) All candidates recorded a time.
 - (ii) Almost all candidates recorded a full set of results in the correct order. Some were not recorded to the nearest 0.1 seconds.
 - (iii) Candidates found this demanding with the more able appreciating that using different syringes would ensure that there was no cross-contamination so that the reaction would not begin in the syringe.
 - (iv) More able candidates recalled that iodine is used to test for starch. Common incorrect responses included starch, glucose and Benedict's solution.
 - (v) Candidates found this demanding. Many thought the average would be more accurate or would stop anomalies happening.
- **(b) (i)** Many candidates calculated the rates correctly. Some did not give their values to the required three significant figures.
 - (ii) Many candidates gave a correct relationship. Some did not use the variables in the question and discussed time. Proportional was a frequent incorrect response. To be proportional, the ratio of volume to rate (or rate to volume) must be constant.
 - (iii) Stronger candidates appreciated that the two volumes added together should be constant, 6, 3 and 0 cm³ were the most common correct answers. Some candidates gave these incorrectly in the reverse order, gave all three numbers the same or repeated the numbers in the left-hand column.

Cambridge Assessment International Education

Question 5

(a) The results for aqueous sodium hydroxide and excess aqueous sodium hydroxide were often correct. Clear is not an acceptable response for no reaction or a colourless solution.

The positive results for chloride and sulfate were often correct. Some candidates recorded no reaction which suggests either contamination or mixing up of the test-tubes. The negative results for chloride and sulfate were often incorrect, again suggesting contamination or mixing up the tubes.

The flame test colour for **L** was frequently correct, orange or yellow were common incorrect responses. The flame test colour for **M** was often incorrect and was stated as orange or yellow.

(b) Since this was marked dependent upon the results obtained in (a), many candidates scored at least one mark.

Question 6

- (a) All candidates recorded a value, although many were greater than 50 cm or not to 0.1 cm.
- **(b)** Most candidates recorded the values for 40 g and 60 g and some were increasing as the mass decreased.
- (c) Many candidates discussed moving the mass forwards and backwards slowly to achieve balance which was not creditworthy.
- (d) (i) Most candidates calculated the products correctly.
 - (ii) Candidates found this demanding. A 10% calculation of at least one value was expected so that it could be seen that the others fell within the 10% range. Many merely stated yes because they are close, or no because they are too far away, neither of which was creditworthy.
- (e) Many candidates evaluated the expression correctly. Some achieved a value within the range of accuracy required. Many achieved a value which was far too great.
- (f) Candidate found this very demanding. Non-creditworthy responses included: cannot find an accurate distance, parallax error and no repeats.

Question 7

- (a) All candidates recorded a value.
- (b) (i) Candidates found this quite demanding. Many drew an image which was inverted. However, most were either the same size as the image or smaller.
 - (ii) Most calculated the magnification correctly. A small number were incorrect by a factor of 10.
- **(c)** Most candidates recorded the remaining values of *v* and many had values decreasing as the object distance increased.
- (d) (i) Some candidates omitted to label the axes either with the quantity, the unit or both. Plotting of the points was quite well done.
 - (ii) Some candidates drew a smooth curve close to all of the points. Some drew a dot-to-dot line, used a ruled line between points or drew multiple or feathery lines.
- (e) Many candidates read the value from their graph correctly with many showing their working on the graph.
- (f) Candidates found this demanding. Eye level, moving the ruler so that it is close to the object or so that the 0 was at the object were common incorrect responses.

Cambridge Assessment International Education

CO-ORDINATED SCIENCES

Paper 0654/53 Practical Test

Key messages

It is advisable for candidates to read the questions carefully to ensure they have answered all of what is being asked, this will help ensure that numerical answers are given to an appropriate number of significant figures and that written responses cover all aspects of the question.

Candidates should avoid generic answers and give those specific to the experiment being discussed.

General comments

Candidates generally demonstrated good understanding of basic practical knowledge and techniques and were quite careful in their experimenting. The standard of graph drawing was generally quite high although candidates need to remember that axes need to be labelled with quantity and unit and a line of best fit needs to be a single line. A line of best fit may be a straight line or a curve dependent upon the points plotted.

Undertaking practical work helps candidates to interpret and evaluate experimental methods and results and also describe methods such as those required by the planning question.

Comments on specific questions

Question 1

- (a) Many candidates drew a large, detailed diagram of the flower. Many outlines were sketchy with multiple feathery lines and gaps. Some were too small but most showed the required detail.
- **(b) (i)** Many candidates measured the length correctly, the most common error was to give the value in cm rather than mm.
 - (ii) Many candidates drew a line and measured it correctly. The most common error was not to draw a line and so the measurement could not gain credit.
 - (iii) Many candidates calculated their value correctly. A small number inverted the division. Many did not give their answer to two significant figures and rounding was an issue for some candidates.
- (c) (i) Many candidates described one visible difference and the strongest described three. Many did not make it clear whether they were discussing flower 1 or flower 2. Non-creditworthy responses included descriptions of the stem, the flower hanging down or being upright, the number of leaves and the numbers of stigma.
 - (ii) Some candidates correctly labelled an anther, although many labelled the filament as the anther.

Question 2

- (a) (i) Most candidates recorded a time for A.
 - (ii) Most candidates recorded times for **B** and **C** with many in the expected order. Some did not record their times to the nearest second.

Cambridge Assessment International Education

- (b) Many candidates gave a correct relationship. Some gave a snapshot and many discussed rate rather than time.
- (c) (i) Candidates found this very demanding. Mix was in the question and so the popular answer of mixing the contents was not creditworthy. Other incorrect responses included fair test and accuracy. Stronger candidates discussed mixing to enable an even concentration throughout the mixture.
 - (ii) Candidates found this demanding. Non-creditworthy responses included using or cleaning the syringes or using the stop-watch.
 - (iii) Candidates rarely appreciated that biuret solution could be used to tell when a protein solution had been broken down. Common incorrect responses included adding a dye and adding more enzyme.

Question 3

- (a) (i) Almost all candidates recorded a time.
 - (ii) Almost all candidates recorded a full set of times, often in the expected order. Some did not record their times to the nearest second.
 - (iii) Candidates found this demanding with the strongest appreciating that using different syringes would ensure that there was no cross-contamination so that the reaction would not begin in the syringe.
 - (iv) Stronger candidates recalled that iodine is used to test for starch. Common incorrect responses included starch, glucose and Benedict's solution.
- (b) (i) The standard of graph drawing was generally good. Some candidates reversed the axes and a significant number omitted the label and/or the unit on the axes. Some scales were non-linear and the plotted points did not cover at least half of the grid. Plotting of the points was generally good except where scales were awkward and required the use of a calculator.
 - (ii) Candidates found this demanding. Some candidates drew a smooth curve close to all of the points. A best-fit line can be a straight line or a curve dependent upon the points. Here, it was a definite curve and many attempted to draw a straight line. Some drew dot-to-dot lines, used a ruler between points or drew multiple or feathery lines.
- (c) (i) Many candidates gave a correct relationship. Some did not use the variables in the question and discussed rate rather than time and volume rather than concentration or gave a snapshot relationship. Proportional was a frequent incorrect response. To be proportional, the ratio of volume to time (or time to volume) must be constant. A graph of proportional variables would be a straight line through the origin.
 - (ii) The relationship was correctly described by many candidates. Many used volume of **H** rather than concentration or gave a snapshot relationship. As in (c)(i), the term proportional was misused.
- (d) Candidates found this very demanding. Many discussed repeating but did not explain that this allows anomalies to be excluded. Some included averaging the repeated values. Common non-creditworthy responses included accuracy and swirling the flask.

Question 4

- (a) (i) Generally, candidates performed the tests and recorded their observations very well. Clear is not the same as colourless and is not creditworthy. The negative result in test-tube 4 proved to be the most demanding.
 - (ii) Since this was marked consequentially on the candidates results in (a), many gained at least some credit, and many gained full credit.
- (b) This was a test with which the candidates were not familiar and so their observation could not be predicted by looking at the use of aqueous silver nitrate in the qualitative analysis notes.

Cambridge Assessment International Education

Consequently, this caused some students to respond with white precipitate rather than the yellow/cream precipitate which was actually formed.

Question 5

- (a) The majority of candidates recorded the mass to the nearest gram.
- (b) (i) Almost all candidates recorded an appropriate volume.
 - (ii) Most candidates recorded a volume which was larger than V_1 and calculated the volume of the plasticine.
 - (iii) Candidates found this demanding. Non-creditworthy responses included: don't spill the water, put it on a flat surface and wait until it stops moving. Meniscus was rarely seen.
- (c) Most candidates calculated the density correctly. A small number inverted the division.
- (d) Most candidates recorded a mass which was larger than that in (a).
- (e) (i) Most candidates recorded a diameter, some did not record this to the nearest 0.1 cm. Some candidates drew a fully correct diagram, although a significant number omitted the drawing.
 - (ii) Many candidates recorded a diameter and calculated the average. Some omitted to divide by 2 or multiplied the values.
 - (iii) Many candidates calculated the value correctly. The most common error was to multiply *D* by 3 rather than cubing it.
- (f) Many candidates calculated the value correctly and some had performed the experiment carefully enough to obtain a value within 10% of that in (c).
- (g) Candidates found this very demanding. Non-creditworthy responses included: used different volumes, used different shapes and one method used water.

Question 6

Candidates were generally well prepared for the planning question. Some addressed the bullet points and gave a logical description of the investigation. A diagram was not required but stronger candidates included one to illustrate their answer and these often contained several of the marking points.

Many named a ruler for the apparatus required. Metric and measurer were quite common and not creditworthy.

Many candidates did not clamp the spring. Most measured the extension rather than measuring the initial and the final lengths of the spring. This was not creditworthy unless it was fully explained. Few candidates repeated the measurements. The use of a fiducial aid was seen very rarely. Many methods used the addition of loads to the spring until it broke or adding loads for several minutes and then measuring the new length, neither of which was correct.

Many candidates did not include a table for the results even though it was one of the bullet points.

The control variable of length was well known. Diameter and mass of springs were rarely seen. Size of spring was too vague to be creditworthy.

Candidates find processing results and drawing conclusions demanding. Where repeats have been undertaken, averaging is insufficient - the reason for averaging needs to be explained. Stating a conclusion from previous knowledge or simply looking for a pattern in the results is insufficient. The use of the results to formulate a conclusion for their investigation is required. For example, if the extensions are different for the different materials when the same load is added, then the material of the spring does affect the extension.

Cambridge Assessment International Education

CO-ORDINATED SCIENCES

Paper 0654/61 Alternative to Practical

Key messages

It is advisable for candidates to read the questions carefully to ensure they have answered all of what is being asked. This will help ensure that numerical answers are given to an appropriate number of significant figures and that written responses cover all aspects of the question.

Candidates should avoid generic answers and give those specific to the experiment being discussed.

General comments

Candidates generally demonstrated good understanding of basic practical knowledge and techniques and were quite careful in their experimenting. The standard of graph drawing was generally high although candidates need to remember that axes need to be labelled with quantity and unit and a line of best fit needs to be a single line. Candidates found interpreting and evaluating experiments difficult.

Undertaking practical work helps candidates to interpret and evaluate experimental methods and results and also describe methods such as those required by the planning question.

Comments on specific questions

Question 1

- (a) (i) Most candidates read the temperature correctly. Many omitted the '.0'. The most common incorrect response was 30.5 °C.
 - (ii) Stronger candidates answered the question with reference to the experiment and described avoiding contamination with the enzyme. Many gave a generic response about avoiding contamination, which was insufficient.
 - (iii) Candidates found this very demanding. Mix was in the question and so the popular answer of mixing the contents was not creditworthy. Other incorrect responses included fair test and accuracy. Stronger candidates described mixing to enable an even concentration through the mixture.
- (b) (i) Stronger candidates answered with reference to the experiment and discussed a comparison, or effect, either with or without the enzyme. Common non-creditworthy responses included fair test, accuracy and to get valid results.
 - (ii) Many candidates appreciated that the enzyme would allow the larger or faster production of juice. The generic answer of faster reaction was insufficient.
- (c) (i) The standard of graph drawing was generally very good. Some candidates reversed the axes and a significant number omitted the label and/or the unit on the axes, the unit for minutes was frequently given as 'm' which is incorrect. Many did not start their axes at the origin (0,0) and so the point at the origin could not be plotted. Some candidates did not use a linear scale. Plotting of the points was good except where scales were awkward and required the use of a calculator.

- (ii) Many candidates drew a smooth curve close to all of the points. Some drew dot-to-dot lines, used a ruler between points or drew multiple or feathery lines.
- (iii) Many candidates read the value from their graph correctly with many showing the working on the graph. Two lines, one from 5 minutes to the graph and then from this intersection to the volume is the best way of showing their value. Some did not show their working on the graph.
- (iv) Many candidates drew a steeper line. Common incorrect responses included the line not continuing to 8 minutes, beginning steeper but crossing the original line at higher volumes to give a lower final volume or the line being less steep.
- (v) Many candidates drew a line that was less steep than the original and ended at a lower volume. Fewer candidates appreciated that if the enzyme is denatured and inactive, then the results will be similar to the results for measuring cylinder **B** which contained no enzyme. Therefore, the line should be similar to the plotted points for measuring cylinder **B**. A small number drew a steeper line. Most lines were correctly labelled.

Question 2

- (a) (i) The final colours of the solutions were generally well known. Incorrect responses included brown, blue-black, no change and stays the same for biuret solution and purple for Benedict's solution.
 - (ii) Stronger candidates stated that reducing sugars were present for the Benedict's test. Carbohydrate and starch were common incorrect responses. Positive and negative were popular non-creditworthy responses as were just reducing sugar and protein without stating whether they were present or absent.
- (b) Candidates found this more demanding. Many knew that ethanol was required but thought the other reagent was alcohol, iodine, limewater, fats or lipids. The result of the test was not well known. Both white and emulsion are required. Solution, suspension and precipitate were common incorrect responses.

Question 3

- (a) (i) The majority of candidates chose a suitable piece of measuring apparatus. Incorrect responses included beaker, cylinder, flask and conical flask.
 - (ii) Candidates found this demanding. It was expected that there would be a 10% calculation of either 9.2 or 8.6 and that this 10% value would be either added to or subtracted from the value they had used and then compared to the other value so that they could ascertain that the two values were indeed within 10%. Many did not do a calculation but simply stated that the values either were, or were not, within 10% which was not creditworthy. It was also common for candidates to erroneously subtract the values and consider that their answer was 6%.
 - (iii) Stronger candidates recalled that iodine is used to test for starch. Common incorrect responses included starch, glucose and Benedict's solution.
 - (iv) Candidates found this demanding with stronger candidates appreciating that the concentrations need to be kept the same. Common incorrect responses included fair test, accuracy and for a repeat.
- (b) (i) Almost all candidates read the stop-watches correctly. Some candidates just copied the readings into the table or rounded the second stop-watch reading to 4.
 - (ii) Candidates found this very demanding. Common incorrect responses included fair test, accuracy, reliability, to see the effect of **H** and **K**, to get more results and to see if the additional solutions contain starch.
 - (iii) Many candidates appreciated that the volume was 9.9 cm³. Very few used the term meniscus. Discussing a straight line or the curvy bits at the side were not creditworthy. A small number thought that the volume was 10 cm³.

Cambridge Assessment International Education

- (c) Candidates found this very demanding. Many only chose one or two of the solutions, rather than all three of the catalysts, and almost no candidates referenced the data in Table 3.1, Most said they were faster or that they took less time.
- (d) Candidates found this demanding. The most popular incorrect choice was litmus. Those that chose universal indicator discussed colours and pH rather than comparing the colour obtained to the pH colour chart.

Question 4

Candidates were generally well prepared for the planning question. Some addressed the bullet points and gave a logical description of the investigation.

A diagram and a results table were not required. Stronger candidates included both to illustrate their answer, and these often contained several of the marking points.

There were three possible methods for this plan, collecting and measuring the volume of gas evolved with time, timing the reaction until bubbles are no longer seen, (i.e. to the end of the reaction) or measuring the decrease in mass of the reactants with time.

Some candidates described a basic method which would work, although some forgot the time element since the question was about rate of reaction. Many candidates attempted to count bubbles despite the question saying that this would be impossible. Most successful candidates repeated for five different masses of catalyst and then repeated each mass more than once. Some measured the time for a glowing splint to relight, heated the reactants with a Bunsen burner or timed water to be produced, none of which was creditworthy. A significant number did not name the apparatus they were using. Scale is insufficient for balance.

Those that discussed safety usually named goggles or gloves but many did not name the hazardous chemicals in the experiment or the part of the body they were protecting.

Measuring the amount of something is too vague. The quantity being measured needs to be specified. In this experiment, it was volume of gas, mass of catalyst, mass of reactants, time or time for the reaction to end. Writing the results down is too vague to be creditworthy.

Control variables were well known.

Candidates find processing results and drawing conclusions challenging. Where repeats have been undertaken, averaging is insufficient – the reason for averaging needs to be explained. Stating a conclusion from previous knowledge or simply looking for a pattern in the results is insufficient. The use of the results to formulate a conclusion for their investigation is required. For example, look to see when the mass of catalyst is increased, does the volume of oxygen released in five minutes increase, decrease, or stay the same, which means there is no relationship. If a graph is to be drawn, the quantities on each axis need to be specified and the relationship can be determined from the shape of the graph. For example, a straight line though the origin would mean the rate is directly proportional to the mass.

Question 5

- (a) (i) Many candidates recorded the bottom reading correctly with a small number giving 36.5 cm. Many candidates gave the reading of the top of the spring as 32 rather than 32.0 cm.
 - (ii) Most candidates subtracted the values correctly.
- (b) Most candidates identified the incorrect result and many deduced 9.1 cm. Incorrect responses included 7.1 and 9.5 cm.
- (c) Candidates found this demanding. Non-creditworthy responses included: repeat and average, use a straight ruler, measure to the nearest 0.1 cm, get someone else to check the reading, put the ruler at zero and the most popular; wait until the spring stops moving.
- (d) Many candidates did not know the meaning of the term proportional. Most thought they were proportional because as the load increases the length of the spring increases or because there was a constant increase as the load was increased. However, to show proportionality the ratio of the load to the length (or the length to the load) must be constant.

Cambridge Assessment International Education

- (e) Candidates found this challenging. Many multiplied l_0 by 4 and gave this as their answer rather than using this value and Table 5.1 to deduce the load required.
- (f) Candidates found this demanding. Many chose goggles but said to protect the eyes from the spring without saying what might happen to cause the spring to reach the eyes. Gloves to protect the hands, taking the weight off carefully and standing away from the apparatus were common non-creditworthy responses.

Question 6

- (a) The majority of candidates measured the reading on the thermometer correctly. Common incorrect values included 70.8, 80.0 and 78 °C.
- **(b) (i)** Candidates found this demanding. Incorrect responses included: allowing the water temperature to settle or stabilise, for the water to start cooling or for accuracy.
 - (ii) Stronger candidates appreciated that the temperature needed to be the same throughout the water. Many discussed heat or accuracy.
- (c) (i) Many candidates calculated the rate correctly with some giving the value to two significant figures. Some added all of the values between 0 and 180 and then divided by 180. Some showed no working out and so incorrect answers could not gain an error carried forward mark.
 - (ii) Many candidates calculated the rate correctly or made the same error as in (c)(i). A small number rounded their value incorrectly.
- (d) Candidates found this very demanding and many tended to discuss rate of cooling at the beginning compared to the end, or to time rather than to the temperature of the water.
- (e) Stronger candidates chose the initial room temperature. Incorrect responses ranged from –130 to +500 °C, often accompanied by calculations.
- (f) Changes to reduce the rate of cooling were quite well known. Common non-creditworthy responses included to wait longer between readings, use a colder room or just lower or higher temperatures without specifying any other details.

CO-ORDINATED SCIENCES

Paper 0654/62 Alternative to Practical

Key messages

It is advisable for candidates to read the questions carefully to ensure they have answered all of what is being asked. This will help ensure that numerical answers are given to an appropriate number of significant figures and that written responses cover all aspects of the question.

Candidates should avoid generic answers and give those specific to the experiment being discussed.

General comments

Candidates generally demonstrated good understanding of basic practical knowledge and techniques and were quite careful in their experimenting. The standard of graph drawing was generally high although candidates need to remember that axes need to be labelled with quantity and unit and a line of best fit needs to be a single line. Candidates found interpreting and evaluating experiments difficult.

Undertaking practical work helps candidates to interpret and evaluate experimental methods and results and also describe methods such as those required by the planning question.

Comments on specific questions

Question 1

- (a) Most candidates interpreted the information correctly to determine the final colour of the indicator and the associated change in carbon dioxide concentration. Some used high, low and intermediate instead of the requested colours and thought that **C** showed either an increase or a decrease despite the colour of the indicator not changing.
- (b) (i) Many appreciated that the increase in carbon dioxide concentration was due to the fish respiring. Some only referred to the increase in carbon dioxide concentration which was insufficient.
 - (ii) Some candidates appreciated that plants both respire and photosynthesise and that the decrease in carbon dioxide concentration must be due to the rate of photosynthesis being greater than the rate of respiration. Others just stated that the plants were photosynthesising. Some only referred to the decrease in carbon dioxide concentration, which was insufficient.
 - (iii) Candidates found this very demanding and tended to give the generic answer to compare, which was insufficient. Other common non-creditworthy responses included fair test and accuracy.
- (c) More successful candidates appreciated that the indicator would remain red because the rate of photosynthesis would be the same as the rate of respiration and so there would be no change in the concentration of carbon dioxide. However, candidates who chose yellow or purple could still access the mark if they correctly identified whether the rate of photosynthesis was higher or lower than the rate of respiration in justification of their chosen colour.

Question 2

(a) The colours of the testing regents were generally well known. Brown is not acceptable as a Benedict's solution colour. There was some confusion with orange and blue showing a low concentration of reducing sugar and purple and blue-black being the result for non-reducing sugar.

Cambridge Assessment International Education

(b) Biuret was generally well known. Incorrect colours included red and blue.

Question 3

Candidates were generally well prepared for the planning question. Some addressed the bullet points and gave a logical description of the investigation.

Most named a ruler or tape and a fan. The most common incorrect responses were meter and air conditioning.

Many candidates used various heights on a tree, with many contravening safety rules with precariously balanced ladders. Other candidates transferred the concept to a laboratory or outside space where the variables could be controlled more easily. Both methods were creditworthy. The most common incorrect method included timing the fall of the seeds.

More successful candidates used five different heights and repeated each one. Some compared only two heights. Measurement of the height was usually seen but the distance was often given as the distance the seed fell rather than the distance from the base of the tree.

Control variables were quite well known, speed of the fan was the most common. Size of seed was insufficient.

Candidates find processing results and drawing conclusions challenging. Where repeats have been undertaken, averaging is insufficient – the reason for averaging needs to be explained. Stating a conclusion from previous knowledge or simply looking for a pattern in the results is insufficient. The use of the results to formulate a conclusion for their investigation is required. For example, if the height of the seed increases and the distance the seed travels increases, the conclusion is that the higher the height the further it travels. Or, if the distance the seed travels decreases as the height of the seed increases, then there is no relationship between the height and the distance. If a graph is to be drawn, then the quantities on each axis need to be specified and the relationship can be described from the type of graph produced. For example, a straight line passing through the origin would mean the variables were proportional.

Question 4

- (a) (i) Candidates found this demanding. Non-creditworthy responses included to mix, to fully react and to speed up the reaction.
 - (ii) Most candidates named a suitable piece of apparatus. Incorrect responses included beaker, cylinder and conical flask.
 - (iii) Stronger candidates recalled that iodine is used to test for starch. Common incorrect responses included starch, glucose and Benedict's solution.
 - (iv) Candidates found this demanding. Many thought the average would be more accurate or would stop anomalies happening.
- **(b) (i)** Most candidates recorded the times correctly. Some did not record to the nearest second or incorrectly rounded 21.17 to 21.1 s.
 - (ii) Most candidates calculated the rate correctly. Some did not give their values to the required three significant figures.
 - (iii) Many candidates gave a correct relationship. Some did not use the variables in the question and discussed time. Proportional was a frequent incorrect response. To be proportional, the ratio of volume to rate (or rate to volume) must be constant.
 - (iv) Stronger candidates appreciated that the two volumes added together should be constant. 6, 3 and 0 cm³ were the most common correct answers. Some candidates gave these incorrectly in the reverse order, gave all three numbers the same or repeated the numbers in the left-hand column.
- (c) The test for oxygen was quite well known. Incorrect responses included relighting a lit splint, using a blown-out splint, or describing the test for hydrogen or the test for carbon dioxide.

Question 5

- (a) (i) The flame test colour for Li⁺ was quite well known. Ca²⁺ was the most common incorrect response, Zn²⁺ and NH₄⁺ were also common.
 - (ii) The flame test colour for K⁺ was quite well known. Common incorrect response included Fe²⁺, Cu²⁺ and NH₄⁺.
 - (iii) Candidates found this demanding. Methods using wires and soaked splints to get the ions into the flame were both acceptable. It is never advisable to spray solutions into a flame in a laboratory. Incorrect vectors for the solution included tweezers, tongs, spoons and rods. Many omitted the flame being blue or roaring. Some candidates put the solution into a beaker or bowl and heated it.
- **(b) (i)** The test for chloride ions was quite well known. Incorrect responses included sulfate, bromide and carbonate.
 - (ii) The test for sulfate ions was quite well known. Incorrect responses included chloride and nitrate.
- (c) Candidates found this demanding. The most popular incorrect choice was litmus. Those that chose universal indicator discussed colours and pH rather than comparing the colour obtained to the pH colour chart.

Question 6

- (a) (i) Some candidates found reading the ruler demanding. 66 and 69 cm were common. However, many candidates showed both their readings and working out and so gained an error carried forward mark.
 - (ii) Most candidates subtracted the values correctly.
- (b) (i) Almost all candidates multiplied the values correctly.
 - (ii) Many candidates described the relationship correctly. Some had the distance increasing as the mass increased.
- (c) Candidates found this demanding. A 10% calculation of at least one value was expected so that it could be seen that the others fell within the 10% range. Many merely stated yes because they are close, or no because they are too far away, neither of which was creditworthy.
- (d) (i) Most candidates multiplied the values correctly.
 - (ii) Most candidates evaluated the expression correctly. A small number of candidates rounded their answer incorrectly.
- (e) Candidate found this very demanding. Non-creditworthy responses included: cannot find an accurate distance, parallax error and no repeats.
- (f) Stronger candidates appreciated that the ruler was not long enough. The mass being too light was insufficient. The consequence of this was needed. Non-creditworthy responses included the ruler not balancing and the mass falling off the ruler.

Question 7

- (a) The distance was usually measured correctly. Incorrect responses included 6, 12.5 and 60 cm.
- (b) Candidates found this quite demanding. Many calculated correctly but did not follow the pattern in Table 7.1 and gave their answer as 60 cm. Common incorrect answers included 40 and 48 cm.
- (c) (i) Most candidates appreciated that one was larger but omitted to say which one was larger. Size alone was insufficient. Many appreciated that the image was upside down. Non-creditworthy responses included different orientation, direction and rotation. Flipped alone was insufficient.

Cambridge Assessment International Education

- (ii) Most candidates calculated the magnification correctly.
- (d) (i) Some candidates omitted to label the axes either with the quantity, the unit or both. Plotting of the points was well done.
 - (ii) Many candidates drew a smooth curve close to all of the points. Some drew a dot-to-dot line, used a ruled line between points or drew multiple or feathery lines.
- (e) Most candidates read the value from their graph correctly with many showing the working on the graph.
- (f) Candidates found this demanding. Parallel was often confused with perpendicular. Non-creditworthy responses included: repeats and look directly or straight on.



CO-ORDINATED SCIENCES

Paper 0654/63 Alternative to Practical

Key messages

It is advisable for candidates to read the questions carefully to ensure they have answered all of what is being asked. This will help ensure that numerical answers are given to an appropriate number of significant figures and that written responses cover all aspects of the question.

Candidates should avoid generic answers and give those specific to the experiment being discussed.

General comments

Candidates generally demonstrated good understanding of basic practical knowledge and techniques. The standard of graph drawing was high although candidates need to remember that axes need to be labelled with quantity and unit and a line of best fit needs to be a single line.

Undertaking practical work helps candidates to interpret and evaluate experimental methods and results and also describe methods such as those required by the planning question.

Comments on specific questions

Question 1

- (a) Many candidates drew a large, detailed diagram of the flower. Many outlines were sketchy with multiple feathery lines and gaps. Some were too small but most showed the required detail.
- (b) (i) Many candidates measured the length correctly. The most common error was to give the value in cm rather than mm.
 - (ii) Many candidates drew a line and measured it correctly. The most common error was not to draw a line and so the measurement could not gain credit.
 - (iii) Many candidates calculated their value correctly. A small number inverted the division. Many did not give their answer to two significant figures and rounding was an issue for some candidates.
- (c) (i) Most candidates described one visible difference and the strongest described three. Many did not make it clear whether they were discussing Fig 1.1 or Fig 1.2. Non-creditworthy responses included descriptions of the stem, the flower hanging down or being upright, the number of leaves and the numbers of stigma.
 - (ii) Some candidates correctly labelled an anther, although many labelled the filament as the anther.

Question 2

- (a) (i) The majority of candidates chose a suitable piece of measuring apparatus. Incorrect responses included beaker, cylinder, flask, dropper and conical flask.
 - (ii) Many candidates recorded the correct reading. Candidates are expected to follow the pattern in Table 2.1 which had the time quoted in seconds. Hence, incorrect responses included 59.23 and 59.2s.

Cambridge Assessment International Education

- (b) Many candidates gave a correct relationship. Some gave a snapshot and many discussed rate rather than time.
- (c) (i) Candidates found this very demanding. Mix was in the question and so the popular answer of mixing the contents was not creditworthy. Other incorrect responses included fair test and accuracy. Stronger candidates discussed mixing to enable an even concentration throughout the mixture.
 - (ii) Candidates found this very demanding with few appreciating the use of biuret solution to test when the protein had been broken down. Common incorrect responses included adding a food dye, adding more milk, increasing the temperature and adding more enzyme.
- (d) (i) Almost all candidates recorded the correct temperature.
 - (ii) Stronger candidates appreciated that the times would be smaller. Non-creditworthy responses included discussions of rate rather than time.
 - (iii) Many candidates appreciated that no enzyme was present. Incorrect responses included too much enzyme and too little enzyme.
 - (iv) Candidates found this demanding and so did not discuss the results of the experiment which were the times. Non-creditworthy responses included no reaction and the enzyme does not work.

Question 3

- (a) (i) Candidates found this demanding with the strongest appreciating that using different syringes would ensure that there was no cross-contamination so that the reaction would not begin in the syringe.
 - (ii) Stronger candidates recalled that iodine is used to test for starch. Common incorrect responses included starch, glucose and Benedict's solution.
 - (iii) The majority of candidates recorded the time correctly. The most popular incorrect responses were 106 and 6 s.
- (b) (i) The standard of graph drawing was generally good. Some candidates reversed the axes and a significant number omitted the label and/or the unit on the axes. Some scales were non-linear and the plotted points did not cover at least half of the grid. Plotting of the points was generally good except where scales were awkward and required the use of a calculator.
 - (ii) Candidates found this demanding. Some candidates drew a smooth curve close to all of the points. A best-fit line can be a straight line or a curve dependent upon the points. Here, it was a definite curve and many attempted to draw a straight line. Some drew dot-to-dot lines, used a ruler between points or drew multiple or feathery lines.
 - (iii) Many candidates read the value from their graph correctly with some showing the working on the graph. Two lines, one from 5.5 cm³ to the graph and then from this intersection to the time is the best way of showing the value.
- (c) (i) Many candidates gave a correct relationship. Some did not use the variables in the question and discussed rate rather than time and volume rather than concentration or gave a snapshot relationship. Proportional was a frequent incorrect response. To be proportional, the ratio of volume to time (or time to volume) must be constant; a graph of proportional variables would be a straight line through the origin.
 - (ii) The relationship was correctly described by many candidates. Many used volume of **H** rather than concentration or gave a snapshot relationship. As in **(c)(i)**, the term proportional was misused.
- (d) Candidates found this very demanding. Many discussed repeating but did not explain that this allows anomalies to be excluded. Some included averaging the repeated values. Common non-creditworthy responses included accuracy and swirling the flask.

Cambridge Assessment International Education

(e) The result of no reaction was well deduced. Non-creditworthy responses included too much distilled water, no result and too little **H**.

Question 4

- (a) Stronger candidates analysed the information and appreciated that the results table required columns with headers that were clearly separated from each other and labelled test and either observations or reaction. They also separated the aqueous solutions and the excess aqueous solutions. Many included the bubbling in of the carbon dioxide. Other candidates gave the results in a much less coherent order and often gave white, omitting precipitate. Almost no candidates appreciated that the liquid added to show **L** to be a weak alkali must be a universal indicator and the result would be a blue or dark green colour.
- (b) Many correctly identified solution L.

Question 5

- (a) The majority of candidates recorded the mass to the nearest gram. 85.6 g was a popular incorrect response.
- **(b) (i)** Almost all candidates recorded the volume correctly. 70.6 cm³ was a common incorrect response.
 - (ii) Many candidates calculated the volume correctly. Incorrect responses included 1395 cm³ (which is 31×45), 107 cm³ (which is 76 + 31) and 2.45 cm³ (which is 76 ÷ 31).
 - (iii) Candidates found this demanding. Non-creditworthy responses included: do not spill the water, put it on a flat surface and wait until it stops moving. Meniscus was rarely seen.
- (c) Stronger candidates appreciated that the water on the outside of the plasticine would add mass to the plasticine. Non-creditworthy responses included, to be accurate, to not spill the water and to get the exact volume.
- (d) Many candidates calculated the density correctly with the strongest also giving the correct units. Some candidates inverted the division and incorrect units included m / V, cm³ / g, kg / m³ and N.
- (e) (i) Almost no candidates gained credit. Most thought the blocks were to keep the shape of the plasticine or to keep it in place or for accuracy.
 - (ii) Most candidates measured correctly. The most common incorrect response was 5 cm.
 - (iii) Many candidates calculated the average diameter correctly. Incorrect responses included omitting to divide by 2 or multiplying the numbers.
- (f) Many candidates calculated the volume correctly. The most common error was to multiply *D* by 3 rather than cubing it.
- (g) The majority of candidates calculated the density correctly.
- (h) Candidates found this very demanding. Non-creditworthy responses included: used different volumes, used different shapes and one method used water.

Question 6

Candidates were generally well prepared for the planning question. Some addressed the bullet points and gave a logical description of the investigation. A diagram was not required but stronger candidates included one to illustrate their answer and these often contained several of the marking points.

Many named a ruler for the apparatus required. Metric and measurer were quite common and not creditworthy.

Many candidates did not clamp the spring. Most measured the extension rather than measuring the initial and the final lengths of the spring. This was not creditworthy unless it was fully explained. Few candidates

repeated the measurements. The use of a fiducial aid was seen very rarely. Many methods used the addition of loads to the spring until it broke or adding loads for several minutes and then measuring the new length, neither of which was correct.

Many candidates did not include a table for the results even though it was one of the bullet points.

The control variable of length was well known. Diameter and mass of springs were rarely seen. Size of spring was too vague to be creditworthy.

Candidates find processing results and drawing conclusions demanding. Where repeats have been undertaken, averaging is insufficient - the reason for averaging needs to be explained. Stating a conclusion from previous knowledge or simply looking for a pattern in the results is insufficient. The use of the results to formulate a conclusion for their investigation is required. For example, if the extensions are different for the different materials when the same load is added, then the material of the spring does affect the extension.

