

Cambridge IGCSE[™]

CO-ORDINATED SCIENCES

0654/22

Paper 2 Multiple Choice (Extended)

October/November 2023

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)


INSTRUCTIONS

There are forty questions on this paper. Answer all questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



| 1 | vvn | nich characteristics of livii | ng things are de | monstrated by pl | hototr | opism? |
|---|-----|-------------------------------|--------------------|-------------------|---------|-----------------------------------|
| | | 1 growth | | | | |
| | | 2 nutrition | | | | |
| | | 3 reproduction | | | | |
| | | 4 sensitivity | | | | |
| | A | 1 and 2 B 1 a | and 4 C | 2 and 3 | D | 3 and 4 |
| 2 | Wh | nat is osmosis? | | | | |
| | A | the diffusion of sugar r | | a concentrated s | solutio | on to a dilute solution through a |
| | В | the diffusion of sugar r | | a dilute solution | to a | concentrated solution through a |
| | С | the diffusion of water r | | a concentrated s | solutio | on to a dilute solution through a |
| | D | the diffusion of water r | | a dilute solution | to a | concentrated solution through a |
| | | | | | | |
| 3 | A c | colourless liquid gives the | e test results sho | wn. | | |
| | | | test | colour obtain | ed | |
| | | | Benedict's | blue | | |
| | | | biuret | purple | | |
| | | | iodine | blue/black | (| |
| | Wh | nich nutrients are in the c | olourless liquid? | | | |
| | A | protein, reducing sugar | and starch | | | |
| | В | protein and reducing su | ıgar only | | | |
| | С | protein and starch only | | | | |
| | D | protein only | | | | |
| 4 | Wh | nich type of molecule are | enzymes? | | | |
| | Α | carbohydrate | | | | |
| | В | fat | | | | |
| | С | protein | | | | |

© UCLES 2023 0654/22/O/N/23

D starch

5 Which row shows the correct raw materials and products of photosynthesis?

| | raw ma | aterials | products | | | |
|---|---|---|---|------------------|--|--|
| Α | CO ₂ | H ₂ O | C ₆ H ₁₂ O ₆ | O ₂ | | |
| В | C ₆ H ₁₂ O ₆ | H ₂ O | CO ₂ | O_2 | | |
| С | O_2 | CO_2 | C ₆ H ₁₂ O ₆ | H ₂ O | | |
| D | O_2 | C ₆ H ₁₂ O ₆ | CO_2 | H ₂ O | | |

6 Which row provides the greatest amount of the nutrient needed to move food through the alimentary canal?


| | nutrient content / 100 g | | | | | | | | | |
|---|--------------------------|---------|-----------|---------|--|--|--|--|--|--|
| | calcium/mg | fibre/g | protein/g | sugar/g | | | | | | |
| Α | 36.0 | 5.1 | 9.0 | 24.8 | | | | | | |
| В | 35.0 | 2.8 | 3.3 | 20.0 | | | | | | |
| С | 46.0 | 10.9 | 9.0 | 0.8 | | | | | | |
| D | 8.5 | 0.0 | 28.0 | 0.0 | | | | | | |

7 The rates of water uptake and loss are measured in four leaves. The results are shown in the table.

Which leaf is least likely to wilt?


| | rate of water uptake /mm³ per minute | rate of water loss /mm³ per minute |
|---|---|---------------------------------------|
| Α | 8 | 15 |
| В | 9 | 11 |
| С | 12 | 13 |
| D | 15 | 10 |

8 An experiment is set up, as shown.



What will happen to the level of coloured liquid at X?

- A It goes down.
- B It goes up.
- **C** It goes up and then down.
- **D** It stays the same.
- **9** The diagram shows a section through the front of the eye and a front view of the eye.



Which muscles contract when viewing a distant object in dim light?


A Pand R

B P only

C Q and R

D Q only

10 The diagram shows human gamete formation and fertilisation.




Which row is correct?

| | structure V | structure W | structure Z |
|---|-------------|-------------|-------------|
| Α | scrotum | uterus | oviduct |
| В | testes | oviduct | ovary |
| С | testes | ovary | oviduct |
| D | scrotum | oviduct | uterus |

- **11** Which statement about variation is correct?
 - A Continuous variation results only from environmental differences.
 - **B** Continuous variation results only from genetic differences.
 - **C** Discontinuous variation results only from environmental differences.
 - **D** Discontinuous variation results only from genetic differences.

12 The diagram shows a North American food web.



Which organism is both a primary and secondary consumer?

- A birds
- B owl
- C snake
- **D** squirrel
- 13 The concentration of carbon dioxide in the atmosphere has increased during the last 200 years.

What has contributed to this increase?

- A burning large areas of forest
- B increasing use of pesticides
- C planting more crops
- **D** using fewer fossil fuels
- **14** A sample of water contains two useful substances, insoluble chalk and a soluble salt.

Which two processes are used to individually separate the insoluble chalk from the soluble salt and from the water?

- A distillation and chromatography
- **B** distillation and crystallisation
- **C** filtration and chromatography
- **D** filtration and crystallisation

- 15 Which statement about isotopes of the same element is correct?
 - **A** They have the same number of protons but different number of electrons.
 - **B** They have the same number of protons but different number of neutrons.
 - **C** They have the same number of neutrons but different number of electrons.
 - **D** They have the same number of neutrons but different number of protons.
- 16 When dilute sodium hydroxide is added to aqueous iron(II) sulfate, insoluble iron(II) hydroxide and aqueous sodium sulfate are formed.

What is the ionic equation for this reaction?

A
$$Fe^{2+}(aq) + 2OH^{-}(aq) \rightarrow Fe(OH)_2(s)$$

B
$$Fe^{2+}(aq) + SO_4^{2-}(aq) + 2Na^{+}(aq) + 2OH^{-}(aq) \rightarrow Fe(OH)_2(s) + 2Na^{+}(aq) + SO_4^{2-}(aq)$$

C FeSO₄(aq) + 2NaOH(aq)
$$\rightarrow$$
 Fe(OH)₂(s) + Na₂SO₄(aq)

$$D SO42-(aq) + 2Na+(aq) \rightarrow Na2SO4(aq)$$

17 Concentrated aqueous sodium chloride is electrolysed using inert electrodes.

Which row describes how the number of sodium ions and the number of chloride ions changes during the electrolysis?

| | number of sodium ions | number of chloride ions |
|---|-----------------------|-------------------------|
| Α | decreases | decreases |
| В | decreases | no change |
| С | no change | decreases |
| D | no change | no change |

- 18 Which change decreases the frequency of collisions between reactant particles?
 - **A** increasing the concentration of reactant solutions
 - **B** increasing the pressure on gaseous reactants
 - **C** increasing the temperature of the reaction mixture
 - **D** using larger pieces of a solid reactant

19 Iron displaces copper ions from its aqueous salts.


An equation for this reaction is shown.

Fe +
$$Cu^{2+} \rightarrow Fe^{2+} + Cu$$

What is the reducing agent in this reaction?

- **A** Cu
- **B** Cu²⁺
- **C** Fe
- **D** Fe²⁺

20 Solid S is added to dilute hydrochloric acid in the apparatus shown.



The universal indicator solution shows the pH decreases.

What is solid S?

- A zinc
- B zinc carbonate
- C zinc hydroxide
- **D** zinc oxide
- 21 Which statements about the halogens are correct?
 - 1 They are diatomic metals.
 - 2 Their atoms have seven outer-shell electrons.
 - 3 Going down the group, they change from solid to liquid to gas.
 - 4 Going down the group, they become darker in colour.
 - **A** 1 and 2
- **B** 1 and 3
- **C** 2 and 4
- **D** 3 and 4
- 22 Which statement explains why argon is used to fill lamps?
 - A It is a gas.
 - **B** It is colourless.
 - C It is reactive.
 - **D** It is unreactive.

© UCLES 2023

23 W, X, Y and Z are metals.


Three statements about these metals are listed.

- 1 Metal W reduces the oxide of X.
- 2 Metal Z is **not** able to reduce the oxide of W, but it does reduce the oxides of X and Y.
- 3 Metal X displaces Y from its aqueous solution.

Which row shows the order of reactivity?

| | most reactive | | | least reactive |
|---|------------------|---|---|-------------------|
| Α | W | Х | Z | Y |
| В | W | Z | Х | Y |
| С | W | Z | Y | X |
| D | Z | W | X | Υ |

24 The change in the concentration of carbon dioxide in the atmosphere over time is shown.



Which row identifies the cause of this change and an environmental problem caused by this change?

| | cause | environmental problem |
|---|--|-----------------------|
| A | increased combustion of sulfur containing fossil fuels | acid rain |
| В | increased combustion of gasoline | climate change |
| С | increased fermentation of sugars | acid rain |
| D | increased cracking of crude oil | climate change |

25 Which equation does not represent a reaction that occurs in the Contact process?

A CaO +
$$SO_2 \rightarrow CaSO_3$$

$$\textbf{B} \quad \mathsf{H_2S_2O_7} \,\, + \,\, \mathsf{H_2O} \,\, \rightarrow \,\, 2\mathsf{H_2SO_4}$$

$$\mathbf{C} \quad 2SO_2 + O_2 \rightarrow 2SO_3$$

$$\mathbf{D} \quad \mathsf{S} \, + \, \mathsf{O}_2 \, \rightarrow \, \mathsf{SO}_2$$

26 Which word equation describes the manufacture of lime from limestone?

- **A** calcium carbonate \rightarrow calcium hydroxide + carbon dioxide
- **B** calcium carbonate → calcium oxide + carbon dioxide
- **C** calcium hydroxide → calcium oxide + water
- **D** calcium oxide + carbon dioxide → calcium carbonate


27 Which row about the formation of condensation polymers is correct?

| | monomer description | product formation |
|---|-----------------------------|---|
| Α | contains C=C double bond | the condensation polymer only |
| В | contains C=C double bond | the condensation polymer and a small molecule |
| С | two different monomers used | the condensation polymer only |
| D | two different monomers used | the condensation polymer and a small molecule |

28 A student tests three identical springs that obey Hooke's Law. Each spring stretches by 3.0 cm when a 3.0 N load is attached to one end of it.

The three springs are connected together as shown.

A 1.0 N load is placed on the end of the springs. The mass of the springs can be ignored.




What is the total extension of all the springs together?

- **A** 1.0 cm
- **B** 3.0 cm
- **C** 6.0 cm
- **D** 9.0 cm

29 The diagram shows a crane supporting a load of $6000\,\mathrm{N}$. The horizontal distance between the load and the pivot is x.

The load is balanced about the pivot by a concrete block of mass 10 000 kg. The horizontal distance of the concrete block from the pivot is 2.0 m.


Gravitational field strength g is 10 N/kg.



What is the distance of x?

- **A** 1.2 m
- **B** 3.3 m
- **C** 12 m
- **D** 33 m

30 A rectangular block weighs 1200 N and has the dimensions shown.



What is the minimum pressure that the block can exert on the ground by standing on one of its faces?

- **A** $1.0 \,\mathrm{N/cm^2}$
- **B** $8.0 \, \text{N/cm}^2$
- \mathbf{C} 10 N/cm²
- $D 15 N/cm^2$

31 A brick falls from rest at a height of 45 m above the ground.

The acceleration of free fall g is $10 \,\mathrm{m/s^2}$. There is no air resistance.

What is the speed of the brick as it hits the ground?

- **A** 9.5 m/s
- **B** 21 m/s
- C 30 m/s
- **D** 450 m/s

- 32 For which energy resource is the Sun the source of all the energy stored?
 - **A** geothermal
 - **B** nuclear fission
 - **C** tidal
 - **D** wind
- 33 Which change on its own increases the sensitivity of a liquid-in-glass thermometer?
 - A decreasing the internal diameter of the tube
 - **B** increasing the internal diameter of the tube
 - **C** making the thermometer longer
 - **D** making the thermometer shorter
- **34** The amplitude of a sound wave increases, and the frequency of the wave decreases.

What is the effect on the loudness of the sound and on the pitch of the sound?


| | loudness | pitch |
|---|----------|--------|
| A | greater | higher |
| В | greater | lower |
| С | less | higher |
| D | less | lower |


35 A plastic rod is rubbed with a cloth. The rod becomes positively charged.


Which statement describes why this happens?


- **A** Electrons move from the cloth to the rod.
- **B** Electrons move from the rod to the cloth.
- **C** Protons move from the cloth to the rod.
- **D** Protons move from the rod to the cloth.

36 Which graph is the current-voltage characteristic of a filament lamp?











37 A lamp is connected in four circuits in turn.

The batteries are identical and the resistors are identical.

In which circuit is the lamp the brightest?



38 The series circuit shown includes a single component hidden in a box. The switch is open.



The switch is now closed and the lamp lights briefly before going off.


The switch is now opened, and then closed again. This time the lamp does **not** light.

Which symbol represents the component in the box?



39 The diagrams show a wire carrying a current out of the page.

Which diagram shows the pattern of magnetic field lines near the wire?



40 Electric and magnetic fields can cause deflection of ionising radiation.

Which statements about the deflection are correct?

- 1 In an electric field, α-particles and β-particles are deflected in opposite directions.
- 2 In a magnetic field, α -particles and β -particles are deflected in the same direction.
- 3 γ -rays are not deflected by electric fields or by magnetic fields.

A 1 and 3

B 1 only

C 2 and 3

D 2 only

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

| | III/ | 2 | He | helium 4 | 10 | Ne | neon 20 | 18 | Ā | argon 40 | 36 | 궃 | krypton 84 | 54 | Xe | xenon 131 | 98 | R | radon | 118 | Og | oganesson - | | | |
|-------|------|-----|----------|-------------|---------------|---------------|------------------------------|----|----|------------------|----|--------|-----------------|--------------|--------|------------------|----------------|-------------|-----------------|----------------|-----------|--------------------|-----------------|----|----------------|
| | = | | | | 6 | ш | fluorine 19 | 17 | Cl | chlorine 35.5 | 35 | ğ | bromine 80 | 53 | П | iodine 127 | 85 | ¥ | astatine - | 117 | <u>S</u> | tennessine - | | | |
| | 5 | | | | 80 | 0 | oxygen 16 | 16 | ഗ | sulfur 32 | 34 | Se | selenium 79 | 52 | Б | tellurium 128 | 84 | Ъ | molod – | 116 | | livermorium - | | | |
| | > | | | | 7 | Z | nitrogen 14 | 15 | ட | phosphorus 31 | 33 | As | arsenic 75 | 51 | Sp | antimony 122 | 83 | Bi | bismuth 209 | 115 | Mc | moscovium - | | | |
| | 2 | | | | | | | 9 | O | carbon 12 | 14 | S | silicon 28 | 32 | Ge | germanium 73 | 20 | Sn | tin 119 | 82 | Pb | lead 207 | 114 | Εl | flerovium - |
| | ≡ | | | | 2 | Ω | boron 11 | 13 | Αl | aluminium 27 | 31 | Ga | gallium 70 | 49 | I | indium 115 | 81 | 11 | thallium 204 | 113 | R | nihonium – | | | |
| | | | | | | | | | | | 30 | Zu | zinc 65 | 48 | В | cadmium 112 | 80 | Нg | mercury 201 | 112 | ပ် | copernicium | | | |
| | | | | | | | | | | | 29 | D O | copper 64 | 47 | Ag | silver 108 | 62 | Ρn | gold 197 | 111 | Rg | roentgenium - | | | |
| Group | | | | | | | | | | | 28 | z | nickel 59 | 46 | Pd | palladium 106 | 78 | ᇁ | platinum 195 | 110 | Ds | darmstadtium - | | | |
| Gro | | T T | | | | | | | | | | 27 | ပိ | cobalt 59 | 45 | 格 | rhodium 103 | 77 | Ir | iridium 192 | 109 | Μţ | meitnerium - | | |
| | | | hydrogen | | | | | | | | 26 | Ьe | iron 56 | 44 | Ru | ruthenium 101 | 9/ | SO | osmium 190 | 108 | Hs | hassium - | | | |
| | | | | | | | | | | | 25 | Mn | Ë | 43 | ٦ ک | te | | Re | rhenium 186 | 107 | Bh | bohrium – | | | |
| | | | | | | pol | ass | | | | 24 | ပ် | chromium 52 | 42 | Mo | Ε | 74 | ≥ | tungsten 184 | 106 | Sg | seaborgium - | | | |
| | | | | Key | atomic number | atomic symbol | name relative atomic mass | | | | 23 | > | vanadium 51 | | | | | Та | tantalum 181 | 105 | Ор | dubnium – | | | |
| | | | | | | ato | rek | | | | 22 | j | titanium 48 | 40 | Zr | zirconium 91 | 72 | Ξ | hafnium 178 | 104 | ¥ | rutherfordium - | | | |
| | | | | | | | | | | | 21 | လွ | scandium 45 | 39 | > | yttrium 89 | 57–71 | lanthanoids | | 89–103 | actinoids | | | | |
| | = | | | | 4 | Be | beryllium 9 | 12 | Mg | magnesium 24 | 20 | Ca | calcium 40 | 38 | ഗ് | strontium 88 | 56 | Ba | barium 137 | 88 | Ra | radium – | | | |
| | _ | | | | က | <u>'</u> | lithium 7 | # | Na | sodium 23 | 19 | ¥ | potassium 39 | 37 | Rb | rubidium 85 | 55 | Cs | caesium 133 | 87 | Ā | francium — | | | |

| 71 | LU | 175 | 103 | ۲ | lawrencium | ı |
|-------------|----------------|-----|-----|-----------|--------------|-----|
| 07 | | | | | | |
| 69 F | E H | 169 | 101 | Md | mendelevium | 1 |
| 89 L | Labina Lab | 167 | 100 | Fm | fermium | I |
| 29 | O mod | 165 | 66 | Es | einsteinium | I |
| 99 | dysprosium | 163 | 86 | ర్ | califomium | I |
| 65 | L D | 159 | 26 | 益 | berkelium | I |
| 64 | gadolinium | 157 | 96 | CB | curium | I |
| 63 | europium | 152 | 92 | Am | americium | I |
| 62 | Samarium | 150 | 94 | Pn | plutonium | I |
| 19 | Promethium | ı | 93 | N | neptunium | 1 |
| 09 | NO | 44 | 92 | \supset | uranium | 238 |
| 59 | T praseodymium | 141 | 91 | Ра | protactinium | 231 |
| 288 | e de Ce | 140 | 06 | 모 | thorium | 232 |
| 57 | anthanum | 139 | 89 | Ac | actinium | ı |

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).