

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

7223214999

CO-ORDINATED SCIENCES

0654/32

Paper 3 Theory (Core)

October/November 2023

2 hours

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 120.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 (a) Fig. 1.1 is a diagram of a marine food web.




Fig. 1.1

Table 1.1 shows terms used to describe the organisms in Fig. 1.1.

Place ticks (✓) in the boxes to show the term(s) used to describe each organism.

Table 1.1

organism	herbivore	producer	primary consumer	secondary consumer
arctic cod				
krill				
phytoplankton				
leopard seal				

[4]

(b) An orca eats arctic cod and leopard seal.

Add this information to the food web in Fig. 1.1.

[1]

(c) State the principal source of energy for all food chains.

ľ

(d)	The	e process of photosynthesis occurs in some marine organisms.	
	(i)	State the word equation for photosynthesis.	
			[2]
	(ii)	State the name of the cell structure where photosynthesis occurs.	
			[1]
			[Total: 9]

2	(a)	Chlorine, bromine and iodine are halogens in Group VII of the Periodic Table.	
		Some of these statements about the halogens are correct and some are incorrect.	
		Place a tick (✓) in the boxes next to the correct statements.	
		the halogens are elements	
		the halogens exist as diatomic molecules	
		the halogens form covalent molecules with metals	
		the reactivity of the halogens increases down the group	[2]
	(b)	A chlorine atom has a nucleon number of 37 and has 17 electrons.	
		(i) Determine the number of protons and the number of neutrons in this chlorine atom.	
		number of protons =	
		number of neutrons =	[2]
		(ii) State the part of the atom that contains the protons and neutrons.	

(c) Chlorine is made during the electrolysis of concentrated aqueous sodium chloride as shown below in Fig. 2.1.




Fig. 2.1

(i)	State the electrode at which chlorine forms during this process.	
		[1]
(ii)	State the other gaseous product of this electrolysis.	
		[1]
(iii)	Explain why graphite is used to make the electrodes.	
		[1]
(iv)	Explain why electrolysis is an example of a chemical change and not a physical change	ge.
		[1]
Exp	plain why the drinking water supply for a town is treated with chlorine.	
		[1]

[Total: 10]

(d)

3 (a) Fig. 3.1 shows a stationary car.



Fig. 3.1

(ii) The car driver loosens the wheel nuts.

He puts a spanner on a wheel nut as shown in Fig. 3.2.




Fig. 3.2

The driver applies a force of 250 N at a distance of 0.4 m from the wheel nut.

Calculate the moment of the force about the centre of the wheel nut.

moment of force =Nm [2]

(iii) The car driver uses a pump powered by an electric motor to inflate the tyre.

The turning effect of an electric motor can be increased by increasing the number of turns on the coil in the motor.

State **one** other way to increase the turning effect of a d.c. motor.

......[1]

(c) Fig. 3.3 shows the car travelling along a road.




Fig. 3.3

As the car moves along the road, electrostatic charges build up on the car.

Complete the sentences.

The force that causes the build-up of electrostatic charges on the car is

The charged particles that are added or removed during the build-up of charge are called

.....

[2]

[Total: 9]

BLANK PAGE

4 (a) Polydactyly is a condition that results in the growth of extra fingers or toes.

The allele for polydactyly is dominant **D**.

The allele for **no** polydactyly is recessive **d**.

Table 4.1 shows the genotypes of one family.

Table 4.1

parent A	parent B	offspring Q	offspring R	offspring S	offspring T	offspring U
Dd	Dd	Dd	dd	Dd	dd	DD

State the number of people in Table	e 4.1:
	with polydactyly
with a hetero	zygous genotype
	[2]

(b) The parents in Table 4.1 have another child.

Complete the genetic diagram in Fig. 4.1 to show the percentage likelihood of the offspring **not** having polydactyly.

		parent A	gametes
		D	d
naront B gamotos	D		
parent B gametes	d		

percentage likelihood of the offspring **not** having polydactyly%

Fig. 4.1

[2]

(c)	Ger	nes and chromosomes are involved in inheritance.	
	(i)	Define the term gene.	
			[2]
	(ii)	State the sex chromosomes present in the body cells of human males.	
			[1]
	(iii)	State the name of the structure in cells that contains the genetic material.	
			[1]
		Γ	Total: 8]

5 (a) A student investigates the rate of reaction between calcium carbonate and hydrochloric acid.

The student does the experiment four times and each time uses:

- the same mass of calcium carbonate
- different sizes of calcium carbonate pieces
- a different concentration of hydrochloric acid.

Table 5.1 shows the four experiments, **A**, **B**, **C** and **D**.


Table 5.1

experiment	size of calcium carbonate pieces	concentration of hydrochloric acid
Α	large	dilute
В	large	concentrated
С	small	dilute
D	small	concentrated

	(i)	State which experiment has the fastest rate of reaction.
		experiment[1]
	(ii)	The student measures the rate of reaction by timing how long it takes for the calcium carbonate pieces to disappear.
		Suggest the piece of apparatus the student uses to measure a time of 100 s.
		[1]
(b)		student wants to determine the pH of the acid. She puts some universal indicator paper the acid.
	(i)	Describe how the student uses the colour of the universal indicator paper to determine the pH of the hydrochloric acid and its relative acidity.
		[2]
	(ii)	Suggest the pH of dilute hydrochloric acid.
		pH =[1]

- (c) Hydrogen chloride, HCl, dissolves in water to make hydrochloric acid.
 - (i) Complete the dot-and-cross diagram in Fig. 5.1 to show the bonding in a molecule of hydrogen chloride.

Only show the outer shell electrons.



Fia. 5.1

	rig. 5.1	[2]
	(ii) State the name of this type of chemical bonding.	
		[1]
(d)	Hydrogen chloride is a gas. Water is a liquid.	
	Describe the difference in the structure between a liquid and a gas, in terms of part separation and the motion of the particles.	icle
	particle separation	
	motion	
		[2]

[Total: 10]

6 (a) Fig. 6.1 shows how the energy transfers in a television when 100 J of electrical energy are supplied.




Fig. 6.1

(i) Calculate the energy transferred as sound.

	energy =	[1]
(ii)	Complete the sentences using the energy transfers shown in Fig. 6.1.	
	The television is designed to transfer energy	
	to energy and energy.	
	energy is wasted by the television.	[3]

(iii) The weight of the television is 120 N.

Calculate the mass of the television.

The gravitational force on unit mass, g, is $10 \,\mathrm{N/kg}$.

mass =kg [2]

(b) Fig. 6.2 shows the power socket which supplies electricity to a television, a laptop and a printer.




Fig. 6.2

(i)	State the electrical hazard visible on Fig. 6.2.
(ii)	Explain why the hazard identified in (b)(i) is not safe.
	[1

(c) A ray of light from the television is reflected by a mirror.

This is shown in Fig. 6.3.




Fig. 6.3

(i)	State the name of the line XY .	
		[1]
(ii)	State which angle, a, b, c or d, is the angle of incidence.	
		[1]
(iii)	State the relationship between the angle of incidence and the angle of reflection.	
		[1]
	[Total:	11]

BLANK PAGE

7 (a) Fig. 7.1 is a diagram of the alimentary canal and associated organs.




Fig. 7.1

(i)) Identify the letter in Fig. 7.1 that represents the part:			
	where egestion occurs			
	where most absorption of food molecules occurs			
	that releases food into the small intestine		[0]	
(ii)	State the names of parts A and C in Fig. 7.1.		[3]	
	A			
	C		 [2]	
<u>():</u>	The comment would be held by the country of the	and the construction that the		

(b) Circle the correct words in bold in the sentence to describe assimilation.

Assimilation is the movement of **digested/insoluble** food molecules into the **cells/genes** of the body where they are used.

[1]

(c) (i) The boxes on the left show principal sources of some nutrients.

	The boxes on the right sho	w the names of some nutrients.	
	Draw lines to link each prin	cipal source with the main nutrient it supplies.	
Γ		carbohydrate	
	butter	· .	
	rice	fat	
L		protein	
	tuna fish		
		vitamin C	
			[3]
(ii)	List the chemical elements	that make up carbohydrates.	
			[1]
(iii)	Describe the importance o	calcium in the diet.	
			[1]
		Γ	Total: 11]

8	(a)	Aluminium is obtained from its ore. Aluminium ore is a finite resource, so conserving aluminium is important.				
		(i)	Explain what is meant by the term finite resource.			
			[1]			
		(ii)	State the name of the ore from which aluminium is extracted.			
			[1]			
	(b)	Alur	ninium is a metal.			
			e two physical or chemical properties of aluminium that make it suitable for use as food tainers.			
		Explain your answers.				
		1				
		exp	anation			
		2				
		exp	anation			
			[3]			
	(c)	(i)	Aluminium is often used in alloys.			
			State the meaning of the term alloy.			

(ii) Table 8.1 shows the composition of elements by mass of 100 g of an aluminium alloy.

Table 8.1

element	mass/g	
aluminium		
copper	1.3	
iron	0.6	
magnesium	1.1	
nickel	2.3	
silicon	10.9	

Calculate the mass of aluminium in 100 g of the alloy.

	mass of aluminium =g	[1]
(iii)	Identify the three transition elements listed in Table 8.1.	
	1	
	2	
	3	[2]

[Total: 9]

9 (a) Table 9.1 shows the highest and lowest frequencies that five animals can hear.

Table 9.1

animal	highest frequency/Hz	lowest frequency/Hz
bat	200 000	2000
dog	50 000	50
dolphin	130 000	1000
elephant	12 000	5
rat	76 000	200

(i)	State which animals from Table 9.1 can hear sounds with a pitch higher than a rat c hear.	an
	Explain your answer.	
		[2]
(ii)	A bat emits a high frequency sound.	
	State the range of frequencies emitted by a bat that a healthy human ear can hear.	
	highest frequencyHz	
	lowest frequencyHz	[2]
(b) (i)	A bat flies at a constant speed of 40 m/s.	
	Calculate the time taken by the bat to travel 200 m.	
	time =s	[2]

	(ii)) Bats and birds often fly into wind turbines and are killed.						
	State one other disadvantage of using wind turbines to generate e							energy.
								[1]
(iii)	Wind en	ergy is an exa	ample of a rer	newable ener	gy source.		
		State on	e other renev	vable energy	source.			
								[1]
(c) (i) Some bats are able to detect ultraviolet radia electromagnetic spectrum.				tion. Ultraviol	let radiation i	s part of the		
		Fig. 9.1	shows an inco	omplete elect	romagnetic sp	ectrum.		
		Write ultraviolet in the correct position in the electromagnetic spectrum.						
		✓ increasing frequency						
			X-rays		visible light			radiowaves
	Fig. 9.1							[1]
	(ii) State one danger of ultraviolet radiation to humans.							
								[1]
								[Total: 10]

10 (a) Fig. 10.1 is a diagram of the gas exchange system in humans.




Fig. 10.1

[3]

(c)	Gases	move across	the gas	exchange	surface b	v diffusion
10	, C ascs	1110 10 401033	uic gas	CACHAINGE	Juliace L	/y aiiiasioi

Place ticks (\checkmark) next to **all** the statements that correctly describe diffusion.

Diffusion is due to the random movement of particles.	
Diffusion is the movement of only water molecules.	
Diffusion occurs across a cell membrane.	
Diffusion requires energy from aerobic respiration.	
Diffusion occurs against a concentration gradient.	

		Diliusion occurs against a concentration gradient.		
				[2]
(d)	Gas	exchange also occurs in plants.		
	(i)	State the name of the part of the leaf where water vapour exi	ts.	
				[1]
	(ii)	State the term used to describe when water evaporates and	then diffuses	out of a leaf.
				[1]
	(iii)	State two factors that increase the rate of water loss from a	leaf.	
		1		
		2		
				[2]
				[Total: 12]

11	(a)	Met	thane, CH ₄ , is the main constituent of a fossil fuel.	
		(i)	State the name of this fossil fuel.	[4]
		(ii)	State the name of one other fossil fuel.	
		(iii)	Methane is a greenhouse gas.	ניו
			State the name of one other common greenhouse gas.	
	(b)	Cor	mplete Fig. 11.1 to show the structural formula of methane.	[1]
			С — Н	
			Fig. 11.1	[1]
	(c)	(i)	When methane is completely combusted in oxygen, carbon dioxide and water produced.	are
			Balance the symbol equation for this reaction.	
			CH_4 + H_2O	[2]
		(ii)	The combustion of methane is an exothermic reaction.	
			Describe what is observed during an exothermic reaction.	

(d) (i) State which diagram from Fig. 11.2 shows the structural formula of an alcohol.

Α	В		
H H H F H—C—C—C—C H H H F	 С—н н– 	H -C-C=C- H H H	

.....

Fig. 11.2

(ii)	Describe the chemical test that distinguishes between A and B in Fig. 11.2.
	test
	result for A
	result for B

[Total: 11]

[3]

[1]

12 Fig. 12.1 shows a refrigerator.




Fig. 12.1

- (a) (i) The refrigerator uses electrical energy to:
 - · power the electric motor which operates the cooler
 - light the lamp inside the refrigerator.

The electric motor and the lamp are connected in parallel.

The circuit symbol for a motor is —(M)—

Complete the circuit diagram for the refrigerator shown in Fig. 12.2.




Fig. 12.2

[2]

(ii) State the name of component X.

.....[1]

(iii) State the purpose of component **X** in this circuit.

......

(b)	Food is kept in a refrigerator so that it stays fresh for longer.	
	Another way to preserve food is to treat it with γ -radiation.	
	γ -radiation is a form of ionising radiation.	
	State the name of one other form of ionising radiation.	
	[1]
(c)	The volume of air in the refrigerator is $0.25\mathrm{m}^3$.	
	The density of the air is $1.28 kg/m^3$.	
	Calculate the mass of the air in the refrigerator in grams.	
	mass =g [3]

(d) Fig. 12.3 shows a liquid-in-glass thermometer.



Fig. 12.3

The thermometer is used to measure the temperature inside the freezing compartment of the refrigerator. This temperature is $-18\,^{\circ}$ C.

Table 12.1 gives some information about four liquids.

Table 12.1

liquid	melting point/°C	boiling point/°C
ethanol	-114	+78
mercury	-39	+367
methanol	-98	+65
water	0	+100

(i)	Identify all the liquids from Table 12.1 that are suitable for use in this thermometer.
	[1]
(ii)	State the physical property of the liquid in the thermometer that varies with temperature.
	[1]
	[Total: 10]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	IIIA IIA IA	2 He)	helium 4	5	οЦ	fluorine	9 Huodine 19 17	9 F Huorine 19 17 C I	9 F Huorine 19 17 17 C I chlorine 35.5	9 F Huorine 19 17 17 C I C I Shorine 35.5 35	9	9 Huome 19 17 17 C1 chome 35.5 Br bromine 80	9 Huome 19 17 17 C1 chome 35.5 Br bromine 80	9 Ruorine 19 17 17 C1 chlorine 35.5 35 Br bromine 80 1	9	9 Huorine 19 17 17 C1 chlorine 35.5 Br bromine 80 1 I bodine 127 85	9 Huorine 19 17 17 Cl Cl Cl Chlorine 35.5 Br Brownine 80 80 53 I I bodine 127 At	Neilum Neilum 8 9 10 0 F Ne 10 17 18 12 17 18 13 25.5 40 34 35.5 40 35 84 85 127 131 128 127 131 138 86 148 85 86 150 150 150	9 Huorine 19 17 C1 C1 Cibionie 35.5 Br bromine 80 80 53 I lodine 127 At astatine	-
	>																		N 144 144 145 145 146 146 146 146 146 145		
	≥			9	ر)	carbon 12	Carbon 12 12 14	oarbon 12 12 O. C.	Carbon 12 12 28 Silicon 28 28	Carbon 12 12 13 13 14 15 28 32 32 15 15 15 15 15 15 15 15 15 15 15 15 15	Carbon carbon 2	Carbon 112 12 12 13	Carbon (12 O) (12 O) (13 O) (14 O) (15 O) (1	Carbon 112 12 12 12 12 12 12 12 12 12 12 12 12	Ogentium Silicon 28 32 32 32 73 3	Ogen Gentler (1997) Ogen Gent	Ogen and the carbon of the car	Silicon Sil	Silicon Sil	Silicon Sil
Ξ	=			5	α	ב	ک _{وته} د	boron 13	13 the point of th	boron 11 13 Al aluminium 27	boron 11 13 A l aluminium 27 31	boron 111 A_I alluminium 27 A_I 3.1 A_I	A 1 3 4 1 3 1 2 2 7 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	D C C C C C C C C C C C C C C C C C C C	A 13 A 14 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A	boron 111	Document of the control of the contr	born 11 13 A1	D D D D D D D D D D D D D D D D D D D	D C C C C C C C C C C C C C C C C C C C	Doron 11 13 A1
											30	30 Zn	30 Zn zaho 65	30 Zn zinc 65 48	30 Zn zinc 65 Cd Cd Cd	30 Zn Zinc zinc 65 G5 G6 Cadmium 112	30 Zn Zinc zinc 65 G5 G6 Cadmium 1112 80	2	30 Zn zanc 65 65 GZ Cd cademium 1112 80 Hg mercury 201	2nc Znc 65 65 65 65 H8 Cd cadmium 112 2 HG H9 mercury 201 112	30 Zn Znc 65 G5
											59	29 Cu	Cu copper 64	29 Cu copper 64 47	Cu copper 64 47 Ag	29 Cu copper copper 64 A A A G silver 108	29 Cu copper copper 64 A A A G silver 108	29 Cu copper 644 Ag silver 108 79 Au	29 Cu copper 64 Ag silver 198 Au Sood 197	29 Cu Copper 64 Ag Silver 198 Au Sold 197 111	29 Cu copper 64 Ag Silver 108 Au gold H11 Rg
											28	Z: 88	28 Zickel	28 Nickel 59 46	28 Nickel 59 4 6 Pd	28 nickel 59 Pd Pallactum 106	28	28 Nickel 59 Palladium 106 Pt 78 Pt	28 Ninckel 59 46 Pd palladum 106 78 Pt	Nickel S9 A6 Pd	28 Ninchell S S S S S S S S S S S S S S S S S S
											27	27 CO	CO Cobait S9	27 CO cobalt 59 45	27 Co cobalt 59 45 Rh	27 CO cobalt 59 45 Hodium	27 CO cobalt 59 45 Hodium 103 103	27 CO cobalit 59 45 Hodium 103 77	COOCODE CODE SECTION COOLED CO	CO Cobat S9 45 Physical Physic	Cochait S9 45 Rh modium 103 77 Ir livelium 192 Mt
		- I	hydrogen 1								56	26 T	86 m 7 8	26 Feb 19 19 19 19 19 19 19 19 19 19 19 19 19	26 Feb	26 Feb 19 19 19 19 19 19 19 19 19 19 19 19 19	26 Feb	26 Fe Fe Siron 56 Mu ruthentum 101 OS	26 Fe rion 56 S S S S S S S S S S S S S S S S S S	26 Fe iron 56 S S S S S S S S S S S S S S S S S S	26 Fe iron 56 OS
				_							25	25 Mn	25 Mn manganese S5	Mn manganese 55 43	Mn manganese 55 57 7C	25 Mn manganese 55 43 TC TC technetium	Mn manganese 55 55 55 43 TC 1 cechnetium 77	Mn manganese S5 5 5 5 5 5 5 5 5 6 7 5 7 7 7 Re	Mn manganese 55 55 55 55 75 75 75 75 75 76 766 186	Mnanganese 55 55 55 65 65 65 65 65 65 65 65 65 65	Mn manganese 55 43 TC technetium 775 Re menium 186 107 Bh
					loc	5	S ss	5 g	5	5 %	24 Ss Ss Zs	2 × 2	24 Cr. Cr. S52 S5 S5 S52 S52 S52 S52 S52 S52 S52 S	SS 24 C C C C C C C C C C C C C C C C C C	24 Cromium 52 S2 S2 S2 S2 S3 S4	24 Cr chromium 52 A2 MO MO MO MO MO MO MO MO MO MO MO MO MO	24 Cr chromium 52 4 A2 MO molybdenum 99 66 67 74	SS Cr Cr Cr Cr Cr Cr Cr A2 A2 MO molybdenum 96 74	24 Cr dhromium 52	24 Cr	24 Cr
			Key	atomic number	atomic symbo		name relative atomic mass	name ive atomic ma	name ive atomic ma	name ive atomic ma	name ive atomic ma	name ive atomic ma service atomic mass	ive atomic ma 23 Vanadium 51	ive atomic ma 23 V vanadium 51 41	ve atomic ma 23 V vanadium 51 A1 Nb	vendeline man vendeline man vendeline man vendeline strange vendeline strange vendeline strange vendeline	vendeline man vendeline man vendeline man vendeline strange vendeline strange vendeline strange vendeline vendeline strange vendeline ve	veratomic ma 23 V Vanadium 51 A1 Nb nioblum 93 73 Ta	ve atomic ma 23 V vanadium 51 A1 ND niobium 93 73 Ta Itantalum 181	variation in the atomic man sine atomic man sine atomic man sine at the atomic man sine at the atomic man sine at the atomic man sine atomic m	vanadium sive atomic ma nice atomic ma nice atomic ma nice image at sandalum signatura a
				ä	ator		relaf	relat	relat	relat	relat 22	relat Z2 T	relat 22 Ti ttanium 48	relat 22 Ti fitanium 48	relat 22 T.i. Hitanium 48 40 Zr	Ti Ti titanium 48 40 Zr Zirconium 91 91	relat 22 Ti stantum 48 40 Zr Zircontum 91 72	relat T T T Hamium thanium 48 40 Z Z A Zirconlum 91 T 72 T 72 Hf	relat 22 Ti uttanium 48 40 Zr Zirconium 91 72 Hf hafritum 178		relat
												21 SC	Sc Scandium 45	21 Sc Scandium 45 39	21 Sc scandium 45 39 × 39	Scandium 8 45 45 45 45 89 89 89	21 Scandium 45 39 Yorkinum 89 89 89 87-71	21 Sc scandium 45 39 Yttnum 89 57-71 lanthanoids	21 Sc scandium 45 39 Y yttrium 89 57–71 Ianthanoids	21 Sc scandium 45 39 Y yttrum 89 57–71 lanthanoids	21 Sc scandium 45 39 Y Y yttrum 89 57-71 lanthanoids actinoids
	=			4	Be	hervllium	6	9 12	Mg	Mg magnesium 24	Mg magnesium 24	Mg magnesium 24 20 Ca	Mg magnesium 24 20 Ca calcium 40	Mg magnesium 24 20 Ca calcium 40 38	Ca Ca calcium 40 88 Sr	Mg magnesium 24 Ca Ca Calcum 40 A S r Strontium 88	Mg magnesium 24 24 28 Ca Cacletum 40 8 8 8 8 8 56	Mg magnesium 24 Ca Ca Ca Ca Caclcium 40 38 Sr Str Str Str Str Str Str Str Str Str	Mg Magnesium 20 Ca Ca Calcium 40 38 Sr Strontium 88 88 88 Ba bartum 137	Mg Magnesium 20 Ca Ca Ca Calcium 40 38 Sr Strontium Str	Mg magnesium 20 Ca Ca Ca Ca Sicus 40 38 Sr Sr Sharium 137 137 Ra
				3		lithium	_	, E	z S z	Na sodium 23	Na Sodium 23 19	23 X	Na Sodium 23 23 X X X X X X X X X X X X X X X X X	23 sodium 23	Sodium 233 K K K K K K K K K K K K K K K K K K	Na N	Na Na Sodium Sodium Sodium Sodium Sodium Sodium Sodium Sodium Sodiassium Sodi	Na Sodium	Na Sodium 23 sodium 23 19	Na Sodium 23 19 19 17 19 18 19 19 19 19 19 19 19 19 19 19 19 19 19	Nas sodium 23 sodium 23 19 Nas Sodium 23 19 Nas Nassium 34 Nas Nassium 35 Nassium 36 Nassium 37 Nas Nassium 133 Na

71	Γn	lutetium 175	103	۲	lawrencium	I
20	Υb	ytterbium 173	102	8	mobelium	ı
69	T	thulium 169	101	Md	mendelevium	ı
89	ங்	erbium 167	100	Fm	ferminm	1
29	웃	holmium 165	66	Es	einsteinium	ı
99	à	dysprosium 163	86	ర	californium	ı
65	q	terbium 159	97	æ	berkelium	ı
64	Р	gadolinium 157	96	Cm	curium	ı
63	品	europium 152	95	Am	americium	ı
62	Sm	samarium 150	94	Pu	plutonium	ı
61	Pm	promethium	93	ď	neptunium	1
09	PΝ	neodymium 144	92	\supset	uranium	238
59	Ą	praseodymium 141	16	Ра	protactinium	231
28	Ce	cerium 140	06	드	thorium	232
22	Га	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).